



Analysis of a protein-protein interface

Biophysics 2023


Alberto Meseguer
Irene Acero




Spike RBD-ACE2

Objective: To evaluate the relative contribution of interface residues to the interaction energy in the protein-protein complex between the Receptor Binding Domain (RBD) of SARS-Cov-2 Spike Protein and its receptor Angiotensin Converting Enzyme (ACE2).

Angiotensin
Converting
Enzyme (ACE2)



Receptor
Binding
Domain (RBD)



Strategy: We will evaluate the contribution of individual amino acid residues through the following steps:

1. **Determine amino acid residues** that form the interface between the complex components.
2. **Determine the contribution to the stability of the complex** by mimicking a traditional Ala-scanning experiment, i.e. replacing each residue in turn by Ala and evaluating the changes in the complex interaction energy.
3. Use the system to **evaluate SARS-Cov-2 spike variants on ACE2 binding**

1. Determine amino acid residues that form the interface between the complex components.

The interface between is defined by a **list of residues on both chains that have at least one atom below a given distance.**

- a. Using pymol inspect visually the structure and choose a suitable distance in the way that all contact residues are included. Add 1-2 Å to that distance so the adjacent residues are also considered. → **Determine the distance**
- b. Prepare a python script (standalone or in a Jupyter notebook) to define the list of interface residues on each chain → **List of the interface residues**
- c. Prepare a python script or notebook to evaluate the **Interaction energy** among chains

2. Determine the contribution to the stability of the complex by mimicking a traditional Ala-scanning experiment

- a. Determine the effect of replacing each interface residue by Ala in the overall interaction energy, and make a plot of the results obtained, **highlighting those residues that are more relevant for the stability of the interface.**
- b. Prepare images with pymol of the interface highlighting the relevant residues and interactions.

3. Use the system to evaluate SARS-Cov-2 spike variants on ACE2 binding

- a. Find the most relevant sequence variants for RBD (alfa, beta, and delta SARS-Cov-2 strains) and analyze the effect of the actual mutations on the energy.

Script Rules

- a. Prepare reusable scripts (use meaningful command lines)
- b. Document the code
- c. One single script or several forming a pipeline (preferred)
- d. Outputs properly formatted
- e. Prepare reusable functions

Report

- a. Complete report of the operations done
- b. Critical comparison of energies, types of interaction between the two cases.
- c. Scripts/Notebooks (ideally on github)
- d. Images of the interface, highlighting relevant residues / interactions