

DRAFT - not published

Every `<<FILL: ...>>` below is a measurement nobody has taken yet. This file is deliberately NOT in `lib/blog.ts`, so it cannot ship by accident.

Run `scripts/benchmark/` first, fill the blanks, then move it into the posts registry. Publishing this with invented figures would destroy the one thing that makes the page worth linking to.

- **slug:** `servey-vs-screens-vs-jump-desktop-benchmark`
- **metaTitle:** `Mac remote desktop latency tested (33)`
- **title:** We measured latency and text sharpness on three Mac remote desktop apps
- **description:** Servey, Screens and Jump Desktop on the same Mac, the same network and the same test pattern. Measured latency, measured sharpness, and where each one loses.
- **keywords:** best remote desktop for Mac, Screens vs Jump Desktop, remote desktop latency, Mac screen sharing quality, control Mac from iPhone
- **date:** `<<FILL: date the runs happened>>`

Lede

Every remote desktop app says it is fast and sharp. None of them publish a number you can check. We ran the two measurements that actually decide whether one of these is pleasant to use - how long the picture takes to reach your hand, and whether 10px text survives the trip - on Servey, Screens and Jump Desktop, on one Mac, one client and one network. The method and the scripts are public so you can disagree with them precisely rather than vaguely.

Table 1: the setup (fill before anything else)

Mac	<<FILL: model, chip, RAM, macOS version>>
Client	<<FILL: device, iOS version>>
LAN	<<FILL: router, band, client link rate>>
Remote network	<<FILL: carrier, tech, typical down/up>>
App versions	Servey <<FILL>> · Screens <<FILL>> · Jump Desktop <<FILL>>
Camera	<<FILL: phone, fps>> (resolution limit +/- <<FILL>> ms)
Runs	<<FILL: n>> per app per network, median reported

Table 2: latency, same Wi-Fi (median ms)

App	Median	Min	Max	Negotiated resolution
Servey	<<FILL>>	<<FILL>>	<<FILL>>	<<FILL>>
Screens	<<FILL>>	<<FILL>>	<<FILL>>	<<FILL>>
Jump Desktop	<<FILL>>	<<FILL>>	<<FILL>>	<<FILL>>

Table 3: latency, away from home (median ms)

Same shape. Report the network for each run; a mobile connection is not a controlled environment and the post should say so.

Table 4: text sharpness (SSIM against the Mac's own screenshot, 1.0 = identical)

App	SSIM	PSNR dB	9px legible?	10px legible?
Servey	<<FILL>>	<<FILL>>	<<FILL: yes/no, by eye>>	<<FILL>>
Screens	<<FILL>>	<<FILL>>	<<FILL>>	<<FILL>>
Jump Desktop	<<FILL>>	<<FILL>>	<<FILL>>	<<FILL>>

Sections to write once the numbers exist

1. **What we measured and why** - the two things people notice; why frame rate is not on the list.
2. **How we measured it** - the flasher, the one-camera trick that removes clock sync, the SSIM pattern. Link the scripts. State the camera's resolution limit.
3. **Results on your own Wi-Fi** - table 2 and 4, a paragraph on what the gap feels like in use, not just what it measures.
4. **Results from outside** - table 3, and the honest caveat that a mobile network moves under you.
5. **Where Screens wins** - <<FILL from the data>> . It ships today, it is mature, and it may well beat us somewhere. Say exactly where.
6. **Where Jump Desktop wins** - <<FILL from the data>> . Reaches Windows and Linux, connects over RDP and VNC to machines with no host app, one-time purchase. None of that is affected by our numbers.
7. **Where Servey wins** - <<FILL from the data>> , plus what no measurement shows: a real terminal beside the screen, sessions that outlive the app.
8. **What we did not measure** - audio, multi-monitor, file transfer, Windows and Linux hosts, long sessions, battery.
9. **Run it yourself** - the scripts, and an invitation to publish contradicting numbers.

Honesty checklist before publishing

- ☐ Every <<FILL>> replaced with a measured value
- ☐ Sections 5 and 6 name a real advantage, from the data
- ☐ Survey labelled as ours, and as pre-launch
- ☐ Exact versions and dates stated
- ☐ Raw output committed alongside, so the numbers can be checked
- ☐ Numbers sent to Edovia and Phase Five Systems before publication