
Janette Kotanen, Aatu Laakso ja Sonja Meskus



CardController (for creating flashcards)

- Answer: String, side 1 of card
- Question: String, side 2 of card
- User: entity, for labelling the userid of the card being created
- CardDao: for storing the card data in the database
- DeleteCard: for removing the card data of the target card

LibraryController

- Card: gets the card from the card entity
- Cards: list of all the cards the current user has created
- User: entity, gets the userid of the current user for showing the correct cards
- Initialize: Resourcebundle, for localisation

CreateAccountController

- Userdao: creates the connection to user dao class
- GetUserCreatinonDetails: saves the entered username and password
- CreateAccount: creates a new user in the database based on the entered username and password

SignInController

- Userdao: creates connection to user dao class
- Carddao: creates connection to card dao class
- Currentuser: saves the current user id instance
- Cards: creates the current users cards instance

Card (import from database)

- Question: string, side 1 of the card
- Answer: string, side 2 of the card
- Category: string for filtering desired cards in library
- Userid: number for determining the target library
- Fcid: number for determining the target card

User (import from database)

- UserName: string, visible identification of user
- Email: string
- Password: string, login credential
- Userid: number for determining target user

UserProfile (used for switch functions)

- Username: string, visible identification of user
- Userid: number for determining target user