

Floor Plan Standard – Instructions

PURPOSE

This guide defines mandatory requirements for all floor plans created on behalf of Propus GmbH (6300 Zug, Switzerland).

It covers the calculation of the Swiss net living area (Nettowohnfläche), labeling conventions and layout requirements.

SOURCE OF AREA VALUES

All area values (m²) and room labels are taken 1:1 from the original architect plan.

Authoritative sources in descending priority

- Architect plan (BF values = Bodenfläche, light interior area)
- On-site measurement data
- Never estimate or extrapolate from rectangular dimensions

⚠ If the dimension (e.g. 4.18 m × 5.47 m) does not match the architect plan area, the architect plan area is authoritative. The room may not be rectangular.

NET LIVING AREA (NWF)

The net living area (Nettowohnfläche, NWF) is defined by the Swiss Federal Office for Housing (BWO) and corresponds to the Net Floor Area (NGF) in SIA standard 416.

Included in NWF

- All heated, year-round habitable rooms inside the dwelling
- Living room, bedrooms, kitchen, bath/WC, hallway, vestibule, corridor
- Stairs within the same dwelling (e.g. internal stairs in a single-family house between UG/EG/OG/DG)
- Walk-in closets (Umkleide), built-in wardrobes
- Heated storage rooms inside the dwelling
- Floor area under sinks, toilets, kitchen counters
- Minimum room height 1.50 m (under sloped roofs: only floor area where ceiling ≥ 1.50 m)

NOT included in NWF

- Wall cross-sections (interior and exterior walls) — NWF is wall-to-wall, light interior area only
- Balconies, terraces, loggias, unheated winter gardens → Aussennutzfläche (outdoor area)
- Cellars, attics (Estrich), garages, hobby rooms, laundry rooms → Nebennutzfläche (ancillary)
- Unheated rooms

- Common stairwells in multi-family buildings (Verkehrsfläche) — only stairs that belong exclusively to the dwelling count

Structural formula

Nutzfläche (Total Usable Area) = Nettowohnfläche (NWF) + Nebennutzfläche (cellar, attic, hobby room, laundry, garage) + Aussennutzfläche (terrace, balcony, patio, loggia)

Always show separately on the floor plan

NETTO-WOHNFLÄCHE: 291 m²

NUTZFLÄCHE: 413 m² (incl. Patio: 18 m², Terrasse: 23 m², Auffahrt: 44 m², Balkon: 37 m²)

LABELING RULES

All labels must be in German, following Swiss real estate convention. English abbreviations or mixed terms are not permitted.

Rooms – always label as

- Umkleide (NEVER W.I.C, WIC, Walk-in Closet, Ankleide)
- Schlafzimmer (NEVER Bedroom, BR)
- Wohnzimmer (NEVER Living Room, LR)
- Küche, Esszimmer / Essen, Büro
- Vorraum (within the dwelling), Gang (passage / circulation)
- Eingangsbereich or Mud Room (NEVER Entry, Foyer); Entrée
- Bad (full bathroom with bathtub); DU/WC (shower + toilet); WC (toilet only)
- Reduit or Abstellraum (NEVER Storage)
- Technikraum (NEVER Utility, Mechanical)
- Keller (NEVER Cellar, Basement)
- Garage (Carport only if open)
- Terrasse (ground floor or DG); Balkon (cantilevered upper floor); Patio (enclosed inner courtyard, ground level)
- Auffahrt (NEVER Driveway)

Floor labels

- Untergeschoss (UG) — basement / lower level
- Erdgeschoss (EG) — ground floor
- Obergeschoss (OG) — upper floor
- Dachgeschoss (DG) — top / attic floor

⚠ Floor designation must always match the architect plan. If the architect labels the top floor as „Dachgeschoss“, we also use „Dachgeschoss“ — not „Obergeschoss“.

LAYOUT STANDARD

- Format: A3 or A4 landscape, depending on complexity
- Resolution: 300 dpi for PDF export
- Font: sans-serif, well-readable (Helvetica, Inter, Open Sans)

- Room label font size: minimum 10 pt
- Dimension font size: 7–8 pt
- Entrance arrow with label „EINGANG"
- North arrow when orientation is not obvious
- Furniture visible: bed, sofa, kitchen appliances, WC, sink, bathtub, shower

Room caption (per room)

- Label (e.g. „Schlafzimmer")
- Dimension in format 4.18m × 5.47m
- Area in m² per architect plan (e.g. 18.2 m²)

Footer at the bottom of each plan

- Full address: street name, postal code, city, canton
- Floor designation
- Total areas (NETTO-WOHNFLÄCHE / NUTZFLÄCHE)
- Disclaimer: GRÖSSEN UND ABMESSUNGEN SIND UNGEFÄHR, DIE TATSÄCHLICHEN KÖNNEN ABWEICHEN.

TEXTURES AND PERFORMANCE

Textures such as natural stone, parquet, lawn, or paving must be embedded as rasterized images (PNG/TIFF, approx. 300 dpi).

⚠ NEVER embed as vector patterns. Vector textures generate huge Form XObjects that crash Adobe Acrobat as soon as someone tries to edit the PDF later.

PRE-DELIVERY CHECKLIST

Before sending the final PDFs, verify

- All rooms from the architect plan are shown on the floor plan (including Mud Room, Entrée, Redit)
- Room labels follow the standard (no English abbreviations like W.I.C)
- Floor designation matches the architect plan
- Per-room areas match the architect plan BF values (not estimated from dimensions)
- Total NWF, Nutzfläche, and Aussennutzfläche listed separately
- Stairs correctly classified: SFH stairs count toward NWF; MFH common stairwells excluded
- Terrace / balcony / patio correctly named and listed under Aussennutzfläche
- Disclaimer present in the footer
- Textures embedded as rasterized images, not vector patterns

CONTACT

Questions: office@propus.ch