

- Practical Task 3

```
CREATE DATABASE ecommerce_db;
```

```
USE ecommerce_db;
```

```
CREATE TABLE products (
```

```
    product_id INT PRIMARY KEY,
```

```
    product_name VARCHAR(100),
```

```
    category VARCHAR(50),
```

```
    brand VARCHAR(50),
```

```
    price DECIMAL(10,2),
```

```
    quantity INT,
```

```
    city VARCHAR(50),
```

```
    status VARCHAR(20)
```

```
);
```

```
DESC products;
```

```
SHOW TABLES;
```

```
-- Task 6
```

```
INSERT INTO products
```

```
(product_id, product_name, category, brand, price, quantity, city, status)
```

```
VALUES
```

```
(201, 'Galaxy M55', 'Mobile', 'Samsung', 32000, 15, 'Pune', 'Available');
```

```
-- Task 7
```

```
INSERT INTO products
```

```
(product_id, product_name, category, brand, price, quantity, city, status)
```

```
VALUES
```

```
(202, 'iPhone 15', 'Mobile', 'Apple', 65000, 8, 'Mumbai', 'Available');
```

```
-- Task 8
```

```
INSERT INTO products
(product_id, product_name, category, brand, price, quantity, city, status)
VALUES
(203, 'Moto Edge 50', 'Mobile', 'Motorola', 28000, 20, 'Pune', 'Available');
```

-- Task 9

```
INSERT INTO products
(product_id, product_name, category, brand, price, quantity, city, status)
VALUES
(204, 'Inspiron 15', 'Laptop', 'Dell', 58000, 6, 'Nashik', 'Available');
```

-- Task 10

```
INSERT INTO products
(product_id, product_name, category, brand, price, quantity, city, status)
VALUES
(205, 'IdeaPad Slim 3', 'Laptop', 'Lenovo', 45000, 12, 'Mumbai', 'Available');
```

-- Task 11

```
INSERT INTO products
(product_id, product_name, category, brand, price, quantity, city, status)
VALUES
(206, 'Galaxy Watch 6', 'Watch', 'Samsung', 22000, 4, 'Pune', 'Out of Stock');
```

-- Task 12

```
INSERT INTO products
(product_id, product_name, category, brand, price, quantity, city, status)
VALUES
(207, 'Apple Watch SE', 'Watch', 'Apple', 30000, 10, 'Mumbai', 'Available');
```

-- Task 13

INSERT INTO products

(product_id, product_name, category, brand, price, quantity, city, status)

VALUES

(208, 'Redmi Pad', 'Tablet', 'Xiaomi', 24000, 18, 'Pune', 'Available');

-- Task 14

INSERT INTO products

(product_id, product_name, category, brand, price, quantity, city, status)

VALUES

(209, 'OnePlus Pad', 'Tablet', 'OnePlus', 35000, 5, 'Nashik', 'Available');

-- Task 15

INSERT INTO products

(product_id, product_name, category, brand, price, quantity, city, status)

VALUES

(210, 'Bluetooth Speaker', 'Accessories', 'JBL', 7000, 25, 'Mumbai', 'Available');

SELECT * FROM products;

-- Task 16

SELECT * FROM products;

-- Task 17

SELECT product_name FROM products;

-- Task 18

SELECT product_name, price

FROM products;

-- Task 19

```
SELECT product_name, category, brand, price  
FROM products;
```

-- Task 20

```
SELECT * FROM products  
WHERE city = 'Pune';
```

-- Task 21

```
SELECT * FROM products  
WHERE city = 'Mumbai';
```

-- Task 22

```
SELECT * FROM products  
WHERE category = 'Mobile';
```

-- Task 23

```
SELECT * FROM products  
WHERE category = 'Laptop';
```

-- Task 24

```
SELECT * FROM products  
WHERE price > 30000;
```

-- Task 25

```
SELECT * FROM products  
WHERE price < 30000;
```

-- Task 26

```
SELECT * FROM products  
WHERE price = 35000;
```

-- Task 27

```
SELECT * FROM products  
WHERE price >= 45000;
```

-- Task 28

```
SELECT * FROM products  
WHERE price <= 30000;
```

-- Task 29

```
SELECT * FROM products  
WHERE quantity > 10;
```

-- Task 30

```
SELECT * FROM products  
WHERE quantity < 10;
```

-- Task 31

```
SELECT * FROM products  
WHERE city = 'Pune'  
AND category = 'Mobile';
```

-- Task 32

```
SELECT * FROM products  
WHERE city = 'Mumbai'
```

AND status = 'Available';

-- Task 33

SELECT * FROM products

WHERE price > 30000

AND quantity > 5;

-- Task 34

SELECT * FROM products

WHERE price >= 30000

AND price <= 60000;

-- Task 35

SELECT * FROM products

WHERE city = 'Pune'

OR city = 'Mumbai';

-- Task 36

SELECT * FROM products

WHERE category = 'Mobile'

OR category = 'Laptop';

-- Task 37

SELECT * FROM products

WHERE quantity < 10

OR price > 50000;

-- Task 38

SELECT * FROM products

WHERE category = 'Mobile'

AND price > 30000;

-- Task 39

SELECT * FROM products

WHERE brand = 'Samsung'

OR brand = 'Apple';

-- Task 40

SELECT * FROM products

WHERE city = 'Pune'

AND status = 'Available'

AND quantity > 10;

-- Task 41

SELECT * FROM products

WHERE price BETWEEN 25000 AND 50000;

-- Task 42

SELECT * FROM products

WHERE quantity BETWEEN 5 AND 15;

-- Task 43

SELECT * FROM products

WHERE category IN ('Mobile', 'Laptop', 'Tablet');

-- Task 44

SELECT * FROM products

WHERE city IN ('Pune', 'Mumbai');

-- Task 45

```
SELECT * FROM products  
WHERE brand != 'Samsung';
```

-- Task 46

```
SELECT * FROM products  
WHERE status != 'Out of Stock';
```

-- Task 47

```
SELECT * FROM products  
WHERE price != 30000;
```

-- Task 48

```
SELECT * FROM products  
WHERE product_name LIKE 'Galaxy%';
```

-- Task 49

```
SELECT * FROM products  
WHERE product_name LIKE '%Pad%';
```

-- Task 50

```
SELECT * FROM products  
WHERE category = 'Mobile'  
AND (price > 30000 OR quantity > 15);
```

-- Task 51

```
UPDATE products  
SET price = 34000
```

```
WHERE product_id = 201;
```

```
-- Task 52
```

```
UPDATE products
```

```
SET quantity = 12
```

```
WHERE product_id = 202;
```

```
-- Task 53
```

```
UPDATE products
```

```
SET status = 'Available'
```

```
WHERE product_id = 206;
```

```
-- Task 54
```

```
UPDATE products
```

```
SET price = price + 2000
```

```
WHERE category = 'Mobile';
```

```
-- Task 55
```

```
UPDATE products
```

```
SET quantity = quantity + 5
```

```
WHERE city = 'Pune';
```

```
-- Task 56
```

```
UPDATE products
```

```
SET status = 'Out of Stock'
```

```
WHERE quantity < 5;
```

```
-- Task 57
```

```
DELETE FROM products  
WHERE product_id = 210;
```

-- Task 58

```
DELETE FROM products  
WHERE price < 8000;
```

-- Task 59

```
DELETE FROM products  
WHERE status = 'Out of Stock'  
AND quantity < 5;
```

-- Task 60

```
DELETE FROM products  
WHERE category = 'Tablet'  
AND price > 30000;
```