

--Practical Task 2

```
CREATE DATABASE company_db;
```

```
USE company_db;
```

```
CREATE TABLE employees (employee_id INT PRIMARY KEY,employee_name  
VARCHAR(100),department VARCHAR(50),salary DECIMAL(10,2),city  
VARCHAR(50),joining_date DATE,status VARCHAR(20));
```

```
DESC employees;
```

```
INSERT INTO employees(employee_id, employee_name, department, salary, city,  
joining_date, status)VALUES
```

```
(101, 'Rahul Patil', 'Development', 45000, 'Pune', '2026-01-10', 'Active'), (102, 'Priya Sharma',  
'Testing', 38000, 'Mumbai', '2026-02-15', 'Active'), (103, 'Amit Joshi', 'Development', 52000,  
'Pune', '2025-12-05', 'Active'),
```

```
(104, 'Sneha Kulkarni', 'HR', 35000, 'Nashik', '2026-03-20', 'Active'), (105, 'Rohan Deshmukh',  
'Support', 30000, 'Mumbai', '2026-04-01', 'Inactive'),(106, 'Anjali More', 'Testing', 42000,  
'Pune', '2026-05-12', 'Active');
```

```
SELECT * FROM employees;
```

```
SELECT employee_name FROM employees;
```

```
SELECT employee_name, salary FROM employees;
```

```
SELECT employee_name, department, city FROM employees;
```

```
SELECT * FROM employees WHERE city = 'Pune';
```

```
SELECT * FROM employees WHERE city = 'Mumbai';
```

```
SELECT * FROM employees WHERE department = 'Development';
```

```
SELECT * FROM employees WHERE department = 'Testing';
```

```
SELECT * FROM employees WHERE status = 'Active';
```

```
SELECT * FROM employees WHERE status = 'Inactive';
```

```
SELECT * FROM employees WHERE employee_id = 103;
```

```
SELECT * FROM employees WHERE employee_name = 'Priya Sharma';
```

```
SELECT * FROM employees WHERE salary > 40000;
```

```
SELECT * FROM employees WHERE salary = 35000;
```

```
SELECT * FROM employees WHERE salary >= 42000;
```

```

SELECT * FROM employees WHERE city = 'Pune' AND status = 'Active';

SELECT * FROM employees WHERE department = 'Development' AND salary > 45000;

SELECT * FROM employees WHERE city = 'Pune' OR city = 'Mumbai';

UPDATE employees SET salary = 48000 WHERE employee_id = 101;

UPDATE employees SET department = 'Development' WHERE employee_id = 102;

UPDATE employees SET salary = salary + 3000 WHERE employee_id = 103;

UPDATE employees SET city = 'Pune' WHERE employee_id = 104;

UPDATE employees SET status = 'Active' WHERE employee_id = 105;

UPDATE employees SET salary = 45000 WHERE employee_id = 106;

UPDATE employees SET salary = salary + 2000 WHERE department = 'Testing';

UPDATE employees SET city = 'Mumbai Branch' WHERE city = 'Mumbai';

DELETE FROM employees WHERE employee_id = 105;

DELETE FROM employees WHERE status = 'Inactive';

DELETE FROM employees WHERE salary < 30000;

DELETE FROM employees WHERE employee_id = 104;

ALTER TABLE employees ADD email VARCHAR(100);

ALTER TABLE employees ADD mobile VARCHAR(15);

ALTER TABLE employees MODIFY city VARCHAR(100);

ALTER TABLE employees RENAME COLUMN employee_name TO name;

ALTER TABLE employees DROP COLUMN mobile;

CREATE TABLE departments (department_id INT PRIMARY KEY, department_name
VARCHAR(100), location VARCHAR(100));

INSERT INTO departments(department_id, department_name, location) VALUES(1,
'Development', 'Pune'),(2, 'Testing', 'Mumbai'),(3, 'HR', 'Nashik');

SELECT * FROM departments;

DELETE FROM departments WHERE department_id = 3;

RENAME TABLE departments TO company_departments;

DESC company_departments;

TRUNCATE TABLE company_departments;

```

```
DROP TABLE company_departments;
```

```
SHOW TABLES;
```