



CSE3023 WEB-BASED APPLICATION DEVELOPMENT

LAB REPORT 5

NAME: YAP SOO YAN

MATRIC No. : S75196

DATE: 29 APRIL 2026

GROUP: 1

DEMO: MRS. WAN FATIN FATIAH

PROGRAMME: COMPUTER SCIENCE (SOFTWARE ENGINEERING)

Table of Content

Employee.java (JavaBean).....	2
PayrollServlet.java.....	3
payroll_view.jsp.....	4
Output.....	5

Lab Exercise:

Employee.java (JavaBean)

```
1 package com.lab.bean;
2
3 public class Employee { 7 usages new *
4     private String empId; 3 usages
5     private String name; 3 usages
6     private String department; 3 usages
7     private double basicSalary; 3 usages
8
9     public Employee(){} 1 usage new *
10
11     public Employee(String empId, String name, String department, double basicSalary) {
12         this.empId = empId;
13         this.name = name;
14         this.department = department;
15         this.basicSalary = basicSalary;
16     }
17
18     public String getEmpId() { no usages new *
19         return empId;
20     }
21
22     public void setEmpId(String empId) { no usages new *
23         this.empId = empId;
24     }
25
26     public String getName() { no usages new *
27         return name;
28     }
29
30     public void setName(String name) { no usages new *
31         this.name = name;
32     }
```

```
33
34     public String getDepartment() { no usages new *
35         return department;
36     }
37
38     public void setDepartment(String department) { no usages new *
39         this.department = department;
40     }
41
42     public double getBasicSalary() { no usages new *
43         return basicSalary;
44     }
45
46     public void setBasicSalary(double basicSalary) { no usages new *
47         this.basicSalary = basicSalary;
48     }
49 }
```


PayrollServlet.java

```
1 package com.lab.controller;
2 import jakarta.servlet.annotation.WebServlet;
3 import jakarta.servlet.http.HttpServlet;
4 import jakarta.servlet.http.HttpServletResponse;
5 import jakarta.servlet.http.HttpServletRequest;
6 import jakarta.servlet.ServletException;
7 import java.io.IOException;
8 import java.util.ArrayList;
9 import java.util.List;
10 import jakarta.servlet.RequestDispatcher;
11
12 import com.lab.bean.Employee;
13
14 @WebServlet("/PayrollServlet") new *
15 public class PayrollServlet extends HttpServlet {
16     @ @ @
17     protected void doGet(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException {
18         List<Employee> employee = new ArrayList<>();
19
20         employee.add(new Employee( empld: "E1", name: "Mr.Q", department: "Marketing", basicSalary: 3000.00 ));
21         employee.add(new Employee( empld: "E2", name: "Mr.W", department: "Sales", basicSalary: 3500.00 ));
22         employee.add(new Employee( empld: "E3", name: "Mr.E", department: "Telecommunication", basicSalary: 4000.00 ));
23         employee.add(new Employee( empld: "E4", name: "Mr.R", department: "HR", basicSalary: 4000.00 ));
24         employee.add(new Employee( empld: "E5", name: "Mr.S", department: "IT", basicSalary: 3000.00 ));
25
26         request.setAttribute( s: "employeeList", employee);
27
28         RequestDispatcher rd = request.getRequestDispatcher( s: "payroll_view.jsp");
29         rd.forward(request, response);
30     }
31 }
```

payroll_view.jsp

```
1
2 <%@ page contentType="text/html; charset=UTF-8" language="java" %>
3 <%@ taglib prefix="c" uri="jakarta.tags.core"%>
4
5 <html>
6 <head>
7   <title>Payroll View</title>
8 </head>
9 <body>
10  <table border="1" cellpadding="8" cellspacing="0">
11    <thead>
12      <tr>
13        <th>Employee ID</th>
14        <th>Name</th>
15        <th>Department</th>
16        <th>Basic Salary</th>
17        <th>Status</th>
18      </tr>
19    </thead>
20    <tbody>
21      <c:forEach items="${employeeList}" var="employee" >
22        <tr>
23          <td>${employee.empId}</td>
24          <td>${employee.name}</td>
25          <td>${employee.department}</td>
26          <td>${employee.basicSalary}</td>
27          <td>
28            <c:choose>
29              <c:when test="${employee.basicSalary >= 3000}">
30                <span class="senior">Senior</span>
31              </c:when>
32              <c:otherwise>
33                <span class="junior">Junior</span>
34              </c:otherwise>
35            </c:choose>
36          </td>
37        </tr>
38      </c:forEach>
39    </tbody>
40  </table>
41 </body>
42 </html>
```

Output



Employee ID	Name	Department	Basic Salary	Status
E1	Mr.Q	Markerting	3000.0	Senior
E2	Mr.W	Sales	3500.0	Senior
E3	Mr.E	Telecommunication	4000.0	Senior
E4	Mr.R	HR	4000.0	Senior
E5	Mr.S	IT	3000.0	Senior