Latvijas Universitāte
Fizikas un matemātikas fakultāte
Fizikas Bakaluara 2. kurss
Jānis Erdmanis (je11011)
January 28, 2013

Laboratorijas darbs
Elektrona lādiņš (7)

An h1 header

Paragraphs are separated by a blank line.

2nd paragraph. *Italic*, **bold**, `monospace`. Itemized lists look like:

- this one

- that one

- the other one

  Note that — not considering the asterisk — the actual text content starts at 4-columns in.

  Block quotes are written like so.

  They can span multiple paragraphs, if you like.

Use 3 dashes for an em-dash. Use 2 dashes for ranges (ex. "it's all in chapters 12–14"). Three dots … will be converted to an ellipsis. Garš tekstGaršekstGarš tekstGarš tekstGarš tekstGarš tekstGarš tekstGarš tekstGarš tekstGarš tekstGarš tekstGarš tekstGarš tekstGarš tekstGarš tekstGarš tekstGarš tekstGarš tekstGarš tekstGarš tekstGarš tektGarš tekst

Garš tekst

Teorētiskais pamatojums

Viegli ir iekļauļamas arī matemātikas sakarības x^2 vai arī jaunā rindā:

$$x^2$$

An h2 header

Here's a numbered list:

1. first item

2. second item

3. third item

    Note again how the actual text starts at 4 columns in (4 characters from the left side). Here's a code sample:

```
# Let me re-iterate ...
for i in 1 .. 10 { do-something(i) }
```


Figure 1: Voyage to the moon

Kā arī ir iekļauļamas latex komandas:

n^2 ame	givenname	matriculation	gender	grade
Maier	Hans	12345	m	1.0
Huber	Anna	23456	f	2.3
Weißbäck	Werner	34567	m	5.0