

# Mini Project – Journify

DONE BY

KAVIYA.V AND JANIT.B

AIM:

To Create a java swing project on travel booking with login and registration with database connection.

DatabaseConnection.java (used to make connection to MYSQL database with mysql\_connector\_9.0.1.jar file)

Code:

```
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.SQLException;

public class DatabaseConnection {
    private static final String URL = "jdbc:mysql://localhost:3306/journify";
    private static final String USER = "root";
    private static final String PASSWORD = "Changeme@123";

    public static Connection getConnection() throws SQLException {
        return DriverManager.getConnection(URL, USER, PASSWORD);
    }
}
```

LoginPage.java(used to login to verify the user authentication)

## Code:

```
import javax.swing.*;
import java.awt.*;
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;

public class LoginPage extends JPanel {
    private JTextField txtUsername;
    private JPasswordField txtPassword;

    public LoginPage(ActionListener navigationListener) {
        setLayout(new BorderLayout());
        setBackground(StyleUtils.BACKGROUND_COLOR);

        // Title and Introduction
        JLabel title = StyleUtils.createTitleLabel("<html><h1>Login</h1><p>Welcome back!  
Please log in to continue.</p></html>");
        add(title, BorderLayout.NORTH);

        // Login Form Panel
        JPanel formPanel = new JPanel(new GridLayout(3, 2, 10, 10));
        formPanel.setBorder(BorderFactory.createEmptyBorder(50, 100, 50, 100));
        formPanel.setBackground(Color.WHITE);

        JLabel lblUsername = new JLabel("Username:", JLabel.RIGHT);
        lblUsername.setFont(StyleUtils.SUBTITLE_FONT);
        lblUsername.setForeground(StyleUtils.TEXT_COLOR);
        txtUsername = new JTextField();
        formPanel.add(lblUsername);
        formPanel.add(txtUsername);

        JLabel lblPassword = new JLabel("Password:", JLabel.RIGHT);
        lblPassword.setFont(StyleUtils.SUBTITLE_FONT);
        lblPassword.setForeground(StyleUtils.TEXT_COLOR);
        txtPassword = new JPasswordField();
        formPanel.add(lblPassword);
        formPanel.add(txtPassword);

        add(formPanel, BorderLayout.CENTER);

        // Buttons Panel
        JPanel buttonPanel = new JPanel(new FlowLayout());
```

```

        buttonPanel.setBackground(StyleUtils.BACKGROUND_COLOR);

        JButton btnLogin = StyleUtils.createStyledButton("Login",
StyleUtils.SECONDARY_COLOR);
        btnLogin.setActionCommand("Login");
        btnLogin.addActionListener(e -> {
            // Placeholder for login authentication
            JOptionPane.showMessageDialog(this, "Logged in successfully!");
            navigationListener.actionPerformed(new ActionEvent(this,
ActionEvent.ACTION_PERFORMED, "Home"));
        });

        JButton btnRegister = StyleUtils.createStyledButton("Register",
StyleUtils.PRIMARY_COLOR);
        btnRegister.setActionCommand("Register");
        btnRegister.addActionListener(navigationListener);

        buttonPanel.add(btnLogin);
        buttonPanel.add(btnRegister);

        add(buttonPanel, BorderLayout.SOUTH);
    }

    public String getUsername() {
        return txtUsername.getText();
    }

    public String getPassword() {
        return new String(txtPassword.getPassword());
    }
}

```

RegisterPage.java(used to create a new user by asking them the credentials)

Code:

```
import javax.swing.*;
import java.awt.*;
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;

public class RegisterPage extends JPanel {
    private JTextField txtUsername, txtEmail;
    private JPasswordField txtPassword;

    public RegisterPage(ActionListener navigationListener) {
        setLayout(new BorderLayout());
        setBackground(StyleUtils.BACKGROUND_COLOR);

        // Title and Introductory Text
        JLabel title = StyleUtils.createTitleLabel("<html><h1>Register</h1><p>Create a new account to start your journey.</p></html>");
        add(title, BorderLayout.NORTH);

        // Registration Form Panel
        JPanel formPanel = new JPanel(new GridLayout(4, 2, 10, 10));
        formPanel.setBorder(BorderFactory.createEmptyBorder(50, 100, 50, 100));
        formPanel.setBackground(Color.WHITE);

        formPanel.add(new JLabel("Username:", JLabel.RIGHT));
        txtUsername = new JTextField();
        formPanel.add(txtUsername);

        formPanel.add(new JLabel("Email:", JLabel.RIGHT));
        txtEmail = new JTextField();
        formPanel.add(txtEmail);

        formPanel.add(new JLabel("Password:", JLabel.RIGHT));
        txtPassword = new JPasswordField();
        formPanel.add(txtPassword);

        add(formPanel, BorderLayout.CENTER);

        // Buttons Panel
```

```

JPanel buttonPanel = new JPanel(new FlowLayout());
buttonPanel.setBackground(StyleUtils.BACKGROUND_COLOR);

JButton btnRegister = StyleUtils.createStyledButton("Register",
StyleUtils.SECONDARY_COLOR);
btnRegister.addActionListener(e -> {
    // Placeholder for registration logic
    JOptionPane.showMessageDialog(this, "Registration successful! Please log in.");
    navigationListener.actionPerformed(new ActionEvent(this,
ActionEvent.ACTION_PERFORMED, "Login"));
});

JButton btnBack = StyleUtils.createStyledButton("Back to Login",
StyleUtils.PRIMARY_COLOR);
btnBack.setActionCommand("Login");
btnBack.addActionListener(navigationListener);

buttonPanel.add(btnRegister);
buttonPanel.add(btnBack);

add(buttonPanel, BorderLayout.SOUTH);
}

public String getUsername() {
    return txtUsername.getText();
}

public String getEmail() {
    return txtEmail.getText();
}

public String getPassword() {
    return new String(txtPassword.getPassword());
}
}

```

HomePage.java(Used as dashboard)

Code:

```

import javax.swing.*;
import java.awt.*;
import java.awt.event.ActionListener;

public class HomePage extends JPanel {
    public HomePage(ActionListener navigationListener) {
        setLayout(new BorderLayout());
        setBackground(StyleUtils.BACKGROUND_COLOR);

        // Title and Welcome Message
        JLabel title = StyleUtils.createTitleLabel("<html><h1>Welcome to
Journify!</h1></html>");
        JLabel welcomeMessage = new JLabel("<html><p>Discover amazing travel
experiences...</p></html>", JLabel.CENTER);
        welcomeMessage.setFont(StyleUtils.SUBTITLE_FONT);
        welcomeMessage.setForeground(StyleUtils.TEXT_COLOR);

        JPanel welcomePanel = new JPanel(new GridLayout(2, 1));
        welcomePanel.setBackground(StyleUtils.BACKGROUND_COLOR);
        welcomePanel.add(title);
        welcomePanel.add(welcomeMessage);

        add(welcomePanel, BorderLayout.NORTH);

        // Featured Destinations with Full-Box Images
        JPanel featuredPanel = new JPanel(new GridLayout(1, 4, 10, 10));
        featuredPanel.setBackground(StyleUtils.BACKGROUND_COLOR);

        // Destination information
        String[] destinations = {"Paris", "Switzerland", "Goa", "Egypt"};
        String[] descriptions = {
            "<html><center>Paris<br>The city of love and lights.</center></html>",
            "<html><center>Switzerland<br>Land of scenic Alps and
serenity.</center></html>",
            "<html><center>Goa<br>Beach paradise of India.</center></html>",
            "<html><center>Egypt<br>Land of ancient wonders.</center></html>"
        };
        String[] imagePaths = {
            "src/images/paris.jpg",
            "src/images/switzerland.jpg",
            "src/images/goa.jpg",
            "src/images/egypt.jpg"
        };

        // Adding destinations to the panel
        for (int i = 0; i < destinations.length; i++) {

```

```

        JPanel destinationPanel = new JPanel(new BorderLayout());
        destinationPanel.setBackground(Color.WHITE);

destinationPanel.setBorder(BorderFactory.createLineBorder(StyleUtils.SECONDARY_COLOR));

        // Load and set full-box image
        FullBoxImageLabel imageLabel = new FullBoxImageLabel(new
ImageIcon(imagePaths[i]));
        destinationPanel.add(imageLabel, BorderLayout.CENTER);

        JLabel destinationLabel = new JLabel(descriptions[i], JLabel.CENTER);
        destinationLabel.setFont(StyleUtils.SUBTITLE_FONT);
        destinationLabel.setForeground(StyleUtils.TEXT_COLOR);
        destinationPanel.add(destinationLabel, BorderLayout.SOUTH);

        featuredPanel.add(destinationPanel);
    }

    add(featuredPanel, BorderLayout.CENTER);

// Navigation Buttons
    JPanel buttonPanel = new JPanel(new FlowLayout(FlowLayout.CENTER, 15, 15));
    buttonPanel.setBackground(StyleUtils.BACKGROUND_COLOR);

    JButton btnTravelPackages = StyleUtils.createStyledButton("Travel Packages",
StyleUtils.PRIMARY_COLOR);
    JButton btnHotelsPlaces = StyleUtils.createStyledButton("Hotels & Places",
StyleUtils.PRIMARY_COLOR);
    JButton btnAboutUs = StyleUtils.createStyledButton("About Us",
StyleUtils.PRIMARY_COLOR);
    JButton btnBookingForm = StyleUtils.createStyledButton("Booking Form",
StyleUtils.SECONDARY_COLOR);
    JButton btnLogout = StyleUtils.createStyledButton("Logout", Color.RED);

    btnTravelPackages.setActionCommand("TravelPackages");
    btnHotelsPlaces.setActionCommand("HotelsPlaces");
    btnAboutUs.setActionCommand("AboutUs");
    btnBookingForm.setActionCommand("BookingForm");
    btnLogout.setActionCommand("Logout");

    btnTravelPackages.addActionListener(navigationListener);
    btnHotelsPlaces.addActionListener(navigationListener);
    btnAboutUs.addActionListener(navigationListener);
    btnBookingForm.addActionListener(navigationListener);
    btnLogout.addActionListener(navigationListener);

```

```

        buttonPanel.add(btnTravelPackages);
        buttonPanel.add(btnHotelsPlaces);
        buttonPanel.add(btnAboutUs);
        buttonPanel.add(btnBookingForm);
        buttonPanel.add(btnLogout);

        add(buttonPanel, BorderLayout.SOUTH);
    }

    // Custom JLabel to make the image fill the entire label box
    private class FullBoxImageLabel extends JLabel {
        private Image image;

        public FullBoxImageLabel(ImageIcon icon) {
            this.image = icon.getImage();
        }

        @Override
        protected void paintComponent(Graphics g) {
            super.paintComponent(g);
            if (image != null) {
                int width = getWidth();
                int height = getHeight();
                // Draw the image scaled to fit the entire label size
                g.drawImage(image, 0, 0, width, height, this);
            }
        }
    }
}

```

TravelPackages.java(used to display the Travel Packages available)

Code:

```

import javax.swing.*;
import java.awt.*;
import java.awt.event.ActionListener;

public class TravelPackagesPage extends JPanel {
    public TravelPackagesPage(ActionListener navigationListener) {
        setLayout(new BorderLayout());
        setBackground(StyleUtils.BACKGROUND_COLOR);
    }
}

```



```

// Title
JLabel title = StyleUtils.createTitleLabel("<html><h1>Travel
Packages</h1><p>Explore our exclusive packages.</p></html>");
add(title, BorderLayout.NORTH);

// Travel Package Information
JPanel packagesPanel = new JPanel(new GridLayout(3, 1, 10, 10));
packagesPanel.setBackground(StyleUtils.BACKGROUND_COLOR);
String[] packages = {"Paris Getaway", "Swiss Alps Adventure", "Goa Retreat"};
String[] details = {"5 Days - ₹102000", "7 Days - ₹152000", "4 Days - ₹76000"};

for (int i = 0; i < packages.length; i++) {
    JPanel packagePanel = new JPanel(new BorderLayout());
    packagePanel.setBackground(Color.WHITE);

packagePanel.setBorder(BorderFactory.createLineBorder(StyleUtils.SECONDARY_COLOR
));

    JLabel packageLabel = new JLabel("<html><center>" + packages[i] + "<br>" +
details[i] + "</center></html>", JLabel.CENTER);
    packageLabel.setFont(StyleUtils.SUBTITLE_FONT);
    packageLabel.setForeground(StyleUtils.TEXT_COLOR);

    JButton btnBook = StyleUtils.createStyledButton("Book Now",
StyleUtils.SECONDARY_COLOR);
    btnBook.setActionCommand("BookingForm"); // Set the ActionCommand to open
BookingFormPage
    btnBook.addActionListener(navigationListener);

    packagePanel.add(packageLabel, BorderLayout.CENTER);
    packagePanel.add(btnBook, BorderLayout.SOUTH);
    packagesPanel.add(packagePanel);
}

add(packagesPanel, BorderLayout.CENTER);

// Back Button
JButton btnBack = StyleUtils.createStyledButton("Back to Home",
StyleUtils.PRIMARY_COLOR);
btnBack.setActionCommand("Home");
btnBack.addActionListener(navigationListener);

JPanel backPanel = new JPanel(new FlowLayout(FlowLayout.CENTER));
backPanel.setBackground(StyleUtils.BACKGROUND_COLOR);
backPanel.add(btnBack);

```

```
        add(backPanel, BorderLayout.SOUTH);
    }
}
```

HotelsPlacesPage.java(used to display the info of the places and hotels to stay)

Code:

```
import javax.swing.*;
import java.awt.*;
import java.awt.event.ActionListener;

public class HotelsPlacesPage extends JPanel {
    public HotelsPlacesPage(ActionListener navigationListener) {
        setLayout(new BorderLayout());
        setBackground(StyleUtils.BACKGROUND_COLOR);

        // Title
```

```

JLabel title = StyleUtils.createTitleLabel("<html><h1>Hotels &
Places</h1><p>Discover popular hotels and places to visit.</p></html>");
add(title, BorderLayout.NORTH);

// Hotels and Places Information
JPanel hotelsPanel = new JPanel(new GridLayout(3, 1, 10, 10));
hotelsPanel.setBackground(StyleUtils.BACKGROUND_COLOR);

String[] hotels = {"The Ritz, Paris", "Swiss Alps", "Taj Mahal"};
String[] details = {"5 Stars - Paris", "Scenic Beauty - Switzerland", "7 Wonders -
India"};
for (int i = 0; i < hotels.length; i++) {
    JPanel hotelPanel = new JPanel(new BorderLayout());
    hotelPanel.setBackground(Color.WHITE);

    hotelPanel.setBorder(BorderFactory.createLineBorder(StyleUtils.SECONDARY_COLOR));
    JLabel hotelLabel = new JLabel("<html><center>" + hotels[i] + "<br>" + details[i] +
"</center></html>", JLabel.CENTER);
    hotelLabel.setFont(StyleUtils.SUBTITLE_FONT);
    hotelLabel.setForeground(StyleUtils.TEXT_COLOR);
    JButton btnView = StyleUtils.createStyledButton("View Details",
StyleUtils.SECONDARY_COLOR);
    btnView.setActionCommand("Hotel" + i);
    btnView.addActionListener(navigationListener);
    hotelPanel.add(hotelLabel, BorderLayout.CENTER);
    hotelPanel.add(btnView, BorderLayout.SOUTH);
    hotelsPanel.add(hotelPanel);
}

add(hotelsPanel, BorderLayout.CENTER);

// Back Button
JButton btnBack = StyleUtils.createStyledButton("Back to Home",
StyleUtils.PRIMARY_COLOR);
btnBack.setActionCommand("Home");
btnBack.addActionListener(navigationListener);
JPanel backPanel = new JPanel(new FlowLayout(FlowLayout.CENTER));
backPanel.setBackground(StyleUtils.BACKGROUND_COLOR);
backPanel.add(btnBack);
add(backPanel, BorderLayout.SOUTH);
}
}

```

BookingFormPage.java(Used to get info from the people who used to travel with like of their package)

Code:

```
import javax.swing.*;
import java.awt.*;
import java.awt.event.ActionListener;

public class BookingFormPage extends JPanel {
    public BookingFormPage(ActionListener navigationListener) {
        setLayout(new BorderLayout());
        setBackground(StyleUtils.BACKGROUND_COLOR);

        // Title
        JLabel title = StyleUtils.createTitleLabel("<html><h1>Booking  
Form</h1><p>Complete your booking details below.</p></html>");
        add(title, BorderLayout.NORTH);
```

```

// Form Panel
JPanel formPanel = new JPanel(new GridLayout(6, 2, 10, 10));
formPanel.setBorder(BorderFactory.createEmptyBorder(20, 50, 20, 50));
formPanel.setBackground(Color.WHITE);

formPanel.add(new JLabel("Full Name:", JLabel.RIGHT));
JTextField nameField = new JTextField();
formPanel.add(nameField);

formPanel.add(new JLabel("Email:", JLabel.RIGHT));
JTextField emailField = new JTextField();
formPanel.add(emailField);

formPanel.add(new JLabel("Phone:", JLabel.RIGHT));
JTextField phoneField = new JTextField();
formPanel.add(phoneField);

formPanel.add(new JLabel("Travel Package:", JLabel.RIGHT));
JComboBox<String> packageBox = new JComboBox<>(new String[] {"Paris Getaway",
"Swiss Alps", "Goa Retreat"});
formPanel.add(packageBox);

formPanel.add(new JLabel("Booking Date (YYYY-MM-DD):", JLabel.RIGHT));
JTextField dateField = new JTextField();
formPanel.add(dateField);

JButton btnSubmit = StyleUtils.createStyledButton("Submit Booking",
StyleUtils.SECONDARY_COLOR);
btnSubmit.addActionListener(e -> JOptionPane.showMessageDialog(this, "Booking
Confirmed!"));

JButton btnBack = StyleUtils.createStyledButton("Back to Home",
StyleUtils.PRIMARY_COLOR);
btnBack.setActionCommand("Home");
btnBack.addActionListener(navigationListener);

formPanel.add(btnBack);
formPanel.add(btnSubmit);

add(formPanel, BorderLayout.CENTER);
}
}

```

AboutUs.java(used to display the details of the us)

Code:

```
import javax.swing.*;
import java.awt.*;
import java.awt.event.ActionListener;

public class AboutUsPage extends JPanel {
    public AboutUsPage(ActionListener navigationListener) {
        setLayout(new BorderLayout());
        setBackground(StyleUtils.BACKGROUND_COLOR);

        // Title and Introductory Text
        JLabel title = StyleUtils.createTitleLabel("<html><h1>About Us</h1><p>Learn more  
about Journify and our journey.</p></html>");
        add(title, BorderLayout.NORTH);

        // Company Information Section
        JTextArea aboutUsInfo = new JTextArea(
            "Our Story:\n" +
            "Journify was founded with a mission to make travel planning seamless and
```

```

enjoyable for everyone.\n\n" +
    "Our Mission:\n" +
    "To inspire and empower people to explore the world.\n\n" +
    "Our Vision:\n" +
    "To be the go-to platform for travelers seeking authentic experiences.\n\n" +
    "Our Core Values:\n" +
    "- Customer Focus\n" +
    "- Innovation\n" +
    "- Integrity\n" +
    "- Passion for Travel\n\n" +
    "Meet Our Team:\n" +
    "We are a team of travel enthusiasts dedicated to making your journey
memorable."
);
aboutUsInfo.setEditable(false);
aboutUsInfo.setBackground(Color.WHITE);
aboutUsInfo.setFont(StyleUtils.SUBTITLE_FONT);
aboutUsInfo.setForeground(StyleUtils.TEXT_COLOR);
aboutUsInfo.setBorder(BorderFactory.createEmptyBorder(20, 20, 20, 20));

add(new JScrollPane(aboutUsInfo), BorderLayout.CENTER);

// Back Button
JButton btnBack = StyleUtils.createStyledButton("Back to Home",
StyleUtils.PRIMARY_COLOR);
btnBack.setActionCommand("Home");
btnBack.addActionListener(navigationListener);
JPanel backPanel = new JPanel(new FlowLayout(FlowLayout.CENTER));
backPanel.setBackground(StyleUtils.BACKGROUND_COLOR);
backPanel.add(btnBack);
add(backPanel, BorderLayout.SOUTH);
}
}

```

StyleUtils.java(used to add the styles to page)

Code:

```
import javax.swing.*;
import java.awt.*;

public class StyleUtils {
    // Common colors
    public static final Color PRIMARY_COLOR = new Color(33, 150, 243);
    public static final Color SECONDARY_COLOR = new Color(76, 175, 80);
    public static final Color BACKGROUND_COLOR = new Color(240, 240, 240);
    public static final Color TEXT_COLOR = Color.DARK_GRAY;

    // Common fonts
    public static final Font TITLE_FONT = new Font("Arial", Font.BOLD, 24);
    public static final Font SUBTITLE_FONT = new Font("Arial", Font.PLAIN, 18);
    public static final Font BUTTON_FONT = new Font("Arial", Font.BOLD, 16);

    // Styled label
    public static JLabel createTitleLabel(String text) {
        JLabel label = new JLabel(text, JLabel.CENTER);
        label.setFont(TITLE_FONT);
        label.setForeground(TEXT_COLOR);
        return label;
    }

    // Styled button
```



```

public static JButton createStyledButton(String text, Color color) {
    JButton button = new JButton(text);
    button.setFont(BUTTON_FONT);
    button.setBackground(color);
    button.setForeground(Color.WHITE);
    button.setFocusPainted(false);
    return button;
}
}

```

JournifyApp.java(Used to bind all other files and run as a main file)

Code:

```

import javax.swing.*;
import java.awt.*;
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;

public class JournifyApp extends JFrame implements ActionListener {
    private CardLayout cardLayout;
    private JPanel mainPanel;

    public JournifyApp() {
        setTitle("Journify - Live The Journey");
        setSize(800, 600);
        setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        setLocationRelativeTo(null);

        // Initialize CardLayout for switching pages
        cardLayout = new CardLayout();
        mainPanel = new JPanel(cardLayout);

        // Create and add pages to the CardLayout
        mainPanel.add(new LoginPage(this), "Login");
        mainPanel.add(new RegisterPage(this), "Register");
        mainPanel.add(new HomePage(this), "Home");
        mainPanel.add(new TravelPackagesPage(this), "TravelPackages");
        mainPanel.add(new HotelsPlacesPage(this), "HotelsPlaces");
    }
}

```

```

mainPanel.add(new AboutUsPage(this), "AboutUs");
mainPanel.add(new BookingFormPage(this), "BookingForm");

// Show the login page first
cardLayout.show(mainPanel, "Login");

add(mainPanel);
setVisible(true);
}

@Override
public void actionPerformed(ActionEvent e) {
    String command = e.getActionCommand();

    if (command.equals("Login")) {
        cardLayout.show(mainPanel, "Home");
    } else if (command.equals("Register")) {
        cardLayout.show(mainPanel, "Register");
    } else if (command.equals("Home")) {
        cardLayout.show(mainPanel, "Home");
    } else if (command.equals("TravelPackages")) {
        cardLayout.show(mainPanel, "TravelPackages");
    } else if (command.equals("HotelsPlaces")) {
        cardLayout.show(mainPanel, "HotelsPlaces");
    } else if (command.equals("AboutUs")) {
        cardLayout.show(mainPanel, "AboutUs");
    } else if (command.equals("BookingForm")) {
        cardLayout.show(mainPanel, "BookingForm"); // Show Booking Form when "Book
Now" is clicked
    } else if (command.equals("Logout")) {
        cardLayout.show(mainPanel, "Login");
    }
}

public static void main(String[] args) {
    SwingUtilities.invokeLater(JournifyApp::new);
}
}

```

## OUTPUT:

Journify - Live The Journey

— □ ×

Login

Welcome back! Please log in to continue.

Username:

Password:

Close

Login

Register

Journify - Live The Journey

—

□

×

Register

Create a new account to start your journey.

Username:

Email:

Password:

Register

Back to Login

Journify - Live The Journey


—

□

×


Welcome to Journify!

Discover amazing travel experiences...




Paris

The city of love and lights.




Switzerland

Land of scenic Alps and serenity.



Goa

Beach paradise of India.



Egypt

Land of ancient wonders.

Travel Packages

Hotels & Places

About Us

Booking Form

Logout

## Travel Packages

### Explore our exclusive packages.

Paris Getaway  
5 Days - ₹102000

[Book Now](#)


Swiss Alps Adventure  
7 Days - ₹152000

[Book Now](#)

Goa Retreat  
4 Days - ₹76000

[Book Now](#)

[Back to Home](#)

 Journify - Live The Journey

## Hotels & Places

Discover popular hotels and places to visit.

The Ritz, Paris  
5 Stars - Paris

View Details


Swiss Alps  
Scenic Beauty - Switzerland

View Details

Taj Mahal  
7 Wonders - India

View Details

[Back to Home](#)

 Journify - Live The Journey

## About Us

Learn more about Journify and our journey.

Our Story:  
Journify was founded with a mission to make travel planning seamless and enjoyable for everyone.

Our Mission:  
To inspire and empower people to explore the world.

Our Vision:  
To be the go-to platform for travelers seeking authentic experiences.

Our Core Values:

- Customer Focus
- Innovation
- Integrity
- Passion for Travel

Meet Our Team:  
We are a team of travel enthusiasts dedicated to making your journey memorable.

[Back to Home](#)

## Booking Form

Complete your booking details below.

Full Name:

Email:

Phone:

Travel Package:

Paris Getaway ▼

Booking Date (YYYY-MM-DD):

Back to Home

Submit Booking