Question **21**

Answer saved

Marked out of 1.00

Flag question

A software framework is an abstraction in which software, providing generic functionality, can be selectively changed (extended) by additional user-written code, thus providing application-specific software. Do you agree with above statement?

Select one:

- a. Cannot say conclusively
- b. Agree.
- c. Disagree.
- d. The correct answer is not given
- e. Strongly disagree

Previous page

Next page

Quiz navigation

Finish attempt ...

Time left **0:14:53**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question 22

Answer saved

Marked out of 1.00

Flag question

Cacheable is one of the six constraints in REST. Select all the statements which are true regarding this constraint.

Select one or more:

- [ ] a. Cache constraint requires the data within a response to a request be implicitly or explicitly labeled as cacheable or non-cacheable.
- [x] b. If a response is cacheable, then a client cache is given the right to reuse that response data for later, equivalent requests.
- [x] c. If a response is labelled as cacheable, then the client must always store the response in its cache.
- [x] d. If a response is labelled as cacheable, then the client needs to send the said response back to the server with each request afterwards.
- [ ] e. All of these statements are correct.

Previous page

Next page

Quiz navigation

Finish attempt ...

Time left 0:14:54

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **23**

Answer saved

Marked out of 1.00

Flag question

Client-server architecture is one of the six constraints in REST. What is/ are true regarding this constraint?

Select one:

- a. It promotes low coupling between the client and the server.
- b. It promotes portability of the user interface.
- c. All of these statements are correct.
- d. It allows clients and servers grow independently.
- e. It improves scalability of the server components.

Previous page

Next page

## Quiz navigation

Finish attempt ...

Time left **0:14:57**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **24**

Answer saved

Marked out of 1.00

Flag question

A merge conflict in Git is an event that occurs when,

Select one:

- a. A user tries to merge branches that have conflicting changes which git cannot resolve on its own.
- b. A user accidentally deletes a branch which was to be merged with another branch.
- c. A repository becomes corrupted and unusable, therefore preventing the users from merging any further commits.
- d. None of the above
- e. A user forgets to commit changes to a repository.

Previous page

Next page

## Quiz navigation

Finish attempt ...

Time left **0:14:58**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **25**

Answer saved

Marked out of 1.00

Flag question

What is not an advantage of using software frameworks?

Select one:

- a. Community support
- b. Users of a framework should respect the limitations and conventions imposed by its design.
- c. Enables faster methods for development with less code
- d. Accelerated development
- e. All of the above.

limitation

Previous page

Next page

Quiz navigation

Finish attempt ...

Time left 0:15:01

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **26**

Answer saved

Marked out of 1.00

Flag question

Which of the following statements is false about RESTful web services?

Select one:

- a. RESTful web services can only be accessed using the HTTP GET method.
- b. All of the above.
- c. RESTful web services are stateless, meaning that each request and response is self-contained and does not rely on previous requests or responses.
- d. RESTful web services are designed to be highly scalable, as they can be distributed across multiple servers and load balanced.
- e. RESTful web services can use any data format for data exchange, including JSON, XML, and plain text.

Previous page

Next page

Quiz navigation

Finish attempt ...

Time left **0:15:03**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **27**

Answer saved

Marked out of 1.00

Flag question

Which of the following is NOT an advantage of following a good Git Workflow?

Select one:

- a. Clarity in identifying the software development requirements.
- b. Faster and efficient development practices
- c. Easy team collaboration
- d. The correct answer is not given
- e. Easy source code management

Previous page

Next page

## Quiz navigation

Finish attempt ...

Time left 0:15:06

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **28**

Answer saved

Marked out of 1.00

Flag question

Representational State Transfer Or REST is a/ an,

Select one:

- a. Architectural protocol for facilitating communications on the web.
- b. Web API protocol.
- c. Architectural style for facilitating communications on the web.
- d. Technology for creating web APIs.
- e. All of the above.

Previous page

Next page

## Quiz navigation

Finish attempt ...

Time left **0:15:08**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **29**

Answer saved

Marked out of 1.00

Flag question

What is/are a disadvantage(s) of using software frameworks?

Select one or more:

- [x] a. None of the given.
- [ ] b. Learning the Framework and not the programming language prevent programmers from gaining an in-depth understanding of the programming language.
- [ ] c. Users of a framework are forced to respect the limitations and conventions imposed by its design.
- [ ] d. Community support.
- [ ] e. Compliance to accepted security standards.

Previous page

Next page

Quiz navigation

Finish attempt ...

Time left 0:15:11

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **30**

Answer saved

Marked out of 1.00

Flag question

What is a "pull request" in Git, and how is it used in collaboration?

Select one:

- a. It is a request to merge changes from one branch into another and can be reviewed and discussed by other developers.
- b. It is a combination of git fetch and git merge commands.
- c. It is a request to delete a branch or repository and can be reviewed and discussed by other developers.
- d. It is a request to download changes from a remote repository and merge them into a local repository.
- e. It is a request to create a new branch or repository and can be reviewed and discussed by other developers.

Previous page

Finish attempt ...

Quiz navigation

Finish attempt ...

Time left 0:15:16

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **30**

Answer saved

Marked out of 1.00

Flag question

What is a "pull request" in Git, and how is it used in collaboration?

Select one:

- a. It is a request to merge changes from one branch into another and can be reviewed and discussed by other developers.
- b. It is a combination of git fetch and git merge commands.
- c. It is a request to delete a branch or repository and can be reviewed and discussed by other developers.
- d. It is a request to download changes from a remote repository and merge them into a local repository.
- e. It is a request to create a new branch or repository and can be reviewed and discussed by other developers.

Previous page

Finish attempt ...

## Quiz navigation

Finish attempt ...

Time left 0:15:16

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **30**

Answer saved

Marked out of 1.00

Flag question

What is a "pull request" in Git, and how is it used in collaboration?

Select one:

- a. It is a request to merge changes from one branch into another and can be reviewed and discussed by other developers.
- b. It is a combination of git fetch and git merge commands.
- c. It is a request to delete a branch or repository and can be reviewed and discussed by other developers.
- d. It is a request to download changes from a remote repository and merge them into a local repository.
- e. It is a request to create a new branch or repository and can be reviewed and discussed by other developers.

Previous page

Finish attempt ...

## Quiz navigation

Finish attempt ...

Time left **0:15:16**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **3**

Answer saved

Marked out of 1.00

Flag question

What is/ are not an architectural constraint of REST?

1. Client-server architecture
2. Stateless
3. Cacheable
4. Strong Decoupling
5. Layered system

Select one:

- a. All of the above.
- b. 1, 2, 3 only.
- c. 1, 2, 3, 5 only.
- d. 3 only.
- e. 4 only.

## Quiz navigation

Finish attempt ...

Time left **0:14:09**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **1**

Answer saved

Marked out of 1.00

Flag question

Both libraries and software frameworks are collections of reusable code. Both aim to provide solutions to common problems in Software development.

Select one:

- a. Agree
- b. Cannot say conclusively
- c. Strongly disagree
- d. The correct answer is not given
- e. Disagree

Next page

## Quiz navigation

Finish attempt ...

Time left **0:12:39**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **2**

Answer saved

Marked out of 1.00

Flag question

What is NOT a condition that a REST API should satisfy in-order to achieive full-maturity level according to the Richardson Maturity Model?

Select one:

- a. All requests to be made using POST HTTP method in order to improve security.
- b. Proper utilzation of HTTP Verbs/ Methods and HTTP status codes.
- c. Supports Hypermedia as the engine of application state (HATEOAS) concept
- d. None of the the given answers are valid.
- e. Individual URIs for each resource.

Previous page

Next page

## Quiz navigation

Finish attempt ...

Time left 0:11:57

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **3**

Answer saved

Marked out of 1.00

Flag question

What is/ are not an architectural constraint of REST?

1. Client-server architecture
2. Stateless
3. Cacheable
4. Strong Decoupling
5. Layered system

Select one:

- a. All of the above.
- b. 1, 2, 3 only.
- c. 1, 2, 3, 5 only.
- d. 3 only.
- e. 4 only.

## Quiz navigation

Finish attempt ...

Time left **0:11:53**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **3**

Answer saved

Marked out of 1.00

Flag question

What is/ are not an architectural constraint of REST?

1. Client-server architecture
2. Stateless
3. Cacheable
4. Strong Decoupling
5. Layered system

Select one:

- a. All of the above.
- b. 1, 2, 3 only.
- c. 1, 2, 3, 5 only.
- d. 3 only.
- e. 4 only.

## Quiz navigation

Finish attempt ...

Time left **0:11:29**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **4**

Answer saved

Marked out of 1.00

Flag question

What is NOT a drawback of Monolithic architecture?

Select one:

- a. Lack of flexibility regarding implementation technologies.
- b. High Global complexity.
- c. Can't scale individual components.
- d. High Local complexitity.
- e. The whole application instance should be replicated if there is a need to scale.

Previous page

Next page

## Quiz navigation

Finish attempt ...

Time left **0:10:56**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **8**

Answer saved

Marked out of 1.00

Flag question

Which of the following is TRUE regarding a feature branch in git?

Select one or more:

- [ ] a. A feature branch is a copy of the main branch.
- [x] b. Ideally, the main branch should never be directly modified. Instead, the changes should first be done in a feature branch.
- [x] c. A Git workflow like the Github workflow encourages the creation of feature branches for every feature.
- [ ] d. None of them are true.
- [ ] e. A feature branch must always be created from the main branch.

Previous page

Next page

## Quiz navigation

Finish attempt ...

Time left **0:08:44**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |

Question **9**

Answer saved

Marked out of 1.00

Flag question

What is the purpose of a version control system?

Select one:

- a. To roll back changes to an earlier version.
- b. To keep track of changes to code or other files.
- c. To allow multiple people to work on the same file simultaneously.
- d. None of the above.
- e. All of the above.

Previous page

Next page

## Quiz navigation

Finish attempt ...

Time left **0:08:17**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | | |