INFORMAL EXPERIMENT NOTES

Graph reading with curved and bent arrows

12 clean Finnish-context figures | 99 nodes | 129 edges | 240 visible text regions

What changed

Two route variants of the same rail graph joined the ten corrected figures.
Their curves and detours never pass through unrelated nodes; the three rail images are paired, not independent.

Approach matrix

OCR rows score printed text; graph rows score exact graph elements. All rates use 240 source items.

Approach	Task	Events / 240	Exact figures	Node text	Edge text
RapidOCR PP-OCRv6 Finnish	OCR text	**17 (7.1%)**	7/12	0	2
PaddleOCR PP-OCRv5 Finnish	OCR text	**57 (23.8%)**	3/12	0	19
Older RapidOCR baseline	OCR text	**74 (30.8%)**	0/12	23	42
Blind Codex vision	Graph	**20 (8.3%)**	7/12	0	0
Blind Codex + RapidOCR	Graph	**12 (5.0%)**	8/12	0	0
Vision + deterministic OCR evidence	Graph	**20 (8.3%)**	7/12	0	0

Paired route comparison: scorer events / 21

These are three renderings of one graph. Lower means fewer strict scorer events.


Approach	Straight	Curved	Right-angle
RapidOCR PP-OCRv6 Finnish	1	0	1
PaddleOCR PP-OCRv5 Finnish	5	0	0
Older RapidOCR baseline	8	7	7
Blind Codex vision	8	0	0
Blind Codex + RapidOCR	9	1	1
Vision + deterministic OCR evidence	8	0	0

Exact endpoint, label, arrowhead, and stroke results are in the accompanying CSV and ledger.

PAIRED RAIL-ROUTE FIGURES

Straight baseline

Same labels, endpoints, and arrowheads. Node outlines and label positions also vary.




Source route control points and a separate, full-size PNG are retained with the benchmark.

Clean synthetic diagrams do not establish a universal error rate or real-world semantic truth.

PAIRED RAIL-ROUTE FIGURES

Curved-arrow variant

Same labels, endpoints, and arrowheads. Node outlines and label positions also vary.




Source route control points and a separate, full-size PNG are retained with the benchmark.

Clean synthetic diagrams do not establish a universal error rate or real-world semantic truth.

Right-angle variant

Same labels, endpoints, and arrowheads. Node outlines and label positions also vary.



Source route control points and a separate, full-size PNG are retained with the benchmark.

Clean synthetic diagrams do not establish a universal error rate or real-world semantic truth.