DOCUMENTATION Blog Application

https://github.com/Janko-Stojkovic/BlogApp

Janko Stojkovic

Content

1.Introduction	4
Used programming languages	4
Description of functionality:	4
2.Organization	4
Organizational scheme	4
Database design	5
Images of pages and description of functionality	6
3. Codes	14
Index.php	14
About.php	16
Blog.php	17
BlogContent.php	
Contact.php	20
Login.php	22
Logout.php	23
Register.php	23
Pages/admin/dashboard.php	25
Pages/admin/index-users.php	26
Pages/admin/index-blogs.php	30
Pages/admin/index-topics.php	33
Pages/admin/edit-users.php	34
Pages/admin/edit-blogs.php	36
Pages/admin/edit-topic.php	38
Pages/admin/delete-user.php	39
Pages/admin/delete-report.php	39
Pages/admin/delete-blog.php	
Pages/admin/create-users.php	
Pages/admin/create-blogs.php	

Pages/admin/create-topics.php	44
Includes/admin/head.php	45
Includes/admin/header.php	46
Includes/admin/footer.php	46
Includes/admin/nav.php	46
Includes/admin/scripts.php	46
Includes/admin/sidebar.php	47
Includes/head.php	48
Includes/nav.php	49
Includes/footer.php	50
Config/connection.php	51
Config/session.php	51
Models/filter_products.php	52
Models/functions.php	53
Controllers/loginController.php	54
Controllers/registerController.php	55
Controllers/blogContentController.php	57
Controllers/dashboardController.php	58
Controllers/contactController.php	58
Controllers/createBlogController.php	60
Controllers/createTopicsController.php	61
Controllers/createUsersController.php	62
Controllers/editBlogsController.php	64
Controllers/editTopicsController.php	65
Controllers/editUsersController.php	66
Controllers/indexBlogsController.php	67
Controllers/indexUsersController.php	
Controllers/indexTopicsController.php	68
Controllers/indexReportsController.php	
Controllers/sideBarController.php	
Assets/js/main.js	68
Assets/js/form.js	71

1.Introduction

Used programming languages

- vanilla PHP,
- HTML,
- CSS,
- vanilla JavaScript/jQuery.
- -Text editor (Visual Studio Code.)
- also used phpMyAdmin for handling the database

Description of functionality:

- The site is a web application intended for blogging.
- Registration and logging in with validation on the client and server
- Protected pages from unauthorized access
- Dynamic printing of navigation, blogs and their topics
- Filter blogs by topic using ajax
- Insight into important site statistics in the dashboard
- The possibility of managing the content of the site in the dashboard

2. Organization


Organizational scheme

Website is multi-page

Database design








Images of pages and description of functionality



Images of pages and descThe page header contains dynamically displayed navigation loaded from the database. Navbar on the right side, if the user is logged in, by hovering over the "user" icon, the user's username, the dashboard button and the logout button appear, and if no one is logged in, clicking on the "user" icon will take you to the Login page. The header is created as a separate file that is loaded on all pages related to the client.




The review section. . The owl carousel plugin was used to create the slider.







In the footer there are links for social networks as well as a link that leads to documentation and contact information. A separate file has also been created for the footer, which is loaded on every page related to the client.




On the about page there is something more about the blog site (in the form of Lorem Ipsum text) and a section for the author, which by clicking on the link leads to the author's portfolio.




The blog page contains dynamically loaded blogs from the database as well as filtering. By clicking on one of the filters, the products are displayed. If there are no products according to the given criteria, a notification is displayed. By hovering over a blog tab, a box-shadow appears. Clicking on Read More opens a new page that shows something more about the blog on which the button was clicked.



This is a blogContent page, it can also be called a singleBlog page, it shows a picture of the blog, the date the blog was published, how long ago it was published, who is the author of that blog, and of course the text. On the right side, there are popular blogs that are extracted from the database and are sorted by the number of views. The number of views increases every time someone visits a blog.



The Contact page contains a form that all users can fill out. Submitted data will be found in the database in the contacts table. Data in the form is validated through Javascript




JankoBlog					
	R E G I S T E R				
	First Name				
	Last Name				
	Username				
	Email address				
	Password				

Register


Already have an account? Log in

Login page and register page. All data are sent to the database and are in the users table. Regex was used for data validation


Confirm password




This is the home page of the Dashboard. There is a record of the number of blogs, total views and the number of registered users. It can be accessed by all logged in users.



This is the sidebar of an ordinary user who accesses the dashboard. He is only allowed access to blogs that are created by him. He can edit them, delete them and create new blogs.



All users from the database are loaded here. It is possible to delete, edit and add new users, the same principle applies to the Blogs, Topics and pages, while only deletion is enabled on the Reports page.



On the blogs page, admins can see all blogs, and do all CRUD operations, while regular users can only see blogs created by them.

3. Codes

Index.php

```
include "config/session.php";
include "includes/head.php";
include "config/connection.php";
include "includes/nav.php";
  <!-- YOUR FAVORITES START -->
  <div class="container-fluid">
    <div class="row">
      <div class="col-12 banner_home">
        <div id="banner_home" class="mb-5">
           <h1 class="banner-title">Welcome To My Blog Application Project</h1>
  <!-- YOUR FAVORITES END -->
  <!-- TESTIMONIALS -->
  <section class="testimonials my-3">
    <div class="container">
      <div class="heading">
         <h1>HAPPY BLOGGERS</h1>
         <div class="underline"></div>
      <div class="row">
         <div class="col-sm-12">
           <div id="customers-testimonials" class="owl-carousel">
             <!--TESTIMONIAL 1 -->
             <div class="item">
               <div class="shadow-effect">
                  <img class="img-circle" src="assets/img/t1.jpg" alt="Testimonials 1." />
                  "Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore
magna aliqua.
               <div class="testimonial-name">MONICA</div>
             <!--END OF TESTIMONIAL 1 -->
```

```
<!--TESTIMONIAL 2 -->
             <div class="item">
               <div class="shadow-effect">
                  <img class="img-circle" src="assets/img/t2.jpg" alt="Testimonials 2." />
                  "Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore
magna aliqua.
               <div class="testimonial-name">ANNA</div>
             <!--END OF TESTIMONIAL 2 -->
             <!--TESTIMONIAL 3 -->
             <div class="item">
               <div class="shadow-effect">
                  <img class="img-circle" src="assets/img/t3.jpg" alt="Testimonials 3." />
                  "Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore
magna aliqua.
               <div class="testimonial-name">LARA</div>
             <!--END OF TESTIMONIAL 3 -->
             <!--TESTIMONIAL 4 -->
             <div class="item">
               <div class="shadow-effect">
                  <img class="img-circle" src="assets/img/t4.jpg" alt="Testimonials 4." />
                  "Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore
magna aliqua.
               <div class="testimonial-name">MIA</div>
             <!--END OF TESTIMONIAL 4 -->
             <!--TESTIMONIAL 5 -->
             <div class="item">
               <div class="shadow-effect">
                  <img class="img-circle" src="assets/img/t5.jpg" alt="Testimonials 5." />
                  "Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore
magna aliqua.
               <div class="testimonial-name">ELENA</div>
             <!--END OF TESTIMONIAL 5 -->
  <!-- END OF TESTIMONIALS -->
   include "includes/footer.php";
```

About.php

```
include "includes/head.php";
 include "config/connection.php";
 include "config/session.php";
 include "includes/nav.php";
  <div class="container-fluid">
    <div class="row">
       <div class="col-12 col-md-6 about-text">
         <div class="heading">
            <h1>ABOUT US</h1>
            <div class="underline"></div>
         Duis convallis lacus eget odio cursus dignissim. Vivamus accumsan, neque vitae malesuada sagittis,
         orci mauris aliquam ex, at commodo eros augue id nisi. Suspendisse ac sem sed lectus varius tincidunt sed non erat.
         Interdum et malesuada fames ac ante ipsum primis in faucibus. Vestibulum eget tempus nunc.
         Mauris dignissim, sem in mollis porta, lorem arcu rhoncus risus, non semper elit orci vitae risus.
         Maecenas consectetur metus in vestibulum dapibus. Aliquam pellentesque sapien mauris, id lacinia erat pulvinar sit amet.
         Nullam blandit felis nec sodales lacinia. Ut aliquam erat eleifend tortor lobortis, ut sollicitudin purus fermentum.
         Quisque viverra eu dolor id tincidunt. Curabitur vel viverra lacus. Aenean sem erat, tristique eu aliquet at, volutpat vitae
magna.
         Sed eu finibus est. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae;
         Quisque vel ipsum lacinia, aliquam erat sed, feugiat eros.
       <div class="col-12 col-md-6 about-bg">
         <img src="assets/img/blogAbout.jpg" alt="About blog picture" class="img-fluid pb-5" />
  <!-- END HEADER -->
  <!-- START AUTHOR -->
    <div class="container">
       <div class="row mb-3">
         <div class="col-12 col-md-6">
            <img src="assets/img/about.ipeg" alt="Author's photo." class="img-fluid">
         <div class="col-12 col-md-6">
```

Blog.php

```
foreach ($topics as $t):
     class="list-group-item">
       <input type="checkbox" value="<?= $t->Id ?>" class="taste" name="chkTop" />
       <?= $t->Topic ?>
   <!--TASTE-->
 <div class="col-lg-9">
   <div class="row" id="blogs">
if (count($blogovi) == 0)
 echo "There are no products matching the given criteria.";
else {
 foreach ($blogovi as $b) :
     <div class="col-lg-4 col-md-6 mb-4">
       <div class="card">
         <a href="#"><img class="card-img-top img-fluid" src="assets/img/<?= $b->image ?>"
              alt=""></a>
         <div class="card-body">
            <h4 class="card-title"><?= $b->title ?></h4>
            <div class="d-flex justify-content-between flex-column">
              <div class="name">
               Author: <?= $b->firstName?> <?= $b->lastName?>
              <div class="published">
                Published <?= pretty_relative_time($b->published)?>
              <div class="topic">
                Topic: <?= $b->topic?>
              <a class="btn btn-info" href="blogContent.php?blogId=<?= $b->blogId ?>">Read More</a>
```

BlogContent.php

```
include "config/session.php";
include "includes/head.php";
include "config/connection.php";
include "includes/nav.php";
include "models/functions.php";
include "controllers/blogContentController.php";
<main>
  <div class="container">
    <div class="row">
      <div class="card blogContentCard col-lg-7">
         <img class="card-img-top single-card-img" src="assets/img/<?= $blog->image ?>" alt="Card image cap">
         <div class="card-body under-image flex-row">
           <div class="col-lg-6">
             <h6>Date published: <?= $date ?></h6>
             <h6>Author: <?= $blog->firstName ?> <?= $blog->lastName ?></h6>
           <div class="col-lg-6 under-image-right">
             <h6>Published <?= pretty_relative_time($blog->published) ?></h6>
         <div class="card-body">
         <h1 class="card-title single-card-title mb-5 text-center"><?= $blog->title ?></h1>
         <?= $blog->blog ?>
```

Contact.php

```
<form action="<?= $_SERVER["PHP_SELF"] ?>" method="POST" id="contactForm">
         <div class="row">
           <div class="col-md-6">
              <div class="form-group">
                <input type="text" name="name" id="imePrezime" class="form-control contact-input"</pre>
                  placeholder="Name">
                <span id="error-name"><?= error($errors,"name","danger") ?></span>
           <div class="col-md-6">
              <div class="form-group">
                <input type="email" name="email" id="email" class="form-control contact-input"</pre>
                  placeholder="Email">
                <span id="error-email"><?= error($errors,"email","danger") ?></span>
           <div class="col-md-12">
              <div class="form-group">
                <input type="text" name="number" id="number" class="form-control contact-input"</pre>
                  placeholder="06x/xxx-xxxx">
                <span id="error-number"><?= error($errors,"number","danger") ?></span>
           <div class="col-md-12">
              <div class="form-group">
                <textarea name="message" id="message" class="form-control" rows="4"
                  placeholder="Message"></textarea>
                <span id="error-message"><?= error($errors, "message", "danger") ?></span>
         <input type="submit" name="btnSubmitForm" value="SEND" class="mp-btn btn btn-default mt-1"</pre>
           id="btnSubmitMessage" />
         <?= error($errors,"success","success") ?>
<!-- CONTACT END -->
```

```
include "includes/footer.php";
?>
```

Login.php

```
include "config/session.php";
  include "includes/head.php";
  include "config/connection.php";
  include "controllers/loginController.php";
<section class="w3l-banner-slider-main">
  <div class="top-header-content">
    <section class="hero" id="hero">
      <nav class="navbar navbar-expand-lg" id="navbar">
        <div class="container">
           <a class="navbar-brand" href="index.php">
             <span>Janko/span>Blog
           <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"
             aria-controls="navbarNav" aria-expanded="false" arialabel="Toggle navigation">
             <span class="navbar-toggler-icon"></span>
      <div class="heroText" id="log-in-cover">
         <div class="container text-center">
           <div class="col-8 col-md-offset-2 m-auto lr-form-section">
             <div class="heading">
                <h2>WELCOME BACK</h2>
                <div class="underline"></div>
             <form class="p-3 loginForm" action="<?= $_SERVER["PHP_SELF"] ?>" method="POST">
                <div class="form-group mb-5">
                  <input type="text" id="inputEmail" name="userEmail" class="form-control"</pre>
                    placeholder="Email address or Username">
                <!-- Password input -->
                <div class="form-group mb-5">
                  <input type="password" id="inputPassword" name="password" class="form-control"</pre>
                    placeholder="Password">
                <!-- 2 column grid layout for inline styling -->
```

Logout.php

```
    include "config/session.php";

    $_SESSION["user"] = NULL;

    if($_SERVER["REQUEST_URI"] == "/sajt/pages/admin"){
        redirect("../client/index.php");
    }
    else{
        redirect("index.php");
    }
}
```

Register.php

```
<?php
include("includes/head.php");
include("config/connection.php");
include "config/session.php";
include "models/functions.php";
include "controllers/registerController.php";
?>
<!-- Template CSS -->
</head>
```

```
<section class="w3l-banner-slider-main">
  <div class="top-header-content">
    <section class="hero" id="hero">
       <nav class="navbar navbar-expand-lg" id="navbar">
         <div class="container">
           <a class="navbar-brand logoLR" href="index.php">
              <strong>
                <span>Janko</span>Blog
           <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
              data-bs-target="#navbarNav" aria-controls="navbarNav" aria-expanded="false"
              arialabel="Toggle navigation">
              <span class="navbar-toggler-icon"></span>
       <div class="heroText" id="register-cover">
         <div class="col-6 col-md-offset-2 m-auto lr-form-section">
           <div class="heading">
              <h2>REGISTER</h2>
              <div class="underline"></div>
           <form class="p-3 loginForm" action="<?= $ SERVER["PHP SELF"] ?>" method="POST">
              <div class="form-group mb-5">
                <input type="text" id="inputFirstName" name="firstName" class="form-control"</pre>
                   placeholder="First Name" autofocus>
                <?= error($errors,"firstName","danger"); ?>
              <div class="form-group mb-5">
                <input type="text" id="inputLastName" name="lastName" class="form-control"</pre>
                  placeholder="Last Name" autofocus>
                <?= error($errors,"lastName","danger"); ?>
              <div class="form-group mb-5">
                <input type="text" id="inputName" name="username" class="form-control"</pre>
                  placeholder="Username" autofocus>
                <?= error($errors,"username","danger"); ?>
              <div class="form-group mb-5">
                <input type="email" id="inputEmail" name="email" class="form-control"</pre>
                  placeholder="Email address" autofocus>
                <?= error($errors,"email","danger"); ?>
              <!-- Password input -->
              <div class="form-group mb-5">
```

Pages/admin/dashboard.php

```
<div class="content-wrapper">
    include "../../includes/admin/header.php";
    <section class="content">
       <div class="container-fluid">
         <div class="row">
            <?php foreach ($infoBoxes as $i) : ?>
            <div class="col-lg-3 col-6">
              <!-- small card -->
              <div class="small-box <?= $i['colorClass'] ?>">
                 <div class="inner">
                   <h3><?= $i['value']?></h3>
                   <?= $i['text'] ?>
                 <div class="icon">
                   <i class="<?= $i['icon'] ?>"></i>
  include "../../includes/admin/footer.php";
include "../../includes/admin/scripts.php";
```

Pages/admin/index-users.php

```
<!DOCTYPE html>
<head>
<!php
include('../../includes/admin/head.php');
include("../../config/connection.php");
include "../../config/session.php";
authorize();
authorizeAdmin();
```

```
include "../../controllers/indexUsersController.php";
<body class="hold-transition sidebar-mini layout-fixed">
 <div class="wrapper">
   include('../../includes/admin/nav.php');
   include('../../includes/admin/sidebar.php');
   <div class="content-wrapper">
     include "../../includes/admin/header.php";
     <section class="content">
       <h1>Users</h1>
       <a href="create-users.php" class="btn btn-primary mb-3">Add new user</a>
       <?php if (count($users) > 0) : ?>
         <div class="table-responsive">
           #
                Username
                Email
                Role
                Created At
                Edit
                Delete
              <?php foreach ($currentRecords as $key => $u) : ?>
                  <?= $key + 1 ?>
                  <!= $u->email ?>
                  <!= $u->CreatedAt ?>
                  <a href="edit-users.php?userId=<?= $u->Id ?>"><i class="fas
fa-edit"></i></a>
                    <a href="delete-user.php?userId=<?= $u->Id ?>" class="delete_item btn btn-link"><i class="fa fa-trash"
aria-hidden="true"></i>>/a>
```

```
Pages/admin/index-reports.php <!DOCTYPE html>
<html>
<head>
<?php
include('../../includes/admin/head.php');
include('../../config/connection.php");
include "../../config/session.php";
authorizeAdmin();
include "../../controllers/indexReportsController.php";
?>
</head>
<body class="hold-transition sidebar-mini layout-fixed">
<div class="wrapper">
</php
include('../../includes/admin/sidebar.php');
include('../../includes/admin/sidebar.php');
?>
<div class="content-wrapper">
</php
include "../../includes/admin/header.php";
?>
<div class="content-wrapper">
</php
include "../../includes/admin/header.php";
?>
<ection class="content">
```

```
<h1>Reports</h1>
       <?php if (count($reports) > 0) : ?>
         <div class="table-responsive">
           #
                <th>ID
                 Name
                 Email
                Phone number
                Report
                 Delete
               <?php foreach ($currentRecords as $key => $report) : ?>
                 <?= $key + 1 ?>
                  <!= $report->id ?>
                  <!= $report->fullName ?>
                  <!= $report->email ?>
                  <!= $report->phoneNumber ?>
                   <!= $report->report ?>
                    <a href="delete-report.php?reportId=<?= $report->id ?>" class="btn btn-link"><i class="fa fa-trash" aria-
hidden="true"></i></a>
           <div class="pagination">
             <?php for ($i = 1; $i <= $totalPages; $i++) : ?>
               <a class="<?php if ($currentPage == $i) : ?>active<?php endif; ?>" href="?page=<?= $i ?>"><?= $i ?></a>
         <h2 class="d-flex justify-content-center mt-5">You have no reports</h2>
   include "../../includes/admin/footer.php";
  include "../../includes/admin/scripts.php";
```

Pages/admin/index-blogs.php

```
<!DOCTYPE html>
<head>
    include('../../includes/admin/head.php');
    include("../../config/connection.php");
    include "../../config/session.php";
    include "../../models/functions.php";
    authorize();
    include "../../controllers/indexBlogsController.php";
<body class="hold-transition sidebar-mini layout-fixed">
    <div class="wrapper">
        include('../../includes/admin/nav.php');
        include('../../includes/admin/sidebar.php');
        <div class="content-wrapper">
            include "../../includes/admin/header.php";
            <section class="content">
                 <h1>Blogs</h1>
                 <a href="create-blogs.php" class="btn btn-primary mb-3">Create Blog</a>
                 <?php if($_SESSION['user']->roleId == 2): ?>
                     <?php if (count($blogs) > 0) : ?>
                     <div class="table-responsive">
                          #
                                      <th>ID</th>
                                      Title
                                      Image
                                      Topic
```

```
Published
                                    Edit
                                    Delete
                                <?php foreach ($currentRecords as $key => $blog) : ?>
                                        <?= $key + 1 ?>
                                        <!= $blog->blogId ?>
                                        <!= $blog->title !>
                                            <div class="food-image">
                                                <img class="img-fluid" src="../../assets/img/<?= $blog->image ?>"
alt="<?= $blog->title ?>" />
                                        <?= $blog->Topic ?>
                                        <!= $blog->published ?>
                                        <a href="edit-blogs.php?blogId=<?= $blog->blogId ?>"><i class="fas fa-
edit"></i></a>
                                            <a href="delete-blog.php?blogId=<?= $blog->blogId ?>" class="btn btn-
link"><i class="fa fa-trash" aria-hidden="true"></i></a>
                        <div class="pagination">
                            <?php for ($i = 1; $i <= $totalPages; $i++) : ?>
                                <a class="<?php if ($currentPage == $i) : ?>active<?php endif; ?>" href="?page=<?= $i</pre>
?>"><?= $i ?></a>
                    <h1>You Don't Have Any Blogs</h1>
            <?php elseif($_SESSION['user']->roleId == 1): ?>
                <?php if (count($blogsAdmin) > 0) : ?>
                    <div class="table-responsive">
                        >
                                    #
                                    <th>ID</th>
                                    Title
```

Image

```
Topic
                                     Published
                                     Edit
                                     Delete
                                 <?php foreach ($currentRecordsAdmin as $key => $blog) : ?>
                                         <!= $key + 1 ?>
                                         <!= $blog->blogId ?>
                                         <div class="food-image">
                                                  <img class="img-fluid" src="../../assets/img/<?= $blog->image ?>"
alt="<?= $blog->title ?>" />
                                         ><?= $blog->Topic ?>
                                         <!= $blog->published ?>
                                         <a href="edit-blogs.php?blogId=<?= $blog->blogId ?>"><i class="fas fa-
edit"></i></a>
                                              <a href="delete-blog.php?blogId=<?= $blog->blogId ?>" class="btn btn-
link"><i class="fa fa-trash" aria-hidden="true"></i></a>
                         <div class="pagination">
                             <?php for ($i = 1; $i <= $totalPagesAdmin; $i++) : ?>
                                 <a class="<?php if ($currentPage == $i) : ?>active<?php endif; ?>" href="?page=<?= $i
 >"><?= $i ?></a>
                     <h1>There Is No Blogs Created</h1>
        include "../../includes/admin/footer.php";
```

Pages/admin/index-topics.php

```
<!DOCTYPE html>
<head>
 include('../../includes/admin/head.php');
  include("../../config/connection.php");
  include "../../config/session.php";
  authorize();
  authorizeAdmin();
  include "../../controllers/indexTopicsController.php";
<body class="hold-transition sidebar-mini layout-fixed">
  <div class="wrapper">
    include('../../includes/admin/nav.php');
    include('../../includes/admin/sidebar.php');
    <div class="content-wrapper">
      include "../../includes/admin/header.php";
      <section class="content">
        <h1>Topics</h1>
        <a href="create-topics.php" class="btn btn-primary mb-3">Add new topic</a>
        <?php if (count($topics) > 0) : ?>
          <div class="table-responsive">
            #
                   <th>ID</th>
                  Topic
                  Edit
                   Delete
```

```
<?php foreach ($currentRecords as $key => $t) : ?>
                     <?= $key + 1 ?>
                     <!-- $t->Id ?->
                     <?= $t->Topic ?>
                      <a href="edit-topic.php?topicId=<?= $t->Id ?>"><i class="fas fa-edit"></i></a>
                        <a href="delete-topic.php?topicId=<?= $t->Id ?>" class="delete_itembtn btn-link" data-id="<?= $t->Id
>"><i class="fa fa-trash" aria-hidden="true"></i></a>
            <div class="pagination">
              <?php for ($i = 1; $i <= $totalPages; $i++) : ?>
                 <a class="<?php if ($currentPage == $i) : ?>active<?php endif; ?>" href="?page=<?= $i ?>"><?= $i ?></a>
 include "../../includes/admin/footer.php";
 include "../../includes/admin/scripts.php";
   const table = "usersTable";
```

Pages/admin/edit-users.php

```
<!DOCTYPE html>
<html>
<head>
<!php
include('../../includes/admin/head.php');
```

```
include("../../config/connection.php");
  include "../../config/session.php";
  include "../../models/functions.php";
  authorize():
  authorizeAdmin();
  include "../../controllers/editUsersController.php";
<body class="hold-transition sidebar-mini layout-fixed">
  <div class="wrapper">
    include('../../includes/admin/nav.php');
    include('../../includes/admin/sidebar.php');
    <div class="content-wrapper">
      include "../../includes/admin/header.php";
      <section class="content">
         <h1>Edit user</h1>
         <form id="userForm" action="<?= $_SERVER["PHP_SELF"] ?>" method="POST" class="standard-form">
           <input type="hidden" name="userId" value="<?= $user->id ?>">
           <div class="mb-3">
              <label for="username">Username</label>
              <input class="form-control" type="text" name="username" value="<?= $user->username ?>" id="username"
placeholder="Username" />
             <?= error($errors, "username", "danger") ?>
           <div class="mb-3">
              <label for="email">Email</label>
              <input class="form-control" type="email" name="email" id="email" value="<?= $user->email ?>"
placeholder="Email" />
             <?= error($errors, "email", "danger"); ?>
           <div class="mb-3">
              <label for="password">Password</label>
              <input class="form-control" type="password" name="password" id="password" placeholder="Password" />
              <?= error($errors, "password", "danger") ?>
           <div class="mb-3">
              <label for="password">confirm Password</label>
              <input class="form-control" type="password" name="confirmPassword" id="password" placeholder="Password" />
              <?= error($errors, "confirmPassword", "danger") ?>
           <div class="text-center">
              <input id="btnSubmit" name="btnSubmit" class="btn btn-primary" type="submit" value="Submit" />
             <?= error($errors, "success", "success") ?>
```

Pages/admin/edit-blogs.php

```
<h1>Edit product</h1>
       <form class="standard-form" action="<?= $_SERVER["PHP_SELF"] ?>" method="POST" enctype="multipart/form-data">
         <input type="hidden" name="blogId" value="<?= $blog->blogId ?>">
         <div class="mb-3">
           <label for="blogTitle" class="form-label">Blog Title</label>
           <input type="text" class="form-control" id="blogTitle" name="blogTitle" value="<?= $blog->title ?>" />
           <?= error($errors, "blogTitle", "danger") ?>
         <div class="mb-3">
           <label for="$blog" class="form-label">Blog Content</label>
           <input type="text" class="form-control" id="blogContent" name="blogContent" value="<?= $blog->blog ?>" />
           <?= error($errors, "blogContent", "danger") ?>
         <div class="mb-3">
           <label for="topicName" class="form-label">topic Name</label>
           <select id="topicId" class="form-control" name="topicId" value="<?= $blog->topic ?>">
              <option value="0">Choose...</option>
              <?php foreach ($topics as $t) : ?>
                <option <?php if ($t->Id == $blog->topicId) : ?> selected <?php endif; ?> value="<?= $t->Id ?>"><?= $t->Topic
           <?= error($errors, "topicId", "danger") ?>
         <div class="mb-3">
           <label for="image" class="form-label">Image</label>
           <input type="file" id="image" name="image" />
           <?= error($errors, "image", "danger") ?>
         <div class="container container-fluid">
           <div class="row">
              <img class="img img-fluid" style="max-width:33% !important;" src="../../assets/img/<?= $blog->image ?>">
         <div class="mt-5">
           <button type="submit" name="btnSubmit" class="btn btn-primary">Edit</button>
  include "../../includes/admin/footer.php";
include "../../includes/admin/scripts.php";
```

Pages/admin/edit-topic.php

```
<!DOCTYPE html>
  include('../../includes/admin/head.php');
  include("../../config/connection.php");
  include "../../config/session.php";
  include "../../models/functions.php";
  authorize();
  authorizeAdmin();
  include "../../controllers/editTopicController.php";
</head>
<body class="hold-transition sidebar-mini layout-fixed">
  <div class="wrapper">
    include('../../includes/admin/nav.php');
    include('../../includes/admin/sidebar.php');
    <div class="content-wrapper">
       include "../../includes/admin/header.php";
       <section class="content">
         <h1>Edit topic</h1>
         <form id="categoryForm" action="<?= $_SERVER['PHP_SELF'] ?>" method="POST" class="standard-form">
           <input type="hidden" name="topicId" value="<?= $topic->Id ?>">
           <div class="mb-3">
              <label for="name">Topic Name</label>
              <input class="form-control" type="text" name="topicName" id="topicName" value="<?= $topic->Topic ?>"
placeholder="Name" />
              <?= error($errors, "topicName", "danger") ?>
```

Pages/admin/delete-user.php

```
<ahliver a state of the s
```

Pages/admin/delete-report.php

<?php

```
include("../../config/connection.php");
  include "../../config/session.php";
  include "../../models/functions.php";
  authorizeAdmin();
  if(isset($_GET['reportId'])){
    try{
       $query = "DELETE FROM `contacts` WHERE `id`=:idProduct";
       $stmt = $conn->prepare($query);
       $stmt->bindParam(":idProduct",$_GET['reportId']);
       $stmt->execute();
       header("Location:".explode("?",$_SERVER["HTTP_REFERER"])[0]."?success=Uspesno brisanje reporta".
$_GET['reportId']);
    catch(PDOException $ex){
       header("Location:".explode("?",$_SERVER["HTTP_REFERER"])[0]."?error=Doslo je do greske prilikom brisanja");
    else{
       http_response_code(404);
       echo "<h1>PAGE NOT FOUND</h1>";
```

Pages/admin/delete-blog.php

```
</pr>
include("../../config/connection.php");
include "../../config/session.php";

if(isset($_GET['blogId'])){
    try{
        $query = "UPDATE blogs SET IsActive = 0 WHERE `Id'=:idBlog";
        $stmt = $conn->prepare($query);
        $stmt.>bindParam(":idBlog",$_GET['blogId']);
        $stmt.>beaction:" explode("?",$_SERVER["HTTP_REFERER"])[0]."?success=Uspesno brisanje proizvoda".

$_GET['blogId']);
    }
    catch(PDOException Sex){
        header("Location:" explode("?",$_SERVER["HTTP_REFERER"])[0]."?error=Doslo je do greske prilikom brisanja");
    }
    else{
        http_response_code(404);
        echo "<h!>pAGE NOT FOUND</h!>";
}
```

Pages/admin/create-users.php

```
<!DOCTYPE html>
<head>
  include('../../includes/admin/head.php');
  include("../../config/connection.php");
  include "../../config/session.php";
  include "../../models/functions.php";
  authorize();
  authorizeAdmin();
  include "../../controllers/createUsersController.php";
<body class="hold-transition sidebar-mini layout-fixed">
  <div class="wrapper">
include('../../includes/admin/nav.php');
include('../../includes/admin/sidebar.php');
    <div class="content-wrapper">
include "../../includes/admin/header.php";
       <section class="content">
         <h1>Add new user</h1>
         <form id="userForm" action="<?= $_SERVER["PHP_SELF"] ?>" method="POST" class="standard-form"
enctype="multipart/form-data">
            <div class="mb-3">
              <a href="label"><a href="label"><a href="label"><a href="label">First Name</a href="label">/label</a>>
              <input class="form-control" type="text" name="firstName" id="firstName" placeholder="First Name" />
              <?= error($errors,"firstName","danger") ?>
            <div class="mb-3">
              <label for="lastName">Last Name</label>
              <input class="form-control" type="text" name="lastName" id="lastName" placeholder="Last Name" />
              <?= error($errors,"lastName","danger") ?>
            <div class="mb-3">
              <label for="username">Username</label>
              <input class="form-control" type="text" name="username" id="username" placeholder="Username" />
              <?= error($errors,"username","danger") ?>
            <div class="mb-3">
              <label for="email">Email</label>
```

```
<input class="form-control" type="email" name="email" id="email" placeholder="Email" />
             <?= error($errors,"email","danger"); ?>
           <div class="mb-3">
             <label for="password">Password</label>
             <input class="form-control" type="password" name="password" id="password"</pre>
                placeholder="Password" />
             <?= error($errors,"password","danger") ?>
           <div class="mb-3">
             <label for="password">confirm Password</label>
             <input class="form-control" type="password" name="confirmPassword" id="password"</pre>
                placeholder="Password" />
             <?= error($errors,"confirmPassword","danger") ?>
           <div class="mb-3">
             <label for="role">Role</label>
             <select class="form-control" name="role" id="role">
               <?php foreach($roles as $r): ?>
               <option <?php if($r->RoleName === 'user'): ?> selected <?php endif; ?>
                  value="<?= $r->Id ?>"><?= $r->RoleName ?></option>
           <div class="mb-3">
             <label for="image" class="form-label">Image</label>
             <input type="file" id="image" name="image" />
             <?= error($errors,"image","danger") ?>
           <div class="text-center">
             <input id="btnSubmit" name="btnSubmit" class="btn btn-primary" type="submit" value="Submit" />
             <?= error($errors,"success","success") ?>
nclude "../../includes/admin/footer.php";
nclude "../../includes/admin/scripts.php";
 <script src="{{ asset('assets/js/form-validation.min.js') }}"></script>
 const edit = false;
 <script src="{{ asset('assets/js/admin/products.min.js') }}"></script>
```

```
const table = "usersTable";
```

Pages/admin/create-blogs.php

```
<!DOCTYPE html>
      include('../../includes/admin/head.php');
      include("../../config/connection.php");
      include "../../config/session.php";
      include "../../models/functions.php";
      authorize();
      include "../../controllers/createBlogController.php";
<body class="hold-transition sidebar-mini layout-fixed">
      <div class="wrapper">
include('../../includes/admin/nav.php');
 include('../../includes/admin/sidebar.php');
             <div class="content-wrapper">
 include "../../includes/admin/header.php";
                    <section class="content">
                          <h1>Add new product</h1>
                          <form class="standard-form" action="<?= $_SERVER["PHP_SELF"] ?>" method="POST"
                                enctype="multipart/form-data">
                                <div class="mb-3">
                                       <label for="name" class="form-label">Blog Title
                                       <input type="text" class="form-control" id="name" name="blogTitle" value="" />
                                       <?= error($errors,"blogTitle","danger") ?>
                                <div class="mb-3 d-flex flex-column">
                                       <label for="price" class="form-label">Blog Content</label>
                                       <textarea name="blogContent" id="blogContent"></textarea>
                                 <div class="mb-3">
                                       <a href="class="form-label" > Topic < /abel > 
                                       <select id="topicId" class="form-control" name="topicId">
                                             <option value="0">Choose...</option>
```

```
<?php foreach($topics as $t): ?>
                <option value="<?= $t->Id ?>"><?= $t->Topic ?></option>
             <?= error($errors,"topicId","danger") ?>
           <div class="mb-3">
             <label for="image" class="form-label">Image</label>
             <input type="file" id="image" name="image" />
             <?= error($errors,"image","danger") ?>
             <button type="btnSubmit" name="btnSubmit" class="btn btn-primary">Add</button>
             <?= error($errors,"success","success") ?>
nclude "../../includes/admin/footer.php";
nclude "../../includes/admin/scripts.php";
 <script src="{{ asset('assets/js/form-validation.min.js') }}"></script>
 const edit = false;
 <script src="{{ asset('assets/js/admin/products.min.js') }}"></script>
 const table = "usersTable";
```

Pages/admin/create-topics.php

```
<!DOCTYPE html>
<head>
<!php
include('../../includes/admin/head.php');
include("../../config/connection.php");
include "../../config/session.php";
include "../../models/functions.php";
authorize();</pre>
```

```
authorizeAdmin();
  include "../../controllers/createTopicsController.php";
<body class="hold-transition sidebar-mini layout-fixed">
  <div class="wrapper">
include('../../includes/admin/nav.php');
include('../../includes/admin/sidebar.php');
    <div class="content-wrapper">
include "../../includes/admin/header.php";
      <section class="content">
         <h1>Add new topic</h1>
         <form id="categoryForm" action="<?= $_SERVER['PHP_SELF'] ?>" method="POST" class="standard-form">
           <div class="mb-3">
              <label for="name">Topic name</label>
              <input class="form-control" type="text" name="topicName" id="topicName"</pre>
                placeholder="Name" />
              <?= error($errors,"topicName","danger") ?>
            <div class="text-center">
              <input id="btnSubmit" name="btnSubmit" class="btn btn-primary" type="submit" value="Submit" />
              <?= error($errors,"success","success") ?>
         </form>
nclude "../../includes/admin/footer.php";
nclude "../../includes/admin/scripts.php";
  <script src="{{ asset('assets/js/form-validation.min.js') }}"></script>
  <script src="{{ asset('assets/js/admin/products.min.js') }}"></script>
</html>
```

Includes/admin/head.php

```
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<title>JankoBlog | Dashboard</title>
link rel="icon" href="../../assets/images/logo.png"/>
<!-- Google Font: Source Sans Pro -->
link rel="preconnect" href="https://fonts.googleapis.com">
link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
link href="https://fonts.googleapis.com/css2?family=Candal&family=Lora:ital,wght@0,400..700;1,400..700&display=swap"
rel="stylesheet">
link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/admin-lte@3.1/dist/css/adminlte.min.css">
<script src="https://kit.fontawesome.com/b246e96d93.js" crossorigin="anonymous"></script>
<!-- Font Awesome -->
<!-- {{--<li>link rel="stylesheet" href="{{ asset('assets/vendor/AdminLTE/plugins/fontawesomefree/css/all.css') }}">---}} -->
link rel="stylesheet" href="../../assets/css/admin.min.css">
```

Includes/admin/header.php

```
<section class="content-header">
    <div class="container-fluid">
        <h1>Welcome back, <?= $_SESSION["user"]->username ?>!</h1>
    </div>
    </section>
```

Includes/admin/footer.php

```
<footer class="main-footer">
    <div class="float-right d-none d-sm-block">
    </div>
    </footer>
```

Includes/admin/nav.php

```
<!-- Navbar -->
<nav class="main-header navbar navbar-expand navbar-white navbar-light">
<nav class="navbar-nav ml-auto">

<a class="nav-link" data-widget="fullscreen" href="#" role="button">
</a>

</nav>
</nav>
<!-- /.navbar -->
```

Includes/admin/scripts.php

```
<script src="https://cdn.jsdelivr.net/npm/admin-lte@3.1/dist/js/adminlte.min.js"></script>
<script src="https://code.jquery.com/jquery-3.6.0.js" crossorigin="anonymous"></script>
<script src="https://kit.fontawesome.com/b246e96d93.js" crossorigin="anonymous"></script></script></script>
```

Includes/admin/sidebar.php

```
<aside class="main-sidebar main-sidebar-custom sidebar-dark-primary elevation-4">
  include "../../controllers/sideBarController.php";
  <!-- Brand Logo -->
  <a href="../../index.php" class="brand-link">
    <span class="brand-text font-weight-light"><span>Janko</span>Blog</span>
  <div class="sidebar">
    <!-- Sidebar user (optional) -->
    <div class="user-panel mt-3 pb-3 mb-3 d-flex">
      <div class="image">
        <img src="../../assets/img/<?= $_SESSION["user"]->profileImage ?>" class="img-circle elevation-2" alt="User Image">
      <div class="info">
        <a href="#!" class="d-block"><?= $_SESSION["user"]->username ?></a>
    <!-- Sidebar Menu -->
    <nav class="mt-2">
      with font-awesome or any other icon font library -->
      <?php if($_SESSION['user']->roleId == 2): ?>
        <?php foreach ($menuUser as $n) : ?>
          class="nav-item">
            <a href="<?= $n->route ?>" class="nav-link <?php if ($file == $n->route) : ?> active <?php endif; ?>">
              <i class="<?= $n->icon ?>"></i>
              <?= $n->name ?>
      <?php elseif ($_SESSION['user']->roleId == 1): ?>
        <?php foreach ($menuAdmin as $n) : ?>
          class="nav-item">
            <a href="<?= $n->route ?>" class="nav-link <?php if ($file == $n->route) : ?> active <?php endif; ?>">
              <i class="<?= $n->icon ?>"></i>
              <?= $n->name ?>
```

Includes/head.php

```
<!DOCTYPE html>
<html lang="en">
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>JankoBlog</title>
  <meta name="keywords" content=" " />
  k rel="shortcut icon" href="assets/img/logoShortcut.png" />
  <!--Bootstrap CSS-->
  k href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin="anonymous" />
  <!-- AOS -->
  k href="https://unpkg.com/aos@2.3.1/dist/aos.css" rel="stylesheet" />
  <!-- Font awesome 5 -->
  <script src="https://kit.fontawesome.com/d66833be4d.js" crossorigin="anonymous"></script>
  k rel="stylesheet" href="assets/css/style.css" type="text/css" />
  k rel="stylesheet" href="assets/css/responsive.css" type="text/css" />
  k rel="preconnect" href="https://fonts.googleapis.com">
  k rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  k ref="https://fonts.googleapis.com/css2?family=Candal&family=Lora:ital,wght@0,400..700;1,400..700&display=swap"
rel="stylesheet">
  <!-- jQuery -->
  <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/2.1.3/jquery.min.js"></script>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/moment.js/2.30.1/moment.min.js" integrity="sha512-</p>
QoJS4DOhdmG8kbbHkxmB/rtPdN62cGWXAdAFWWJPvUFF1/zxcPSdAnn4HhYZSIIVoLVEJ0LesfNlusgm2bPfnA=="
crossorigin="anonymous"></script>
  <script src="assets/js/main.js" defer></script>
```

Includes/nav.php

```
$menuQuery = "SELECT * from menus where admin = 0";
$menu = $conn->query($menuQuery)->fetchAll();
<div class="container">
 <div class="row">
  <div class="col-12">
   <nav class="navbar navbar-expand-lg navbar-light my-3">
     <div class="container-fluid">
      <a class="navbar-brand" href="index.php"><span>Janko</span>Blog</a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav" aria-
controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
       <span class="navbar-toggler-icon"></span>
      <div class="collapse navbar-collapse" id="navbarNav">
       <?php foreach ($menu as $m) : ?>
         class="nav-item active">
          <a class="nav-link" href="<?= $m->route ?>"><?= $m->name ?></a>
       <?php if (isset($_SESSION["user"])) : ?>
        <span class="ms-3 me-3 dropdown" style="display: block;">
         <i class="fa fa-user"></i>
         <div class="dropdown-content flex-column">
          <h5 class="username">
           <?= $_SESSION["user"]->username ?>
           <a href="pages/admin/dashboard.php" class="cart-icon">
            <h5>Dashboard</h5>
          <a href="logout.php" class="cart-icon"><h5>Logout</h5></a>
```

Includes/footer.php

```
<footer id="footer">
 <div class="container-fluid bg-fw">
  <div class="row footer align-items-center" id="footerFields">
   <div class="col-lg-6 col-md-12 footer_fields">
    <a href="index.php" class="footerLogo"><h2><span>Janko</span>Blog</h2></a>
    <h4 class="mt-4">FOLLOW US</h4>
    <a href="https://www.instagram.com/" target="_blank"><i class="fa fa-brands fa-instagram mx-2"></i></a>
    <a href="https://www.facebook.com/" target="_blank"><i class="fa fa-brands fa-facebook mx-2"></i></a>
    <a href="https://www.youtube.com/" target="_blank"><i class="fa fa-brands fa-youtube mx-2"></i></a>
    <a href="Documentation.pdf" target="_blank"><i class="fa fa-solid fa-file mx-2"></i></a>
   <div class="col-lg-6 col-md-12 footer_fields" style="border-left: 1px solid black">
    <h4 class="mb-4">CONTACT US</h4>
     <i class="fa fa-solid fa-map-pin px-2"></i>
     Milana Rakica 77
    <i class="fa fa-solid fa-phone px-2"></i>
     066404801
     <i class="fa fa-solid fa-envelope px-2"></i>
    jankostojkovic001@gmail.com
```

Config/connection.php

Config/session.php

```
<?php
session_start();
function authorize()
{
   if (!isset($_SESSION["user"])) {
      redirect("../../index.php");
   }
}
function authorizeAdmin(){</pre>
```

```
if($_SESSION["user"]->roleId != 1){
    redirect("../../pages/admin/dashboard.php");
}

function redirect($url)
{
    header("Location: " . $url);
}
```

Models/filter_products.php

```
include "../config/connection.php";
include "functions.php";
$idsTopic = isset($_POST['idsTopic']) ? $_POST['idsTopic'] : [];
try {
  if (empty($idsTopic)) {
     $proizvodi = vratiBlogove();
  } else {
     $proizvodi = [];
    // Poveži tabele korišćenjem INNER JOIN-a
     $upit = "SELECT b.id as blogId, b.blogTitle as title, b.blogContent as blog, b.UserId as userId, b.TopicId as topicId, u.FirstName
as firstName,
          u.LastName as lastName, u.username, b.CreatedAt as published, b.Image as image, t.Topic as topic
          from blogs as b
          inner join users as u on b.UserId = u.Id
          inner join topics as t on b.TopicId = t.Id
    $whereClauses = [];
    // Dodaj uslove za svaki odabrani TOPIC
    if (!empty($idsTopic)) {
       $topicConditions = implode(',', array_fill(0, count($idsTopic), '?'));
       $whereClauses[] = "b.TopicId IN ($topicConditions)";
    $upit .= implode($whereClauses);
     $stmt = $conn->prepare($upit);
    for ($i = 0; $i < count($idsTopic); $i++) {
```

Models/functions.php

```
function vratiSve($nazivTabele){
    global $conn;
    $upit = "SELECT * FROM $nazivTabele";
    $podaci = $conn-> query($upit)->fetchAll();
    return $podaci;
  function vratiBlogove(){
     global $conn;
    $upit = "SELECT b.id as blogId, b.blogTitle as title, b.blogContent as blog, b.UserId as userId, u.FirstName as firstName,
u.LastName as lastName,
         u.username, b.TopicId as topicId, t.Topic, b.CreatedAt as published, b.Image as image, t.Topic as topic
         from blogs as b
         inner join users as u on b.UserId = u.Id
         inner join topics as t on b. TopicId = t.Id
         where b.IsActive = 1";
    $podaci = $conn->query($upit)->fetchAll();
    return $podaci;
  function error($errors, $name, $alert){
    if(isset($errors[$name])){
```

```
echo "<div class='mt-2 alert alert-".$alert."'>". $errors[$name] ."</div>";
function value($post, $value){
  if(isset($post[$value])){
     echo $post[$value];
     echo "";
function pretty_relative_time($time) {
  if ($time !== intval($time)) { $time = strtotime($time); }
  d = time() - time;
  if ($time < strtotime(date('Y-m-d 00:00:00')) - 60*60*24*3) {
  format = F j';
  if (date('Y') !== date('Y', $time)) {
  $format .= ", Y";
  return date($format, $time);
  if ($d >= 60*60*24) {
  $day = 'Yesterday';
  if (date('I', time() - 60*60*24) !== date('I', $time)) { $day = date('I', $time); }
  return $day . " at " . date('g:ia', $time);
  if (d \ge 60*60*2) { return intval(d / (60*60)) . "hours ago"; }
  if (d \ge 60*60) { return "about an hour ago"; }
  if (d \ge 60*2) { return intval(d \ne 60) . " minutes ago"; }
  if (\$d \ge 60) { return "about a minute ago"; }
  if (d \ge 2) { return intval(d). " seconds ago"; }
  return "a few seconds ago";
```

Controllers/loginController.php

```
<?php
$error = "";
if(isset($_POST["btnSubmit"])){
    $userEmail = $_POST["userEmail"];
    $password = md5($_POST["password"]);</pre>
```

```
$query = "SELECT u.Id as userId, u.FirstName as firstName, u.LastName as lastName, u.Username as username, u.Email as email,
u.Password as password,
        u.ProfileImage as profileImage, u.RoleId as roleId, u.CreatedAt as createdAt, u.IsActive
        from users as u inner join roles as r on u.RoleId = r.Id
        WHERE(email = :userEmail OR userName = :userEmail) AND password = :password AND u.IsActive = :IsActive";
  $stmt = $conn->prepare($query);
  $stmt->execute(
         ":userEmail" => $userEmail.
         ":password" => $password,
         ":IsActive" => 1
  $user = $stmt->fetch();
  if(!$user){
    $error = "There is no user with that username or password";
  $_SESSION["user"] = $user;
    header("Location:blog.php");
f(isset($_SESSION["user"])){
  redirect("index.php");
```

Controllers/registerController.php

```
ext{serrors} = [];
if(isset($_POST['submit'])){
  $firstName = $_POST['firstName'];
  $lastName = $_POST['lastName'];
  $username = $_POST['username'];
  $password = md5($_POST['password']);
  $email = $_POST['email'];
  role_id = 2;
  SIsActive = 1:
  $emailQuery = "SELECT * from users WHERE email = :email AND IsActive = 1";
  $stmt = $conn->prepare($emailQuery);
  $stmt->execute(
  ":email" => $email
  $userEmail = $stmt->fetch();
  $usernameQuery = "SELECT * from users WHERE username = :username";
  $stmt = $conn->prepare($usernameQuery);
```

```
$stmt->execute(
     ":username" => $username
$userUsername = $stmt->fetch();
if(!trim($firstName)){
  $errors['firstName'] = "First Name field can't be empty";
if(!trim($lastName)){
  $errors['lastName'] = "Last Name field can't be empty";
if($userUsername){
  $errors['username'] = "Username is already taken";
else if(!trim($username)){
  $errors['username'] = "Username field can't be empty";
if($userEmail){
  $errors['email'] = "Email is already taken";
else if(!trim($email)){
  $errors['email'] = "Email field can't be empty";
else {
  if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
     $errors["email"] = "Email is not valid";
if($_POST['confirmPassword'] != $_POST['password']){
  $errors['confirmPassword'] = "Passwords do not match";
else if(!trim($password)){
  $errors['password'] = "Password field can`t be empty";
else if(!trim($_POST['confirmPassword'])){
  $errors['confirmPassword'] = "Confirm password field must match with password
  field";
else{
if(count($errors)!=0){
  echo "";
  $errors['success']="You registered successfully";
  $insertUserQuery = "INSERT INTO users (FirstName, LastName, username, email, password, RoleId, CreatedAt, IsActive)
  VALUES (:firstName, :lastName, :username, :email, :password, :RoleId, :createdAt, :IsActive)";
  $stmt = $conn->prepare($insertUserQuery);
```

```
$stmt->execute([
    ":firstName"=>$firstName,
    ":lastName"=>$lastName,
    ":username" => $username,
    ":email" => $email,
    ":password" => $password,
    ":RoleId" => $role_id,
    ":createdAt" => date('Y-m-d H:i:s'),
    "IsActive" => $IsActive
]);
}
}
```

Controllers/blogContentController.php

```
$idBlog = $_GET['blogId'];
$blogQuery = "SELECT b.id as blogId, b.blogTitle as title, b.blogContent as blog, b.UserId as userId, u.FirstName as firstName,
u.LastName as lastName,
              u.username, b.TopicId as topicId, t.Topic, b.CreatedAt as published, b.Image as image
         from blogs as b
         inner join users as u on b.UserId = u.Id
         inner join topics as t on b. TopicId = t.Id
         WHERE b.id = :id";
$stmt = $conn->prepare($blogQuery);
$stmt ->execute([
  ":id" => $idBlog
1);
$blog = $stmt->fetch();
$dateTime = new DateTime($blog->published);
$date = $dateTime->format('Y-m-d');
$updateViewsQuery = "UPDATE blogs SET Views = Views + 1 WHERE Id = :idBlog";
$stmt = $conn->prepare($updateViewsQuery);
$stmt->execute([
  ":idBlog" => $idBlog
]);
$popularBlogsQuery = "SELECT b.id as blogId, b.blogTitle as title, b.blogContent as blog, b.UserId as userId, u.FirstName as
firstName, u.LastName as lastName,
              u.username, b.TopicId as topicId, t.Topic, b.CreatedAt as published, b.Image as image, b.Views as views
         from blogs as b
         inner join users as u on b.UserId = u.Id
```

```
inner join topics as t on b.TopicId = t.Id
    ORDER By views DESC
    LIMIT 4";

$stmt= $conn->query($popularBlogsQuery);
$popularBlogs = $stmt->fetchAll();
?>
```

Controllers/dashboardController.php

```
$totalViewsQuery = "SELECT sum(blogs.Views) as totalViews
FROM blogs";
$stmt = $conn->prepare($totalViewsQuery);
$stmt->execute();
$totalViews = $stmt->fetch(PDO::FETCH_ASSOC);
$usersQuery = "SELECT * from users";
$users = $conn->query($usersQuery)->fetchAll();
$blogQuery = "SELECT * from blogs";
$blogs = $conn->query($blogQuery)->fetchAll();
\frac{1}{9}
    "value" => count($blogs),
    "text" => "Total number of blogs",
    "colorClass" => "bg-success",
    "icon" => "fa fa-blog"
  ],
    "value" => $totalViews['totalViews'],
    "text" => "Total views",
    "colorClass" => "bg-info",
    "icon" => "fas fa-solid fa-eye"
  ],
    "value" => count($users),
    "text" => "Number of registered users",
    "colorClass" => "bg-warning",
    "icon" => "fas fa-user-plus"
```

Controllers/contactController.php

```
<?php
$errors = [];
```

```
f (isset($_POST["btnSubmitForm"])){
 name = POST["name"];
 $email = $_POST["email"];
 $phoneNumber = $_POST["number"];
 $message = $_POST["message"];
f(!trim($name)){
 $errors["name"] = "Name field can't be empty";
 reName = ''/A[A-Z][a-z]{2,}(\s[A-Z][a-z]{2,})+$/";
if(!preg_match($reName,$name)){
 $errors["name"] = "Name is not valid (First name plus Last name)";
if(!trim($email)){
 $errors["email"] = "Email field can't be empty";
<mark>if(!filter_var($email, FILTER_VALIDATE_EMAIL)){</mark>
 $errors["email"] = "Email is not valid";
if(!trim($phoneNumber)){
 $errors["number"] = "Number field can't be empty";
 reNumber = "/^06[0-9]/[0-9]{3,4}/[0-9]{3,4},";
 if(!preg_match($reNumber,$phoneNumber)){
  $errors["number"] = "Number is not valid";
if(!trim($message)){
 $errors["message"] = "Message field can't be empty";
 reMessage = "/^[\s\S]{4,200}$/";
 if(!preg_match($reMessage,$message)){
  $errors["message"] = "Message is not valid";
if(count($errors) != 0){
echo "";
$errors["success"] = "The message was sent successfully.";
$insertReportQuery = "INSERT INTO contacts (fullName, email, phoneNumber, report)
VALUES (:fullName,:email,:phoneNumber,:message)";
$stmt = $conn->prepare($insertReportQuery);
```

```
$stmt->execute([
":fullName"=>$name,
":email"=>$email,
":phoneNumber"=>$phoneNumber,
":message"=>$message,
]);
}
}
```

Controllers/createBlogController.php

```
$errors=[];
$topicQuery = "SELECT * from topics";
$topics = $conn->query($topicQuery)->fetchAll();
if(isset($_POST['btnSubmit'])){
$blogTitle = $_POST['blogTitle'];
$topicId = $_POST['topicId'];
$blogContent = $_POST['blogContent'];
$image = $_FILES['image'];
$blogTitleQuery = "SELECT * from blogs WHERE blogTitle = :blogTitle";
$stmt = $conn->prepare($blogTitleQuery);
$stmt->execute(
":blogTitle" => $blogTitle
$blogTitleTaken = $stmt->fetch();
if($blogTitleTaken){
  $errors['blogTitle'] = "Blog title is already taken";
else if(!trim($blogTitle)){
  $errors['blogTitle'] = "Blog title field can`t be empty";
f(!isset($topicId)){
  $errors['topicId'] = "You must select one of the topics";
if(!isset($image)){
  $errors['image'] = "You must choose image to upload";
else if($image['size'] > 100000000){
  $errors['image'] = "Your image is larger than 100MB";
if (count($errors) == 0) {
```

```
// Move uploaded file
$targetDir = "../../assets/img/";
$targetFile = $targetDir . basename($image['name']);
if (move uploaded file($image['tmp name'], $targetFile)) {
  $errors['success'] = "You created blog successfully";
  $blogInsertQuery = "INSERT into blogs (blogTitle, blogContent, topicId, UserId, Image, CreatedAt, IsActive)
              values (:blogTitle, :blogContent, :topicId, :UserId, :Image, :CreatedAt, :IsActive)";
  $stmt = $conn->prepare($blogInsertQuery);
  $stmt->execute([
     "blogTitle" => $blogTitle,
     "blogContent" => $blogContent,
     "topicId" => $topicId,
     "UserId" => $_SESSION['user']->userId,
     "Image" => $image['name'],
     "CreatedAt" => date('Y-m-d H:i:s'),
     "IsActive" => 1
  ]);
} else {
  $errors['image'] = "Failed to upload image";
```

Controllers/createTopicsController.php

```
$errors = [];
if(isset($_POST['btnSubmit'])){
$topicName = $_POST['topicName'];
$topicsQuery = "SELECT * from topics where Topic = :topic and IsActive = 1";
$stmt = $conn->prepare($topicsQuery);
$stmt->execute([
":topic"=>$topicName
]);
$topicNameExists = $stmt->fetch();
if($topicNameExists){
$errors['topicName'] = "Topic name is already taken";
else if(!trim($topicName)){
$errors['topicName'] = "Topic name field can't be empty";
if(count(\$errors) == 0){
$errors['success'] = "Topic is successfully added";
$topicsInsertQuery = "INSERT INTO topics (Topic, IsActive) VALUES
(:topicName, :IsActive)";
$stmt = $conn->prepare($topicsInsertQuery);
$stmt->execute([
```

```
":topicName"=> $topicName,
":IsActive"=> 1,

]);
}
}
?>
```

Controllers/createUsersController.php

```
$errors=[];
$rolesQuery = "SELECT * from roles";
$roles = $conn->query($rolesQuery)->fetchAll();
if(isset($_POST['btnSubmit'])){
$firstName = $_POST['firstName'];
$lastName = $_POST['lastName'];
$username = $_POST['username'];
$password = md5($_POST['password']);
$email = $_POST['email'];
$role = $_POST['role'];
$image = $_FILES['image'];
$emailQuery = "SELECT * from users WHERE email = :email";
$stmt = $conn->prepare($emailQuery);
$stmt->execute(
":email" => $email
$userEmail = $stmt->fetch();
$usernameQuery = "SELECT * from users WHERE username = :username";
$stmt = $conn->prepare($usernameQuery);
$stmt->execute(
":username" => $username
$userUsername = $stmt->fetch();
if(!trim($username)){
  $errors['username'] = "Username field can't be empty";
if(!trim($username)){
  $errors['username'] = "Username field can't be empty";
if($userUsername){
$errors['username'] = "Username is already taken";
else if(!trim($username)){
$errors['username'] = "Username field can't be empty";
```

```
if($userEmail){
$errors['email'] = "Email is already taken";
else if(!trim($email)){
$errors['email'] = "Email field can't be empty";
else {
if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
$errors["email"] = "Email is not valid";
if($_POST['confirmPassword'] != $_POST['password']){
$errors['confirmPassword'] = "Passwords do not match";
else if(!trim($password)){
$errors['password'] = "Password field can't be empty";
else if(!trim($_POST['confirmPassword'])){
$errors['confirmPassword'] = "Confirm password field must match with password
field":
if (count($errors) == 0) {
  // Move uploaded file
  $targetDir = "../../assets/img/";
  $targetFile = $targetDir . basename($image['name']);
  if (move_uploaded_file($image['tmp_name'], $targetFile)) {
     // Insert user into the database
    $insertUserQuery = "INSERT INTO users (FirstName, LastName, Username, Email, Password, ProfileImage, RoleId, CreatedAt,
IsActive)
                 VALUES (:firstName, :lastName, :username, :email, :password, :profileImage, :role_id, :createdAt, :IsActive)";
    $stmt = $conn->prepare($insertUserQuery);
     $stmt->execute([
       ":firstName" => $firstName,
       ":lastName" => $lastName,
       ":username" => $username,
       ":email" => $email,
       ":password" => $password,
       ":profileImage" => $image['name'],
       ":role_id" => $role,
       ":createdAt" => date('Y-m-d H:i:s'),
       ":IsActive" => 1
     1);
    $errors['success'] = "You registered successfully";
  } else {
     $errors['image'] = "You need to upload an image";
```

```
else{
    echo "";
}
}
?>
```

Controllers/editBlogsController.php

```
errors = [];
$topicQuery = "SELECT * from topics";
$topics = $conn->query($topicQuery)->fetchAll();
$blogsQuery = "SELECT b.id as blogId, b.blogTitle as title, b.blogContent as blog, b.UserId as userId, u.FirstName as firstName,
u.LastName as lastName,
                               u.username, b.TopicId as topicId, t.Topic as topic, b.CreatedAt as published, b.Image as image, b.Views as views
                  from blogs as b
                  inner join users as u on b.UserId = u.Id
                  inner join topics as t on b.TopicId = t.Id
                  WHERE b.id = :blogId";
$stmt = $conn->prepare($blogsQuery);
$idBlog = $_GET['blogId'];
$stmt->execute([
      ":blogId" => $idBlog
]);
$blog = $stmt->fetch();
$image_path = $blog->image;
if (isset($_POST['btnSubmit'])) {
      $blogId = $_POST['blogId'];
      $blogTitle = $_POST['blogTitle'];
      $blogContent = $_POST['blogContent'];
      $topic = $_POST['topicId'];
      $image = $_FILES['image'];
            if (isset(\frac{1}{2} | \frac{1}{2} | \frac{1}{2
                  $image_name = $image['name'];
                  $image_tmp = $image['tmp_name'];
                  $image_path = "../../assets/img/" . $image_name;
                   move_uploaded_file($image_tmp, $image_path);
                  $updateProductQuery = "UPDATE blogs SET blogTitle = :blogTitle, blogContent = :blogContent, Image = :image, TopicId =
:topic_id WHERE Id=:blogId";
                   $stmt = $conn->prepare($updateProductQuery);
                   $stmt->bindParam(":blogId", $blogId);
                   $stmt->bindParam(":blogTitle", $blogTitle);
                   $stmt->bindParam(":topic_id", $topic);
                   $stmt->bindParam(":blogContent", $blogContent);
                   $stmt->bindParam(":image", $image_path);
                   $stmt->execute();
```

Controllers/editTopicsController.php

```
errors = [];
$topicsQuery = "SELECT * from topics where Id = :id";
$stmt = $conn->prepare($topicsQuery);
$idTopic = $_GET['topicId'];
$stmt->execute([
  ":id" => $idTopic
1);
$topic = $stmt->fetch();
if (isset($_POST['btnSubmit'])) {
  $topicId = $_POST['topicId'];
  $topicName = $_POST['topicName'];
  $listed = isset($_POST['listed']) ? 1 : 0;
  if (!trim($topicName)) {
    $errors['topicName'] = "topic name field can't be empty";
    header("Location:" . explode("?", $_SERVER["HTTP_REFERER"])[0] . "?topicId=" . $_POST['topicId'] . "&error=topic name
field empty");
  if (count(\$errors) == 0) {
    $errors['success'] = "topic is successfully updated";
    $topicsUpdateQuery = "UPDATE topics SET Topic = :topicName WHERE Id = :id";
    $stmt = $conn->prepare($topicsUpdateQuery);
    $stmt->execute([
       ":id" => $topicId,
       ":topicName" => $topicName
    header("Location:" . explode("?", $_SERVER["HTTP_REFERER"])[0] . "?topicId=" . $_POST['topicId'] . "&success=Uspesno
editovanje brenda" . $_POST['topicId']);
```

```
}
?>
```

Controllers/editUsersController.php

```
errors = [];
$rolesQuery = "SELECT * from roles";
$roles = $conn->query($rolesQuery)->fetchAll();
$usersQuery = "SELECT u.id, u.username, u.email, u.password, u.RoleId as idRole, r.Id from
users as u join roles as r on u.RoleId = r.Id WHERE u.id = :id";
$idUser = $_GET['userId'];
$stmt = $conn->prepare($usersQuery);
$stmt->bindParam(":id", $idUser);
$stmt->execute();
$user = $stmt->fetch();
if (isset($_POST['btnSubmit'])) {
  try{
    $userId = $_POST['userId'];
    $username = $_POST['username'];
    $password = md5($_POST['password']);
    $confirmPassword = $_POST['confirmPassword'];
    $email = $_POST['email'];
    if ($_POST['confirmPassword'] != $_POST['password']) {
       $errors['confirmPassword'] = "Passwords do not match";
      header("Location:" . explode("?", $_SERVER["HTTP_REFERER"])[0] . "?userId=" . $userId . "&error=Doslo je do greske
kod editovanja korisnika" . $userId);
     } else if (!trim($password)) {
       $errors['password'] = "Password field can't be empty";
       header("Location:" . explode("?", $_SERVER["HTTP_REFERER"])[0] . "?userId=" . $userId . "&error=Doslo je do greske
kod editovanja korisnika" . $userId);
    if (count(\$errors) == 0) {
       $query = "";
       if (isset($password) && !trim($password)) {
         $query = "UPDATE users SET username = :username, password = :password, email = :email WHERE id = :id";
         $query = "UPDATE users SET username = :username, email = :email WHERE id = :id";
       $stmt = $conn->prepare($query);
       $stmt->bindParam(":id", $userId);
       $stmt->bindParam(":username", $username);
       $stmt->bindParam(":email", $email);
       if (isset($password) && !trim($password)) {
         $stmt->bindParam(":password", $password);
       $stmt->execute();
       $errors['success'] = "User is successfully updated";
```

Controllers/indexBlogsController.php

```
$blogsAdmin = vratiBlogove();
$blogsQuery = "SELECT b.id as blogId, b.blogTitle as title, b.blogContent as blog, b.UserId as userId, u.FirstName as firstName,
u.LastName as lastName,
         u.username, b.TopicId as topicId, t.Topic, b.CreatedAt as published, b.Image as image, b.Views as views
    from blogs as b
    inner join users as u on b.UserId = u.Id
    inner join topics as t on b.TopicId = t.Id
    WHERE b.UserId = :userId and b.IsActive = 1
    ORDER By b.Id";
$stmt = $conn->prepare($blogsQuery);
$stmt->execute([
    ":userId" => $_SESSION['user']->userId
]);
$blogs= $stmt->fetchAll();
blogsPerPage = 4;
$totalBlogs = count($blogs);
$totalPages = ceil($totalBlogs / $blogsPerPage);
$currentPage = isset($_GET['page']) ? $_GET['page'] : 1;
$startBlog = ($currentPage - 1) * $blogsPerPage;
$currentRecords = array_slice($blogs, $startBlog, $blogsPerPage);
$totalBlogsAdmin = count($blogsAdmin);
$totalPagesAdmin = ceil($totalBlogsAdmin / $blogsPerPage);
$currentRecordsAdmin = array_slice($blogsAdmin, $startBlog, $blogsPerPage);
```

Controllers/indexUsersController.php

```
<?php
$usersQuery = "SELECT u.Id, u.username, u.email, u.password, r.RoleName,
    u.CreatedAt from users as u inner join roles as r on u.RoleId = r.Id WHERE u.IsActive = 1";
$users = $conn->query($usersQuery)->fetchAll();
```

```
$resultPerPage = 4;
$totalResult = count($users);
$totalPages = ceil($totalResult / $resultPerPage);
$currentPage = isset($_GET['page']) ? $_GET['page'] : 1;
$startResult = ($currentPage - 1) * $resultPerPage;
$currentRecords = array_slice($users, $startResult, $resultPerPage);
?>
```

Controllers/indexTopicsController.php

```
$topicQuery = "SELECT * from topics where IsActive = 1";
$topics = $conn->query($topicQuery)->fetchAll();
$resultPerPage = 4;
$totalResult = count($topics);
$totalPages = ceil($totalResult / $resultPerPage);
$currentPage = isset($_GET['page']) ? $_GET['page'] : 1;
$startResult = ($currentPage - 1) * $resultPerPage;
$currentRecords = array_slice($topics, $startResult, $resultPerPage);
}
```

Controllers/indexReportsController.php

```
<?php
$reportsQuery = "SELECT * from contacts";
$reports = $conn->query($reportsQuery)->fetchAll();
$productsPerPage = 4;
$totalProducts = count($reports);
$totalPages = ceil($totalProducts / $productsPerPage);
$currentPage = isset($_GET['page']) ? $_GET['page'] : 1;
$startProduct = ($currentPage - 1) * $productsPerPage;
$currentRecords = array_slice($reports, $startProduct, $productsPerPage);
}
```

Controllers/sideBarController.php

Assets/js/main.js

```
// to top button
window.onscroll = function () {
    scrollFunction()
};
function scrollFunction() {
    if (document.body.scrollTop > 20 || document.documentElement.scrollTop > 20) {
        document.getElementById("movetop").style.display = "block";
    }
```

```
} else {
  document.getElementById("movetop").style.display = "none";
function topFunction() {
 document.body.scrollTop = 0;
 document.documentElement.scrollTop = 0;
 / TESTIMONIALS
jQuery(document).ready(function($) {
 "use strict";
 // TESTIMONIALS CAROUSEL HOOK
 $('#customers-testimonials').owlCarousel({
   loop: true,
   center: true,
   items: 3,
   margin: 0,
   autoplay: true,
   dots:true,
   autoplayTimeout: 8500,
   smartSpeed: 450,
   responsive: {
    0: {
     items: 1
    768: {
     items: 2
     1170: {
     items: 3
});
$(document).ready(function() {
 $('input[name="chkTop"]').change(function(){
  var checkedTopics = $('input[name="chkTop"]:checked').map(function() {
   return this.value;
  }).get();
  $.ajax({
```

```
url: "models/filter_products.php",
   method: "post",
   data: {
    idsTopic: checkedTopics
   },
   dataType: "json",
   success: function(response){
    stampajBlogove(response);
   error: function(xhr){
    console.error(xhr);
});
function stampajBlogove(nizBlogova){
let html = "";
if(nizBlogova.length == 0){
  html += `There are no blogs matching the given criteria.`;
 } else {
  for(let blog of nizBlogova){
   html += `<div class="col-lg-4 col-md-6 mb-4">
         <div class="card">
          <a href="#"><img class="card-img-top img-fluid" src="assets/img/${blog.image}" alt=""></a>
           <div class="card-body">
            <h4 class="card-title">${blog.title}</h4>
            <div class="d-flex justify-content-between flex-column">
             <div class="name">
              Author: ${blog.firstName} ${blog.lastName}
             <div class="published">
              Published ${moment(blog.published).fromNow()}
             <div class="topic">
              Topic: ${blog.topic}
             <a class="btn btn-info" href="blogContent.php?blogId=${blog.blogId}">Read More</a>
            </div>
           </div>
         </div>
        </div>`:
 $("#blogs").html(html);
```

Assets/js/form.js

```
// form validation
console.log("contact")
var imePrezime = document.getElementById("imePrezime");
var email = document.getElementById("email");
var number = document.getElementById("number");
var message = document.getElementById("message");
var \text{ reImePrezime} = /^[A-ZŠDČĆŽ][a-zšđčćž]\{2,15\}(\s[A-ZŠDČĆŽ][a-zšđčćž]\{2,20\})+\$/;
var reEmail = /^[\w-_]+@([\w-_]{2,}\)+[a-z]{2,}$/;
var \text{ reNumber} = /^06[0-689][0-9]\{6,7\} $/;
var \text{ reMessage} = /.\{4,200\}/;
var noErrors;
imePrezime.addEventListener("blur", checkName);
function checkName() {
 var check = reImePrezime.test(imePrezime.value);
 var errorName = document.getElementById("error-name");
 if(check) {
  errorName.innerHTML="Name is valid!";
  errorName.style.color="green";
 else {
 noErrors = false;
 errorName.innerHTML="Name is not valid!";
 errorName.style.color="red";
email.addEventListener("blur", checkEmail);
function checkEmail() {
var check = reEmail.test(email.value);
var errorEmail = document.getElementById("error-email");
if(check) {
 errorEmail.innerHTML="Email is valid!";
 errorEmail.style.color="green";
```

```
else {
noErrors = false;
 errorEmail.innerHTML="Email is not valid!";
 errorEmail.style.color="Red";
number.addEventListener("blur", checkNumber);
function checkNumber(){
  var check = reNumber.test(number.value);
  var errorNumber = document.getElementById("error-number");
  if(check) {
    errorNumber.innerHTML="Number is valid!";
    errorNumber.style.color="green";
    else {
    noErrors = false;
    errorNumber.innerHTML="Number is not valid!";
    errorNumber.style.color="Red";
message.addEventListener("blur", checkMsg);
function checkMsg() {
 var errorMsg = document.getElementById("error-message");
if (message.value == "") {
 errorMsg.textContent = "Message can't be empty";
 errorMsg.style.color="red";
 else {
 errorMsg.textContent = "Message is valid";
 errorMsg.style.color="green";
 var btnSubmitMessage = document.getElementById("btnSubmitMessage");
  btnSubmitMessage.addEventListener("click", function() {
  noErrors = true;
  checkName();
  checkEmail();
  checkNumber();
  checkMsg();
  if(noErrors)
   imePrezime.value = "";
   number.value = "";
   email.value = "";
```

```
message.value = "";
errorName.innerHTML="";
errorEmail.innerHTML=";
errorNumber.innerHTML=";
errorMsg.innerHTML=";
};

};
var select = document.getElementById("subject");
var error_op = document.getElementById("modal-error-op");
select.addEventListener("click",checkOption);

function checkOption(){
    if (select.value == "subject") {
        error_op.innerHTML = "Please select a subject"
        error_op.style.color = "red"
    }
    elsc{
        error_op.innerHTML = "Subject is valid."
        error_op.style.color = "green"
    }
}
```