

Database Management Systems Project (Phase 2)

Project Title: Azkar Management system

Team ID: 17

TA's Name: Radwa Moustafa

Team Members

<u>Name</u>	<u>ID</u>	<u>Academic Level</u>	<u>Department</u>
1. فيروز سامح صلاح لبيب عثمان	20241701839	2	SWE
2. رانيا محمد حماد كامل	20241701819	2	SWE
3. جنة محمد عبدالله ابو ريا	20241701815	2	SWE
4. رضا أحمد محمد محمود	20241701820	2	SWE
5. ساره حسن عبد الوهاب جاد المولي	20241701825	2	SWE
6. فاطمه محمد جهلان توفيق	20241701622	2	AI
7. هايدي محمد محمد دسوقي الشامي	20241701558	2	BIO
8. منة الله تامر محمد مطيع حسن	20241701553	2	BIO

SQL Script

```
CREATE TABLE ROLE
```

```
(  
  role_id NUMBER      CONSTRAINT role_pk PRIMARY KEY,  
  role_name VARCHAR2(20) NOT NULL CHECK (role_name IN ('Administrator', 'User', 'Editor'))  
);
```

```
INSERT INTO ROLE
```

```
VALUES(1, 'Administrator');
```

```
INSERT INTO ROLE
```

```
VALUES(2, 'User');
```

```
INSERT INTO ROLE
```

```
VALUES(3, 'Editor');
```

```
CREATE TABLE USERS (
```

```
  user_id      NUMBER      CONSTRAINT users_pk PRIMARY KEY,  
  settings_id  NUMBER,  
  user_name    VARCHAR2(50)  CONSTRAINT users_username_uk UNIQUE,  
  first_name   VARCHAR2(50),  
  last_name    VARCHAR2(50),  
  email_address VARCHAR2(255) CONSTRAINT users_email_uk UNIQUE,  
  password_hash VARCHAR2(255),  
  role_id      NUMBER      NOT NULL,  
  CONSTRAINT users_roleid_fk FOREIGN KEY (role_id) REFERENCES  
    role(role_id)  
);
```

```
INSERT INTO USERS (user_id, settings_id, user_name, first_name, last_name, email_address,  
password_hash, role_id)
```

```
VALUES (1, 2, 'Gamila_Fadl', 'Gamila', 'Fadl', 'gamila2022@gmail.com', 'GAMILA667', 1);
```

```
INSERT INTO USERS (user_id, settings_id, user_name, first_name, last_name, email_address,  
password_hash, role_id)
```

```
VALUES (2, 3, 'AhmedAli', 'Ahmed', 'Ali', 'ahmed558@gmail.com', 'Ahmedd78', 2);
```

```
INSERT INTO USERS (user_id, settings_id, user_name, first_name, last_name, email_address,  
password_hash, role_id)
```

```
VALUES (3, 1, 'Sara_Mahmoud', 'Sara', 'Mahmoud', 'sara692@gmail.com', 'Thenuts22', 3);
```

```
CREATE TABLE ZIKR (
```

```
  zikr_id      NUMBER      CONSTRAINT zikr_pk PRIMARY KEY,  
  repetition_count NUMBER      NOT NULL,
```

```

arabic_text    VARCHAR2(500)    NOT NULL,
virtue_text    VARCHAR2(500),
hadith_reference VARCHAR2(255),
audio_file     VARCHAR2(255)
);
INSERT INTO ZIKR (zikr_id, repetition_count, arabic_text, virtue_text, hadith_reference,
audio_file)
VALUES (1, 3, 'رضيتُ بالله ربًّا وبالإسلام دينًا وبمحمدٍ صلى الله عليه وسلم نبيًّا',
'من قالها ثلاثًا حين يصبح وثلاثًا حين يمسي كان حقًّا على الله أن يرضيه يوم القيامة',
'رواه احمد',
'audio/0001.mp3'
);

```

```

INSERT INTO ZIKR (zikr_id, repetition_count, arabic_text, virtue_text, hadith_reference,
audio_file)
VALUES (2, 1, 'اللهم ما أصبح بي من نعمة أو بأحدٍ من خلقك فمنك وحدك لا شريك لك فلك الحمد ولك الشكر',
'من قالها حين يصبح فقد أدى شكر يومه ومن قالها حين يمسي فقد أدى شكر ليلته',
'(رواه أبو داود)',
'audio/0002.mp3'
);

```

```

INSERT INTO ZIKR (zikr_id, repetition_count, arabic_text, virtue_text, hadith_reference,
audio_file)
VALUES (3, 7, 'حسبي الله لا إله إلا هو عليه توكلت وهو ربُّ العرش العظيم',
'من قالها حين يصبح وحين يمسي سبع مرات كفاه الله ما أهمه من أمر الدنيا والآخرة',
'(رواه ابن السني)',
'audio/0003.mp3'
);

```

```

CREATE TABLE CATEGORY (
category_id NUMBER CONSTRAINT category_pk PRIMARY KEY,
category_name VARCHAR2(100) NOT NULL,
category_description VARCHAR2(200),
category_order NUMBER
);

```

```

INSERT INTO CATEGORY
VALUES (1, 'Morning Azkar', 'Azkar said in the morning', 1);

```

```
INSERT INTO CATEGORY
VALUES (2, 'Evening Azkar', 'Azkar said in the evening', 2);
```

```
INSERT INTO CATEGORY
VALUES (3, 'General Azkar', 'Various daily supplications', 3);
```

```
INSERT INTO CATEGORY
VALUES (4, 'Travel Azkar', 'Supplications for traveling', 4);
```

```
CREATE TABLE REVIEW (
    review_id    NUMBER           CONSTRAINT review_pk PRIMARY KEY,
    rating_value NUMBER           CHECK (rating_value BETWEEN 1 AND 5),
    rating_comment VARCHAR2(255),
    review_date  DATE
);
```

```
INSERT INTO REVIEW (review_id, rating_value, rating_comment, review_date)
VALUES (1, 5, 'Excellent zikr', TO_DATE('2024-12-10','YYYY-MM-DD'));
```

```
INSERT INTO REVIEW (review_id, rating_value, rating_comment, review_date)
VALUES (2, 4, 'Very helpful', TO_DATE('2024-12-11','YYYY-MM-DD'));
```

```
INSERT INTO REVIEW (review_id, rating_value, rating_comment, review_date)
VALUES (3, 3, 'Good but needs improvement', TO_DATE('2024-12-12','YYYY-MM-DD'));
```

```
CREATE TABLE LANGUAGE (
    language_id    NUMBER           CONSTRAINT language_pk PRIMARY KEY,
    language_name  VARCHAR2(50)     NOT NULL,
    is_right_to_left CHAR(1)        CONSTRAINT lang_rtl_ck CHECK (is_right_to_left IN
('Y','N')),
    language_code  CHAR(3)          CONSTRAINT lang_code_uk UNIQUE NOT NULL
);
```

```
INSERT INTO LANGUAGE (language_id, language_name, is_right_to_left, language_code)
VALUES (1, 'Arabic', 'Y', 'ARA');
```

```
INSERT INTO LANGUAGE (language_id, language_name, is_right_to_left, language_code)
VALUES (2, 'English', 'N', 'ENG');
```

```
INSERT INTO LANGUAGE (language_id, language_name, is_right_to_left, language_code)
VALUES (3, 'French', 'N', 'FRA');
```



```
INSERT INTO LANGUAGE (language_id, language_name, is_right_to_left, language_code)
VALUES (4, 'German', 'N', 'DEU');
```

```
INSERT INTO LANGUAGE (language_id, language_name, is_right_to_left, language_code)
VALUES (5, 'Hebrew', 'Y', 'HEB');
```

```
INSERT INTO LANGUAGE (language_id, language_name, is_right_to_left, language_code)
VALUES (6, 'Chinese (Mandarin)', 'N', 'ZHO');
```

```
INSERT INTO LANGUAGE (language_id, language_name, is_right_to_left, language_code)
VALUES (7, 'Japanese', 'N', 'JPN');
```

```
CREATE TABLE SETTINGS (
    settings_id    NUMBER                CONSTRAINT settings_pk PRIMARY KEY,
    themes         VARCHAR2(20)          DEFAULT 'Light Mode',
    font_size      NUMBER                DEFAULT 14,
    font_color     VARCHAR2(20)          DEFAULT '#000000',
    notification_sound NUMBER            DEFAULT 0 CHECK (notification_sound IN (0,1)),
    notification_time DATE,
    vibration_enabled NUMBER(1)          DEFAULT 0 CHECK (vibration_enabled IN (0,1)),
    language_id    NUMBER,
    CONSTRAINT settings_lang_fk FOREIGN KEY (language_id) REFERENCES
LANGUAGE(language_id)
);
```

```
INSERT INTO Settings (settings_id, themes, font_size, font_color, notification_sound,
notification_time, vibration_enabled, language_id)
VALUES (1, 'Dark Mode', 14, '#FFFFFF', 1, TO_DATE('09:00:00', 'HH, MI, SS'), 1, 2);
```

```
INSERT INTO Settings (settings_id, themes, font_size, font_color, notification_sound,
notification_time, vibration_enabled, language_id)
VALUES (2, 'Light Mode', 18, '#000000', 1, TO_DATE('10:45:00', 'HH, MI, SS'), 1, 2);
```

```
INSERT INTO Settings (settings_id, themes, font_size, font_color, notification_sound,
notification_time, vibration_enabled, language_id)
VALUES (3, 'Light Mode', 25, '#FFC0CB', 0, TO_DATE('12:00:00', 'HH, MI, SS'), 0, 3);
```

```
CREATE TABLE AUTH_LOG (
    user_id    NUMBER                CONSTRAINT auth_log_fk REFERENCES
USERS(user_id),
    log_id     NUMBER                CONSTRAINT authlog_pk PRIMARY KEY,
```

```
    attempt_time DATE                NOT NULL,  
    attempt_status VARCHAR2(20)      NOT NULL,  
    failure_reason VARCHAR2(255),  
    ip_address   VARCHAR2(45)  
);
```

```
INSERT INTO AUTH_LOG (user_id, log_id, attempt_time, attempt_status, failure_reason,  
ip_address)  
VALUES (1, 1, TO_DATE('2025-12-05 10:15:32','YYYY-MM-DD HH24:MI:SS'), 'FAILURE',  
'Invalid password', '192.168.1.10');
```

```
INSERT INTO AUTH_LOG (user_id, log_id, attempt_time, attempt_status, failure_reason,  
ip_address)  
VALUES (2, 2, TO_DATE('2025-12-05 10:18:47','YYYY-MM-DD HH24:MI:SS'), 'FAILURE', 'User  
not found', '10.0.0.5');
```

```
INSERT INTO AUTH_LOG (user_id, log_id, attempt_time, attempt_status, failure_reason,  
ip_address)  
VALUES (3, 3, TO_DATE('2025-12-05 10:20:01','YYYY-MM-DD HH24:MI:SS'), 'SUCCESS',  
NULL, '192.168.1.10');
```

```
CREATE TABLE LOG_PROGRESS (  
    user_id    NUMBER,  
    zikr_id    NUMBER,  
    completion_date DATE                DEFAULT SYSDATE,  
    actual_count NUMBER                NOT NULL,  
    CONSTRAINT log_progress_pk PRIMARY KEY (user_id, zikr_id, completion_date),  
    CONSTRAINT logprogress_user_fk FOREIGN KEY (user_id) REFERENCES  
USERS(user_id),  
    CONSTRAINT logprogress_zikr_fk FOREIGN KEY (zikr_id) REFERENCES ZIKR(zikr_id)  
);
```

```
INSERT INTO LOG_PROGRESS (user_id, zikr_id, actual_count) VALUES (1, 1, 33);  
INSERT INTO LOG_PROGRESS (user_id, zikr_id, actual_count) VALUES (2, 2, 100);  
INSERT INTO LOG_PROGRESS (user_id, zikr_id, actual_count) VALUES (3, 3, 50);
```

```
CREATE TABLE DAILY_SUMMARY (  
    user_id    NUMBER                CONSTRAINT daily_sum_user_fk REFERENCES  
USERS(user_id) CONSTRAINT daily_sum_pk PRIMARY KEY,  
    summary_date DATE,  
    total_zikr_completed NUMBER      NOT NULL,  
    time_spent  INTERVAL DAY TO SECOND NOT NULL
```

);

```
INSERT INTO DAILY_SUMMARY (user_id, summary_date, total_zikr_completed, time_spent)
VALUES (1, TO_DATE('2025-12-05','YYYY-MM-DD'), 10, INTERVAL '0 00:15:30' DAY TO
SECOND);
```

```
INSERT INTO DAILY_SUMMARY (user_id, summary_date, total_zikr_completed, time_spent)
VALUES (2, TO_DATE('2025-12-05','YYYY-MM-DD'), 15, INTERVAL '0 00:25:05' DAY TO
SECOND);
```

```
INSERT INTO DAILY_SUMMARY (user_id, summary_date, total_zikr_completed, time_spent)
VALUES (3, TO_DATE('2025-12-01','YYYY-MM-DD'), 0, INTERVAL '0 00:00:00' DAY TO
SECOND);
```

```
CREATE TABLE CLASSIFIES (
    zikr_id    NUMBER,
    category_id NUMBER,
    CONSTRAINT classifies_pk PRIMARY KEY (zikr_id, category_id),
    CONSTRAINT classifies_zikr_fk FOREIGN KEY (zikr_id) REFERENCES ZIKR(zikr_id),
    CONSTRAINT classifies_cat_fk FOREIGN KEY (category_id) REFERENCES
CATEGORY(category_id)
```

);

```
INSERT INTO CLASSIFIES (zikr_id, category_id) VALUES (1, 1);
INSERT INTO CLASSIFIES (zikr_id, category_id) VALUES (2, 1);
INSERT INTO CLASSIFIES (zikr_id, category_id) VALUES (3, 1);
```

```
CREATE TABLE FAVOUR (
    user_id    NUMBER          NOT NULL,
    zikr_id    NUMBER          NOT NULL,
    date_added DATE DEFAULT SYSDATE,
    CONSTRAINT favour_pk PRIMARY KEY (user_id, zikr_id),
    CONSTRAINT favour_user_fk FOREIGN KEY (user_id) REFERENCES USERS(user_id),
    CONSTRAINT favour_zikr_fk FOREIGN KEY (zikr_id) REFERENCES ZIKR(zikr_id)
);
```

```
INSERT INTO FAVOUR (user_id, zikr_id) VALUES (1, 3);
INSERT INTO FAVOUR (user_id, zikr_id) VALUES (2, 2);
INSERT INTO FAVOUR (user_id, zikr_id) VALUES (3, 1);
```

```

CREATE TABLE RECITES (
    zikr_id    NUMBER          NOT NULL,
    user_id    NUMBER          NOT NULL,
    zikr_counter NUMBER        DEFAULT 0,
    CONSTRAINT recites_pk PRIMARY KEY(zikr_id, user_id),
    CONSTRAINT recites_user_fk FOREIGN KEY (user_id) REFERENCES USERS(user_id),
    CONSTRAINT recites_zikr_fk FOREIGN KEY (zikr_id) REFERENCES ZIKR(zikr_id)
);

```

```

INSERT INTO RECITES (zikr_id, user_id, zikr_counter) VALUES (1, 1, 0);
INSERT INTO RECITES (zikr_id, user_id, zikr_counter) VALUES (2, 2, 0);
INSERT INTO RECITES (zikr_id, user_id, zikr_counter) VALUES (3, 3, 0);

```

```

CREATE TABLE RATING (
    review_id  NUMBER,
    zikr_id    NUMBER,
    user_id    NUMBER,
    language_id NUMBER,
    CONSTRAINT rating_pk PRIMARY KEY (review_id, zikr_id, user_id, language_id),
    CONSTRAINT rating_review_fk FOREIGN KEY (review_id) REFERENCES
REVIEW(review_id),
    CONSTRAINT rating_zikr_fk FOREIGN KEY (zikr_id) REFERENCES ZIKR(zikr_id),
    CONSTRAINT rating_user_fk FOREIGN KEY (user_id) REFERENCES USERS(user_id),
    CONSTRAINT rating_lang_fk FOREIGN KEY (language_id) REFERENCES
LANGUAGE(language_id)
);

```

```

INSERT INTO RATING (review_id, zikr_id, user_id, language_id) VALUES (1, 3, 2, 1);
INSERT INTO RATING (review_id, zikr_id, user_id, language_id) VALUES (2, 2, 3, 2);
INSERT INTO RATING (review_id, zikr_id, user_id, language_id) VALUES (3, 3, 1, 1);

```

```

CREATE TABLE CATEGORY_TRANSLATED (
    category_id    NUMBER,
    language_id    NUMBER,
    category_name   VARCHAR2(100)    NOT NULL,
    category_description VARCHAR2(200),
    category_order  NUMBER,
    CONSTRAINT category_trans_pk PRIMARY KEY (category_id, language_id),
    CONSTRAINT category_trans_lang_fk FOREIGN KEY (language_id) REFERENCES
LANGUAGE(language_id),
    CONSTRAINT category_trans_cat_fk FOREIGN KEY (category_id) REFERENCES
CATEGORY(category_id)

```

);

```
INSERT INTO CATEGORY_TRANSLATED
VALUES (1, 1, 'Morning Azkar', 'Azkar said in the morning', 1) ;
```

```
INSERT INTO CATEGORY_TRANSLATED
VALUES (2, 1, 'Evening Azkar', 'Azkar said in the evening', 2) ;
```

```
INSERT INTO CATEGORY_TRANSLATED
VALUES (3, 1, 'General Azkar', 'Various daily supplications', 3) ;
```

```
INSERT INTO CATEGORY_TRANSLATED
VALUES (4, 1, 'Travel Azkar', 'Supplications for traveling', 4);
```

```
CREATE TABLE TRANSLATION (
    language_id NUMBER          NOT NULL,
    zikr_id    NUMBER          NOT NULL,
    virtue_translated_text VARCHAR2(4000),
    zikr_translated_text  VARCHAR2(4000),
    explanation_translated_text VARCHAR2(4000),
    CONSTRAINT translation_pk PRIMARY KEY (language_id, zikr_id),
    CONSTRAINT translation_language_fk FOREIGN KEY (language_id) REFERENCES
LANGUAGE(language_id),
    CONSTRAINT translation_zikr_fk FOREIGN KEY (zikr_id) REFERENCES ZIKR(zikr_id)
);
```

```
INSERT INTO TRANSLATION (language_id, zikr_id, zikr_translated_text,
explanation_translated_text, virtue_translated_text)
VALUES (
```

2,

1,

'I am content with Allah as my Lord, and with Islam as my religion, and with Muhammad (peace and blessings be upon him) as a Prophet',

""This Zikr affirms the three essential pillars of faith: submission to Allah"s exclusive Lordship (Tawheed), acceptance of Islam as the complete path and way of life, and confirming the prophethood of Muhammad (PBUH) as the final messenger. It is a comprehensive declaration of faith and contentment.""

""Whoever says it three times in the morning and three times in the evening, Allah has guaranteed to make him pleased on the Day of Resurrection.""

);

INSERT INTO TRANSLATION (language_id, zikr_id, zikr_translated_text,
explanation_translated_text, virtue_translated_text)

VALUES (

2,

2,

'O Allah, whatever blessing has come to me or to any of Your creation, is from You alone; You have no partner. All praise is due to You, and all thanks is due to You.'

'This Zikr is a comprehensive declaration of gratitude (Shukr) to Allah. By acknowledging that all blessings (health, safety, sustenance, etc.) originate solely from Him, the Muslim fulfils the obligation of thanking Allah for the blessings received during that specific period (day or night). It affirms the Oneness of Allah (Tawhid) in providence and demands devotion.'

'Whoever says it when he wakes up will have fulfilled his thankfulness for the day, and whoever says it when he reaches the evening will have fulfilled his thankfulness for the night.'

);

INSERT INTO TRANSLATION (language_id, zikr_id, zikr_translated_text,
explanation_translated_text, virtue_translated_text)

VALUES (

4,

3,

'Mir genügt Allah, es gibt keinen Gott außer Ihm. Auf Ihn vertraue ich, und Er ist der Herr des gewaltigen Throns.'

'Dieser Dhikr ist eine Erklärung des vollständigen Vertrauens (Tawakkul) und der alleinigen Abhängigkeit von Allah (Tauhid). Er bestätigt, dass Allah allein als Helfer und Beschützer ausreicht und der höchste Herrscher über den Großen Thron ist. Die Wiederholung dieses Dhikr dient dazu, Sorgen und Ängste in Bezug auf diesseitige und jenseitige Angelegenheiten zu lindern.'

'Wer es siebenmal am Morgen und siebenmal am Abend spricht, dem wird Allah genügen für alles, was ihm in den Angelegenheiten dieser Welt und des Jenseits wichtig ist.'

);

INSERT INTO TRANSLATION (language_id, zikr_id, zikr_translated_text,
explanation_translated_text, virtue_translated_text)

VALUES (

2,

3,


'Sufficient for me is Allah; there is no deity except Him. On Him I have relied, and He is the Lord of the Great Throne.'

'This Zikr is a declaration of complete reliance (Tawakkul) and trust in Allah (Tawheed), derived from the last verse of Surah At-Tawbah (9:129). It affirms that Allah alone is sufficient as a helper and protector, and that He is the Sovereign Lord of the Mighty Throne. Reciting this Dhikr is an act of submission to Allah, which helps to relieve worries, fear, and doubts related to both worldly affairs and the Hereafter.'

'Whoever says it seven times in the morning and seven times in the evening, Allah will suffice him against all problems and worries related to this world and the Hereafter.'

);

1.Zikr Table Data Block (Trigger, added Counter)



Oracle Forms Builder - C:\Users\janna\Downloads\[CHP]_[Team7]_[Azkar Management System].fmb - [Property Palette]


File Edit View Layout Program Debug Tools Window Help

Item: COUNTER



General	
Name	COUNTER
Item Type	Push Button
Subclass Information	
Comments	
Help Book Topic	
Functional	
Enabled	Yes
Label	Counter
Access Key	
Implementation Class	
Iconic	No
Icon Filename	
Default Button	No
Popup Menu	<Null>
Navigation	
Keyboard Navigable	Yes
Mouse Navigate	Yes
Previous Navigation Item	<Null>
Next Navigation Item	<Null>
Records	
Current Record Visual Attribute Group	<Null>
Distance Between Records	96
Number of Items Displayed	0
Physical	
Visible	Yes
Canvas	CANVAS4
Tab Page	<Null>
X Position	33
Y Position	170
Width	83
Height	19
Visual Attributes	
Visual Attribute Group	DEFAULT


Text label displayed for item or parameter.


Mod: MODULE1 File: m7_ [Azkar Management System].fmb





2.Settings Table Data Block (LOV on language_id column)











MODULE1: CANVAS4 (REVIEW)

Canvas: CANVAS4 Block: SETTINGS

Segoe UI 9 B I U

0: 16 32 48 64 80 96 112 128 144 160 176 192 208 224 240 256 272 288 304 320 336 352 368 384 400 416 432 448 464 480 496 512 528 544 560 576

0
16 Zikr
32
48 Repetition
64 Arab
80 Virtu
96 Hadith Ref
112 Aur
128
144
160
176
192
208
224
240
256
272
288

1x 8.25

Layout Wizard

Select the canvas on which you wish to lay out the data block's items. If you are creating a new canvas, also be sure to select the appropriate canvas type.


Canvas: [New Canvas]


Type: Content


If you select a tab canvas, then you also must select a tab page on which to lay out the data block's items.

Tab Page: [New Tab Page]

Cancel Help < Back Next > Finish







MODULE1: CANVAS4 (REVIEW)

Canvas: CANVAS4Block: SETTINGS

Tr Segoe UI9B I U

0163248648096112128144160176192208224240256272288304320336352368384400416432448464480496512528544560576

Zikr

Repetition

Arab


Virtu

Hadith Ref

Auc

1x8.25

Layout Wizard



Enter a title for the frame. Also be sure to specify the number of database records to be displayed in the frame, as well as the distance between each record.

To display a scrollbar in the frame that can be used to scroll through database records, check the 'Display Scrollbar' check box.


Frame Title: Settings



Records Displayed: 1

Distance Between Records: 0

☐ Display Scrollbar

CancelHelp< BackNext >Finish





17 (SETTINGS)

Block: <Null>

9

B *I* U

148 164 180 196 212 228 244 260 276 292 308 324 340 356 372 388 404 420 436 452 468 484 500 516 532 548 564 580 596 612 628 644

Settings

Settings Id

Font Size

ation Sound

ion Enabled

SETTING

FONT_SI

NOTIF

VIBRA

LOV Wizard



Record Groups can be based on SQL queries. Do you want to enter or modify the query that your LOV's Record Group uses?

If so, you may use the Query Builder by clicking Build SQL Query. Or, you may enter your query directly into the SQL Query Statement field below.

Build SQL Query...

Import SQL Query...

SQL Query Statement

```
SELECT ALL LANGUAGE.LANGUAGE_ID, LANGUAGE.LANGUAGE_NAME,
LANGUAGE.LANGUAGE_CODE
FROM LANGUAGE
```

Connect...

Check Syntax...

Cancel


Help

< Back

Next >

Finish

25 28.50



LOV Wizard





If you wish to specify the LOV column properties, you may enter a title, width and return value for each LOV column. The units for the column width is Points.

Column	Title	Width	Return value
LANGUAGE_ID	Language Id	1125	
LANGUAGE_NAME	Language Name	459	
LANGUAGE_CODE	Language Code	36	

☐ Automatically size columns Look up return item...

Cancel Help < Back Next > Finish





9

B *I* U

6 | 112 | 128 | 144 | 160 | 176 | 192 | 208 | 224 | 240 | 256 | 272 | 288 | 304 | 320 | 336 | 352 | 368 | 384 | 400 | 416 | 432 | 448 | 464 | 480 | 496 | 512 | 528 | 544 | 560 | 576 | 592 | 608 | 624

SETTING
FONT_S
NOTIF
VIBRA

LOV Wizard



You are returning values from your LOV to the following items. You may assign your LOV to some or all of these items.

To which of these items do you wish to assign your LOV?

Return Items

Assigned Items

SETTINGS.LANGUAGE_ID

>

>>

<<

<

Cancel

Help

< Back

Next >

Finish

3.50

Oracle Forms Builder - C:\Users\janna\Downloads\[CHP]_[Team7]_[Azkar Management System].fmb - [Property Palette]

File Edit View Layout Program Debug Tools Window Help

LOV: LOV19

General	
Name	LOV19
Subclass Information	
Comments	
Functional	
Title	Languages Information
List Type	Record Group
Record Group	LOV19
Column Mapping Properties	
Filter Before Display	No
Automatic Display	Yes
Automatic Refresh	Yes
Automatic Select	No
Automatic Skip	No
Automatic Position	Yes
Automatic Column Width	No
Physical	
X Position	0
Y Position	0
Width	360
Height	158
Visual Attributes	
Visual Attribute Group	DEFAULT
Color	
Foreground Color	<Unspecified>
Background Color	<Unspecified>
Fill Pattern	<Unspecified>
Font	
Font Name	<Unspecified>
Font Size	<Unspecified>
Font Weight	<Unspecified>
Font Style	<Unspecified>
Font Spacing	<Unspecified>
International	

3.Settings Table Data Block (Check box on vibration_enabled column)

Item: VIBRATION_ENABLED	
General	
▣ Name	VIBRATION_ENABLED
▣ Item Type	Check Box
▫ Subclass Information	
▫ Comments	
▫ Help Book Topic	
Functional	
▫ Enabled	Yes
▫ Label	
▫ Access Key	
▫ Implementation Class	
▣ Value when Checked	1
▣ Value when Unchecked	0
▣ Check Box Mapping of Other Values	Unchecked
▫ Popup Menu	<Null>
Navigation	
▫ Keyboard Navigable	Yes
▫ Mouse Navigate	Yes
▫ Previous Navigation Item	<Null>
▫ Next Navigation Item	<Null>
Data	
▣ Data Type	Number
▫ Data Length Semantics	Null
▣ Maximum Length	2
▣ Initial Value	0
▫ Copy Value from Item	
▫ Synchronize with Item	<Null>
Calculation	
▫ Calculation Mode	None
▫ Formula	
▫ Summary Function	None
▫ Summarized Block	<Null>
▫ Summarized Item	<Null>
Records	

4. Settings Table Data Block (Radio Buttons on themes column)

Item: THEMES	
General	
▣ Name	THEMES
▣ Item Type	Radio Group
▫ Subclass Information	
▫ Comments	
▫ Help Book Topic	
Functional	
▫ Access Key	
▫ Mapping of Other Values	
▫ Implementation Class	
▫ Popup Menu	<Null>
Navigation	
▫ Keyboard Navigable	Yes
▫ Mouse Navigate	Yes
▫ Previous Navigation Item	<Null>
▫ Next Navigation Item	<Null>
Data	
▫ Data Type	Char
▣ Data Length Semantics	BYTE
▣ Maximum Length	20
▣ Initial Value	Light Mode
▫ Copy Value from Item	
▫ Synchronize with Item	<Null>
Calculation	
▫ Calculation Mode	None
▫ Formula	
▫ Summary Function	None
▫ Summarized Block	<Null>
▫ Summarized Item	<Null>
Records	
▫ Current Record Visual Attribute Group	<Null>
▣ Number of Items Displayed	0
Database	
▫ Database Item	Yes

Radio Button: RADIO_BUTTON29	
General	
Name	RADIO_BUTTON29
Subclass Information	
Comments	
Functional	
Enabled	Yes
Label	Light Mode
Access Key	
Radio Button Value	Light Mode
Records	
Distance Between Records	0
Physical	
Visible	Yes
X Position	0
Y Position	0
Width	90
Height	16
Visual Attributes	
Visual Attribute Group	DEFAULT
Prompt Visual Attribute Group	DEFAULT
Color	
Foreground Color	<Unspecified>
Background Color	<Unspecified>
Fill Pattern	<Unspecified>
Font	
Font Name	<Unspecified>
Font Size	<Unspecified>
Font Weight	<Unspecified>
Font Style	<Unspecified>
Font Spacing	<Unspecified>
Prompt	
Prompt	
Prompt Display Style	First Record
Prompt Justification	Start
Text label displayed for item or parameter.	

Radio Button: RADIO_BUTTON28	
General	
▣ Name	RADIO_BUTTON28
▫ Subclass Information	
▫ Comments	
Functional	
▫ Enabled	Yes
▣ Label	Dark Mode
▫ Access Key	
▣ Radio Button Value	Dark Mode
Records	
▫ Distance Between Records	0
Physical	
▫ Visible	Yes
▫ X Position	0
▫ Y Position	0
▣ Width	90
▣ Height	16
Visual Attributes	
▫ Visual Attribute Group	DEFAULT
▫ Prompt Visual Attribute Group	DEFAULT
Color	
▫ Foreground Color	<Unspecified>
▫ Background Color	<Unspecified>
▫ Fill Pattern	<Unspecified>
Font	
▫ Font Name	<Unspecified>
▫ Font Size	<Unspecified>
▫ Font Weight	<Unspecified>
▫ Font Style	<Unspecified>
▫ Font Spacing	<Unspecified>
Prompt	
▫ Prompt	
▫ Prompt Display Style	First Record
▫ Prompt Justification	Start
Text label displayed for item or parameter.	

5. Settings Table Data Block (Combo box on notification_sound column)

Item: NOTIFICATION_SOUND	
General	
Name	NOTIFICATION_SOUND
Item Type	List Item
Subclass Information	
Comments	
Help Book Topic	
Functional	
Enabled	Yes
Elements in List	
List Style	Combo Box
Mapping of Other Values	
Implementation Class	
Case Restriction	Mixed
Popup Menu	<Null>
Navigation	
Keyboard Navigable	Yes
Mouse Navigate	Yes
Previous Navigation Item	<Null>
Next Navigation Item	<Null>
Data	
Data Type	Number
Data Length Semantics	Null
Maximum Length	2
Initial Value	
Required	No
Copy Value from Item	
Synchronize with Item	<Null>
Calculation	
Calculation Mode	None
Formula	
Summary Function	None
Summarized Block	<Null>
Summarized Item	<Null>

List Elements

List Elements

Yes

No

List Item Value


0

OK

Cancel

Help

6. Settings Table Data Block (Alert on font_size column)



Alert: ALERT79	
General	
Name	ALERT79
Subclass Information	
Comments	
Functional	
Title	Font Validation
Message	INVALID FONT SIZE. FONT SIZE MUST BE BETWEEN 10 THAN 24
Alert Style	Stop
Button 1 Label	OK
Button 2 Label	Cancel
Button 3 Label	
Default Alert Button	Button 1
Visual Attributes	
Visual Attribute Group	DEFAULT
Color	
Foreground Color	<Unspecified>
Background Color	<Unspecified>
Fill Pattern	<Unspecified>
Font	
Font Name	<Unspecified>
Font Size	<Unspecified>
Font Weight	<Unspecified>
Font Style	<Unspecified>
Font Spacing	<Unspecified>
International	
Direction	Default

```

1
2 DECLARE
3     v_max_font_size CONSTANT NUMBER := 24;
4     v_min_font_size CONSTANT NUMBER := 10;
5 BEGIN
6
7     IF :settings.font_size IS NULL THEN
8         MESSAGE('Font size cannot be empty. It must be between 10 and 24.');
```

MESSAGE('Font size cannot be empty. It must be between 10 and 24.');

```

9         RAISE form_trigger_failure;
10    END IF;
11
12
13    IF :settings.font_size > v_max_font_size OR :settings.font_size < v_min_font_size THEN
14        MESSAGE('Font size must be between ' || v_min_font_size || ' and ' || v_max_font_size || '.');
```

MESSAGE('Font size must be between ' || v_min_font_size || ' and ' || v_max_font_size || '.');

```

15        RAISE form_trigger_failure;
16    END IF;
17
18
19
20 EXCEPTION
21     WHEN form_trigger_failure THEN
22         RAISE;
23     WHEN OTHERS THEN
24         MESSAGE('An unexpected error occurred during validation.');
```

MESSAGE('An unexpected error occurred during validation.');

```

25         RAISE form_trigger_failure;
26
27
28
29 END;
```

ActionEditQueryBlockRecordFieldHelpWindow

ORACLE

WINDOW1

Settings

Settings Id14

Font Color

Notification Time

Language Id

Font Size0

Notification Sound

Vibration Enabled

Light Mode

Dark Mode

Forms

Font size must be between 10 and 24.

OK

Font size must be between 10 and 24.

Record: 4/4

7. Log_progress Table Data Block (Summary on actual_count)

Data Block Wizard



Select the type of data block you would like to create by clicking on a radio button below.

Note: To base your data block on a set of stored procedures, you should have a working knowledge of PL/SQL programming.

☒ Table or View

☐ Stored Procedure


Cancel


Help

< Back

Next >

Finish





Layout Wizard



Select the canvas on which you wish to lay out the data block's items. If you are creating a new canvas, also be sure to select the appropriate canvas type.

Canvas: (New Canvas) ▾

Type: Content ▾

If you select a tab canvas, then you also must select a tab page on which to lay out the data block's items.

Tab Page: (New Tab Page) ▾


Cancel

Help

< Back

Next >


Finish



Item: DISPLAY_ITEM74	
General	
Name	DISPLAY_ITEM74
Item Type	Display Item
Subclass Information	
Comments	
Help Book Topic	
Functional	
Justification	Start
Popup Menu	<Null>
Navigation	
Previous Navigation Item	<Null>
Next Navigation Item	<Null>
Data	
Data Type	Number
Data Length Semantics	Null
Maximum Length	30
Initial Value	
Format Mask	
Copy Value from Item	
Synchronize with Item	<Null>
Calculation	
Calculation Mode	Summary
Formula	
Summary Function	Sum
Summarized Block	LOG_PROGRESS
Summarized Item	ACTUAL_COUNT
Records	
Current Record Visual Attribute Group	<Null>
Distance Between Records	0
Number of Items Displayed	0
Database	
Database Item	No
Column Name	
Primary Key	No
Method of computing value of calculated item.	
Mod: MODULE1 File: m71_[Azkar Management System].fmb	

Data Block: LOG_PROGRESS	
General	
▣ Name	LOG_PROGRESS
▫ Subclass Information	
▫ Comments	
Navigation	
▫ Navigation Style	Same Record
▫ Previous Navigation Data Block	<Null>
▫ Next Navigation Data Block	<Null>
Records	
▫ Current Record Visual Attribute Group	<Null>
▫ Query Array Size	0
▫ Number of Records Buffered	0
▫ Number of Records Displayed	1
▣ Query All Records	Yes
▫ Record Orientation	Vertical
▫ Single Record	No
Database	
▫ Database Data Block	Yes
▫ Enforce Primary Key	No
▫ Query Allowed	Yes
▫ Query Data Source Type	Table
▣ Query Data Source Name	LOG_PROGRESS
▣ Query Data Source Columns	
▫ Query Data Source Arguments	
▫ Alias	
▫ Include REF Item	No
▫ WHERE Clause	
▫ ORDER BY Clause	
▫ Optimizer Hint	
▫ Insert Allowed	Yes
▫ Update Allowed	Yes
▫ Locking Mode	Automatic
▫ Delete Allowed	Yes
▫ Key Mode	Automatic

8. Role and Users Table Data Block (Master-detail)



Zikr

Zikr Id

epetition Data Block Wizard

Arab
Virt
adith Ref
Auc

Type Table Master-Detail Name

Enter a table or view on which to base your data block. Then select the columns that should appear as items.

Table or view:

☐ Enforce data integrity

Available Columns

Database Items

ROLE_ID
ROLE_NAME

>
>>
<<
<

Cancel Help Apply < Back Next > Finish

5.25

Zikr

Zikr Id

ZIKR_ID

Repetition

Arab

Virtu

Hadith Ref

Auc

5.25

Data Block Wizard

Type

Table

Master-Detail

Name



Enter a name for your data block.

Data Block Name:

ROLE

Cancel

Help


Apply

< Back

Next >

Finish

Zikr
epetition
Arab
Virtu
adith Ref
Auc



Data Block Wizard

Select the type of data block you would like to create by clicking on a radio button below.

Note: To base your data block on a set of stored procedures, you should have a working knowledge of PL/SQL programming.


☒ Table or View

☐ Stored Procedure

Cancel Help < Back Next > Finish



8.25



0 16 32 48 64 80 96 112 128 144 160 176 192 208 224 240 256 272 288 304 320 336 352 368 384 400 416 432 448 464 480 496 512 528 544

0
16
32
48
64
80
96
112
128
144
160
176
192
208
224
240
256
272
288
304

Zikr
Repetition
Arab
Virt
Hadith Ref
Auc

1x 8.25

Data Block Wizard

You may optionally create and delete master-detail relationships to other data blocks in your form.

Create Relationship...

☒ Auto-join data blocks

Delete Relationship

Master Data Blocks

ROLE

Detail Item

USER_ID

Master Item

(No Join)

Join Condition

USERS.ROLE_ID = ROLE.ROLE_ID

Cancel Help < Back Next > Finish

0	16	32	48	64	80	96	112	128	144	160	176	192	208	224	240	256	272	288	304	320	336	352	368	384	400	416	432	448	464	480	496	512	528
---	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Zikr

Repetition

Arab

Virt

Hadith Ref

Auc



Data Block Wizard

Enter a name for your data block.

Data Block Name:

USERS

Cancel


Help

< Back

Next >

Finish

8.25



163248648096112128144160176192208224240256272288304320336352368384400416432448464480496512528544

Zikr

Repetition

Arab

Virtu

Hadith Ref

Auc

8.25

Layout Wizard



Select the data block you wish to lay out. Then select the items that should be displayed in the frame, and select an item type for each.

Data Block: USERS

Available Items

Displayed Items

>

>>

<<

<

Item Type: Bean Area

View: Group

Cancel

Help

< Back

Next >

Finish


16	32	48	64	80	96	112	128	144	160	176	192	208	224	240	256	272	288	304	320	336	352	368	384	400	416	432	448	464	480	496	512	528	544
----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Zikr

Repetition
Arab
Virt
Hadith Ref
Aut

8.25

Layout Wizard



Select a layout style for your frame by clicking a radio button below.

☐ Form

☒ Tabular

Cancel

Help

< Back

Next >

Finish

UI

9

B *I* U

0163248648096112128144160176192208224240256272288304320336352368384400416432448464480496512528544560

Zikr

Repetition

Arab


Virtu

Hadith Ref

Auc

8.25

Layout Wizard



Enter a title for the frame. Also be sure to specify the number of database records to be displayed in the frame, as well as the distance between each record.

To display a scrollbar in the frame that can be used to scroll through database records, check the 'Display Scrollbar' check box.

Frame Title:

Records Displayed:

Distance Between Records:

☒ Display Scrollbar

Cancel

Help

< Back

Next >

Finish

