Constructive Formalization of Regular Languages

Jan-Oliver Kaiser

September 5, 2012

Contents

| 1 | Int r 1.1 | Recent work | | | | |
|---|-----------------------|---|---|--|--|--|
| 1 | Coqand SSReflect 2 | | | | | |
| | 1.1 | Coq | 2 | | | |
| | 1.2 | SSReflect | 2 | | | |
| | | 1.2.1 Finite Types and Ordinals | 2 | | | |
| | | 1.2.2 Boolean Reflection | 2 | | | |
| | | 1.2.3 Boolean Predicates | 2 | | | |
| 1 | Decidable Languages 2 | | | | | |
| | 1.1 | Definition | 2 | | | |
| | | 1.1.1 Operation on languages | 2 | | | |
| | 1.2 | Regular Languages | 4 | | | |
| | | 1.2.1 Regular Expressions | 4 | | | |
| | | 1.2.2 Deciding Language Membership | 5 | | | |
| 1 | Finite Automata 2 | | | | | |
| | 1.1 | Definition | 2 | | | |
| | | 1.1.1 Determinism and Non-Determinism | 2 | | | |
| | 1.2 | Connected Components | 4 | | | |
| | 1.3 | Emptiness | | | | |
| | 1.4 | Deciding Equivalence of Finite Automata | 5 | | | |
| | 1.5 | Regular Expressions and Finite Automata | 6 | | | |
| | | 1.5.1 Regular Expressions to Finite Automata | 6 | | | |
| | | 1.5.2 Deciding Equivalence of Regular Expressions | 6 | | | |
| | | 1.5.3 Finite Automata to Regular Expressions | 6 | | | |
| 1 | Myhill-Nerode 2 | | | | | |
| | 1.1 | Definition | 2 | | | |
| | 1.2 | Finite Partitionings and Equivalence Classes | 3 | | | |
| | 1.3 | Minimizing Equivalence Classes | 4 | | | |
| | 1.4 | Finite Automata and Myhill-Nerode | 5 | | | |
| | | 1.4.1 Finite Automata to Myhill-Nerode | 5 | | | |

| C(| ONTENTS | | 3 |
|----|------------|----------------------------------|---|
| | 1.4.2 | Myhill-Nerode to Finite Automata | 5 |
| 1 | Conclusion | | |
| 2 | Reference | s | 3 |

Chapter 4

Conclusion

Chapter 5

References