Data Types & Libraries

Jannusch Bigge

21.11.2023

Libraries

Libraries

Libraries are collections of functions.

They are not all included in Python by default.

Libraries

Libraries are collections of functions.

They are not all included in Python by default.

 \rightarrow We have to install them.

Python as the interpreter needs to know were to find the code.

Python as the interpreter needs to know were to find the code.

```
echo $PATH
whereis python3
python3 —v
Is /usr/lib/python3.11/
```

Python as the interpreter needs to know were to find the code.

```
echo $PATH
whereis python3
python3 —v
Is /usr/lib/python3.11/
```

ightarrow installing by hand is not a good idea.

Python as the interpreter needs to know were to find the code.

```
echo $PATH
whereis python3
python3 —v
Is /usr/lib/python3.11/
```

- \rightarrow installing by hand is not a good idea.
- \rightarrow installing in general not the best idea.

Virtual env

Python module that creates "fake environments"

- Isolated from the rest of the system
- Can be deleted without any problems
- Can be shared with others

Virtual env - activating

First we have to create a virtual environment. In this case called venv.

Next we have to activate it.

Now we can do our python stuff.

And finally if we are done we can deactivate it.

pip

To install a python library we can use pip.

pip

To install a python library we can use pip.

pip install numpy

Data Types

Data Types

Python has built in data types which allow us to store data.

- list \rightarrow [1,2,3]
- tuple \rightarrow (1,2,3)
- dict \rightarrow {1:2, 3:4}

List

Lists are the most common data type.

List

Lists are the most common data type. In contrast to tuples they are mutable.

List

Lists are the most common data type. In contrast to tuples they are mutable. Lists have a lot of helpful functions:

```
my_list = [1,2,3]
my_list.append(4)
my_list[0] = 5
my_list.remove(2)
my_list.pop(0)
my_list.insert(0, 1)
my_list.sort()
my_list.reverse()
```

Dictonaries are a bit more complex.

Dictonaries are a bit more complex.

They are a collection of key-value pairs.

Dictonaries are a bit more complex.

They are a collection of key-value pairs.

They are mutable.

Dictonaries are a bit more complex.

They are a collection of key-value pairs.

They are mutable.

```
my_dict = {1:2, "three":4}
my_dict[1] = 5
my_dict["three"] = 6
my_dict.pop(1)
my_dict.popitem()
my_dict.clear()
```