BACANI, JANVERLY MHAY O.

NOODLE LOGGER

NoodleService.java

NoodleController.java | NoodleModel.java | NoodleRepository.java | NoodleService.java

```java
package com.verly.noodle.services;

import com.verly.noodle.models.NoodleModel;

@Service
public class NoodleService {

    /*
     * DOCU: Service class handling CRUD operations for Noodle entities
     * @param {NoodleModel} noodle - Noodle object to create or update
     * @param {Long} id - ID of the noodle to find or delete
     * @returns {List<NoodleModel>} - List of all noodles (allNoodles)
     * @returns {Optional<NoodleModel>} - Noodle object wrapped in Optional (findNoodle)
     * @returns {NoodleModel} - Created or updated noodle object (createNoodle, updateNoodle)
     * @throws {IllegalArgumentException} - If noodle not found (handled in controller)
     *
     * Date: 2026-03-20
     * Last Updated: 2026-03-21
     * Author: Janverly Bacani
     */

    private final NoodleRepository noodleRepository;

    public NoodleService(NoodleRepository noodleRepository) {
        this.noodleRepository = noodleRepository;
    }

    public List<NoodleModel> allNoodles() {
        return noodleRepository.findAll();
    }

    public NoodleModel createNoodle(NoodleModel noodle) {
        return noodleRepository.save(noodle);
    }


    public Optional<NoodleModel> findNoodle(Long id) {
        return noodleRepository.findById(id);
    }

    public NoodleModel updateNoodle(NoodleModel noodle) {
        return noodleRepository.save(noodle);
    }


    public void deleteNoodle(Long id) {
        noodleRepository.deleteById(id);
    }

    public void deleteAllNoodles() {
        noodleRepository.deleteAll();
    }
}
```

NoodleRepository.java



NoodleModel.java



```
44
45      /* Getters and Setters */
46      public Long getId() {
47          return id;
48          }
49      public void setId(Long id) {
50          this.id = id;
51          }
52
53      public String getName() {
54          return name;
55          }
56      public void setName(String name) {
57          this.name = name;
58          }
59
60      public String getRestaurant() {
61          return restaurant;
62          }
63      public void setRestaurant(String restaurant) {
64          this.restaurant = restaurant;
65          }
66
67      public String getSpiceLevel() {
68          return spiceLevel;
69          }
70      public void setSpiceLevel(String spiceLevel) {
71          this.spiceLevel = spiceLevel;
72          }
73
74      public String getNotes() {
75          return notes;
76          }
77      public void setNotes(String notes) {
78          this.notes = notes;
79          }
80  }
```

NoodleController.java

NoodleController.java | NoodleModel.java | NoodleRepository.java | NoodleService.java

```java
package com.verly.noodle.controllers;

import com.verly.noodle.models.NoodleModel;

@Controller
@RequestMapping("/noodles")
public class NoodleController {

    private final NoodleService noodleService;

    public NoodleController(NoodleService noodleService) {
        this.noodleService = noodleService;
    }

    /* form to add new noodle */
    @GetMapping({"", "/add"})
    public String showForm(Model model) {
        model.addAttribute("noodle", new NoodleModel());
        return "index";
    }

    /*
     *  gawa new noodle
     */
    @PostMapping("/add")
    public String createNoodle(@Valid @ModelAttribute("noodle") NoodleModel noodle,
                               BindingResult result) {
        if (result.hasErrors()) return "index";
        noodleService.createNoodle(noodle);
        return "redirect:/noodles/show";
    }

    /* show all noodles */
    @GetMapping("/show")
    public String showAll(Model model) {
        model.addAttribute("noodles", noodleService.allNoodles());
        return "show";
    }

    /* show form to edit noodle */
    @GetMapping("/edit/{id}")
    public String editForm(@PathVariable("id") Long id, Model model) {
        NoodleModel noodle = noodleService.findNoodle(id)
                .orElseThrow(() -> new IllegalArgumentException("Invalid noodle Id:" + id));
        model.addAttribute("noodle", noodle);
        return "edit";
```

```java
    @GetMapping("/show")
    public String showAll(Model model) {
        model.addAttribute("noodles", noodleService.allNoodles());
        return "show";
    }

    /* show form to edit noodle */
    @GetMapping("/edit/{id}")
    public String editForm(@PathVariable("id") Long id, Model model) {
        NoodleModel noodle = noodleService.findNoodle(id)
                .orElseThrow(() -> new IllegalArgumentException("Invalid noodle Id:" + id));
        model.addAttribute("noodle", noodle);
        return "edit";
    }

    /* update noodle */
    @PostMapping("/update/{id}")
    public String updateNoodle(@PathVariable("id") Long id,
                               @Valid @ModelAttribute("noodle") NoodleModel noodle,
                               BindingResult result) {
        if (result.hasErrors()) return "edit";
        noodleService.updateNoodle(noodle);
        return "redirect:/noodles/show";
    }

    /* delete noodle by id  */
    @GetMapping("/delete/{id}")
    public String deleteNoodle(@PathVariable("id") Long id) {
        noodleService.deleteNoodle(id);
        return "redirect:/noodles/show";
    }

    /* Delete all noodles */
    @GetMapping("/deleteAll")
    public String deleteAll() {
        noodleService.deleteAllNoodles();
        return "redirect:/noodles/show";
    }
}
```

Application.properties

NoodleController.java | NoodleModel.java | NoodleRepository.java | NoodleService.java | application.properties

```
spring.application.name=NoodleLogger
spring.datasource.url=jdbc:mysql://localhost:3307/noodle_db
spring.datasource.username=root
spring.datasource.password=

spring.jpa.hibernate.ddl-auto=update
spring.jpa.show-sql=true

spring.mvc.view.prefix=/WEB-INF/
spring.mvc.view.suffix=.jsp
```

pom

```
        <dependency>
            <groupId>org.apache.tomcat.embed</groupId>
            <artifactId>tomcat-embed-jasper</artifactId>
        </dependency>

        <dependency>
            <groupId>jakarta.servlet.jsp.jstl</groupId>
            <artifactId>jakarta.servlet.jsp.jstl-api</artifactId>
        </dependency>

        <dependency>
            <groupId>org.springframework.boot</groupId>
            <artifactId>spring-boot-starter-data-jpa</artifactId>
        </dependency>

        <dependency>
            <groupId>com.mysql</groupId>
            <artifactId>mysql-connector-j</artifactId>
        </dependency>

        <dependency>
            <groupId>org.springframework.boot</groupId>
            <artifactId>spring-boot-starter-validation</artifactId>
        </dependency>

        <dependency>
            <groupId>jakarta.servlet.jsp.jstl</groupId>
            <artifactId>jakarta.servlet.jsp.jstl-api</artifactId>
            <version>3.0.0</version>
        </dependency>
```

OUTPUT:



Add Noodle

Name:

Restaurant:

Spice Level:

Notes:

Add Noodle

View All Noodles



Add Noodle

Name:

Kimchi Stew

Restaurant:

Mr Kimbop

Spice Level:

3

Notes:

more pepper

Add Noodle

View All Noodles



All Noodles

Name	Restaurant	Spice Level	Notes	
Ramen	Ramen Bai	1		Edit | Delete
Kimchi Stew	Mr Kimbop	3	more pepper	Edit | Delete

Delete All Noodles

Add New Noodle



Edit Noodle

Name:

Ramen

Restaurant:

Ramen Bai


Spice Level:


1

Notes:


Update Noodle

Back to All Noodles


localhost:8080/noodles/edit/7
Edit Noodle
Name:
Ramen
Restaurant:
Ramen Bai
Spice Level:
6
Notes:
Update Noodle
Back to All Noodles


localhost:8080/noodles/show
All Noodles
Name
Restaurant
Spice Level
Notes
Ramen
Ramen Bai
6
Edit | Delete
Kimchi Stew
Mr Kimbop
3
more pepper
Edit | Delete
Delete All Noodles
Add New Noodle

localhost:8080/noodles/show
localhost:8080 says
Are you sure?
OK
Cancel
All Noodles
Name
Ramen
Ramen Bai
6
Edit | Delete
Kimchi Stew
Mr Kimbop
3
more pepper
Edit | Delete
Delete All Noodles
Add New Noodle



id	name	notes	restaurant	spice_level
7	Ramen		Ramen Bai	6
NULL	NULL	NULL	NULL	NULL