


TrackerController.java

Manages page visits, using the user’s HTTP session

TrackerController.java | visit.jsp | visit.css | summary.jsp | reset.jsp | all.js

```jsp
<%@ page language="java" contentType="text/html; charset=UTF-8" pageEncoding="UTF-8"%>
<%@ page session="true" %>

<!DOCTYPE html>
<html>
<head>
    <title>Visit Page</title>
    <link rel="stylesheet" href="css/visit.css">
</head>
<body>

<div class="container">
    <h2>Visit Page</h2>
    <p>Click to increase visits:</p>

    <div class="visit-count">
        Visits this session: <span id="count" class="count-pop">${sessionScope.visitCount}</span>
    </div>

    <a href="/visit" class="button">+1 Visit</a><br>
    <a href="/visit-fast" class="button">+3 Visit</a><br>
    <a href="/summary" class="button">Summary</a><br>
    <a href="/reset" class="button reset" id="resetButton">Reset Counter</a>

</div>

<script src="js/all.js"> </script>

</body>
</html>
```

Visit.jsp

This page displays the current visit count stored in the session and provides buttons to increase it by 1 or 3, view the summary, or reset the counter. Each button sends a request to the corresponding endpoint, which updates the session data and reloads the page with the new count.

TrackerController.java | visit.jsp | visit.css | summary.jsp | reset.jsp | all.js

```jsp
<%@ page language="java" contentType="text/html; charset=UTF-8" pageEncoding="UTF-8"%>
<%@ page session="true" %>

<!DOCTYPE html>
<html>
<head>
    <title>Visit Summary</title>
    <link rel="stylesheet" href="css/visit.css">
</head>
<body>

<div class="container">
    <h2>Visit Summary</h2>

    <p>
        You have visited the visit page
        <span id="count" class="count-pop"><strong>${sessionScope.visitCount}</strong></span>
        times during this session.
    </p>

    <a href="/visit" class="button">Back to Visit Page</a><br>
    <a href="/reset" class="button reset" id="resetButton">Reset Counter</a>

</div>

<script src="js/all.js"> </script>

</body>
</html>
```

Summary.jsp

This page shows the total number of times the user visited the visit page during the current session using session data. It also provides options to go back to the visit page or reset the counter.

TrackerController.java | visit.jsp | visit.css | summary.jsp | reset.jsp | all.js

```jsp
<%@ page language="java" contentType="text/html; charset=UTF-8" pageEncoding="UTF-8"%>
<%@ page session="true" %>

<!DOCTYPE html>
<html>
<head>
    <title>Counter Reset</title>
    <link rel="stylesheet" href="css/visit.css">
</head>
<body>

<div class="container">
    <h2>Counter Reset</h2>

    <p>
        Your visit counter has been reset to
        <span id="count" class="count-pop"><strong>0</strong></span>.
    </p>


    <a href="/visit" class="button">Go to Visit Page</a><br>
    <a href="/summary" class="button">Go to Summary</a>
</div>

<script src="js/all.js"> </script>

</body>
</html>
```


reset.jsp

This page confirms that the visit counter has been reset to 0 for the current session. It also provides navigation options to return to the visit page or view the updated summary.




/visit

It only adds 1




/visit-fast

Adds / increments 3



/summary

Displays the count of you visited the pages during the session



/reset

Resets the counter from “during” session to 0