RAGVault

RAGAS Evaluation Report — V1

Report date: 2026-10-16 | Samples: 25 | Evaluator: openai/gpt-oss-20b | RAGAS: 0.4.3

Methodology

This report summarizes the 25 saved benchmark samples. RAGAS scores were computed from each saved question, response, reference answer, and retrieved context. The results use the evaluator model recorded with the samples. Retrieval configuration records top-k=5, 500-character chunks, 50-character overlap, and permission-aware retrieval. This report reads saved results only; it does not rerun evaluation.

Metric averages and threshold status

Metric	Average	Direction / average threshold	Status
Faithfulness	0.736	Higher is better: >= 0.70	MEETS THRESHOLD
Answer Relevancy	0.546	Higher is better: >= 0.70	BELOW THRESHOLD
Context Precision	0.781	Higher is better: >= 0.70	MEETS THRESHOLD
Context Recall	0.760	Higher is better: >= 0.70	MEETS THRESHOLD
Context Entity Recall	0.225	Higher is better: >= 0.70	BELOW THRESHOLD
Noise Sensitivity	0.069	Lower is better: <= 0.20	MEETS THRESHOLD

Overall: one or more declared average thresholds are not met; see the metric table.

Interpretation and scope

Noise Sensitivity is lower-is-better; a zero is favorable for that metric. Zeroes in the other metrics are retained as evaluator results, not treated as missing data. RAGAS evaluates answer and retrieval quality; it does not replace security tests and does not prove authorization, tenant isolation, revocation, or data-leakage protection.

Per-sample results

Scores are reported exactly as saved for each sample. Values are on a 0–1 scale.

#	Question	Faithfulness	Answer relevancy	Context precision	Context recall	Entity recall	Noise sensitivity
1	What does the Information Security Policy require for a security exception?	0.714	0.726	0.583	1.000	0.125	0.000
2	According to the Access Control Policy, how do authentication and authorization differ?	1.000	0.830	1.000	1.000	0.667	0.000
3	What are the distinct mover and leaver actions in the Employee Access Management Standard?	1.000	0.728	0.679	1.000	0.000	0.000
4	How must Confidential information be handled under the Data Classification Standard?	0.250	0.667	0.639	0.000	0.000	0.000
5	What sequence does the Incident Response Playbook prescribe after a suspected compromise?	1.000	0.308	0.887	1.000	0.000	0.000
6	When a document reaches its retention expiry, what must happen to its derived vector chunks and backups?	1.000	0.231	0.804	1.000	0.000	0.000
7	Which device and network safeguards does the Remote Work Security Standard require?	1.000	0.611	0.887	1.000	0.000	0.000
8	May an employee probe another tenant's documents as an acceptable-use test?	0.667	0.422	0.917	1.000	0.000	0.143
9	How does the AI Use and Governance Standard treat instructions found inside retrieved documents?	0.000	0.473	0.833	0.000	0.000	0.000
10	If a temporary grant is expired but a stale vector ACL still lists the user, should the document enter the LLM context?	0.667	0.518	1.000	1.000	0.000	0.333
11	What data-minimization steps are required before using personal data in an AI retrieval workflow?	1.000	0.411	1.000	1.000	0.000	0.333
12	What protections does the Authentication and Password Standard require for stored passwords and access tokens?	1.000	0.683	0.867	1.000	1.000	0.000
13	What is the difference between an audit record and a security event in the monitoring standard?	1.000	0.941	1.000	1.000	0.000	0.000
14	Describe both authorization checks in RAGVault's documented retrieval path.	0.667	0.210	0.700	0.000	1.000	0.000
15	What chunking and retrieval-limit values does the Engineering Architecture document describe, and which are evaluation-specific?	0.667	0.671	0.200	0.000	0.000	0.667
16	In the Vendor Security Assessment PDF, what must be completed before production data is shared with a vendor?	0.500	0.478	0.750	1.000	0.000	0.000
17	What does the Employee Access Lifecycle DOCX say to do when an employee leaves?	1.000	0.188	1.000	1.000	0.000	0.000
18	How do retention holds differ from incident evidence preservation?	0.600	0.736	0.325	1.000	0.000	0.000
19	When should an access request name a specific user rather than a role?	0.750	0.650	0.887	1.000	0.000	0.000
20	Does being an administrator in one tenant allow access to another tenant's documents?	0.667	0.581	1.000	1.000	0.000	0.000
21	What steps make permission revocation effective in both the database and retrieval path?	1.000	0.334	1.000	1.000	1.000	0.250
22	Which control distinguishes a temporary document grant from a permanent role grant?	1.000	0.710	0.806	1.000	0.000	0.000

#	Question	Faithfulness	Answer relevancy	Context precision	Context recall	Entity recall	Noise sensitivity
23	Which standard owns alerting on repeated authorization denials, and is that the same as privacy data minimization?	0.250	0.656	0.000	0.000	0.333	0.000
24	Which existing tests directly check Qdrant ACL filters and keep unauthorized text away from the LLM?	0.333	0.411	1.000	0.000	0.500	0.000
25	What does the Security Test Inventory say about RAGAS and security assurance?	0.667	0.481	0.756	1.000	1.000	0.000