RAGVault

RAGAS Evaluation Report — V2

Report date: 2026-10-16 | Samples: 25 | Evaluator: openai/gpt-oss-20b | RAGAS: 0.4.3

Methodology

This report summarizes the saved 25-sample v2 benchmark. RAGAS evaluated each sample's question, saved response, reference answer, and retrieved contexts. All per-sample results record the same evaluator model. Retrieval configuration uses top-k=5, 500-character chunks, 50-character overlap, and permission-aware retrieval. This report reads the saved JSON only; it does not run evaluation or modify scores.

Metric averages and threshold status

Metric	Average	Direction / average threshold	Status
Faithfulness	0.797	Higher is better: >= 0.70	MEETS THRESHOLD
Answer Relevancy	0.731	Higher is better: >= 0.70	MEETS THRESHOLD
Context Precision	0.799	Higher is better: >= 0.70	MEETS THRESHOLD
Context Recall	0.868	Higher is better: >= 0.70	MEETS THRESHOLD
Context Entity Recall	0.696	Higher is better: >= 0.70	BELOW THRESHOLD
Noise Sensitivity	0.128	Lower is better: <= 0.20	MEETS THRESHOLD

Overall: one or more declared average thresholds are not met. The average for Context Entity Recall is below the 0.70 target; the other higher-is-better metric averages meet their threshold.

Interpretation and limitations

Noise Sensitivity is lower-is-better, so zero scores for that metric are favorable and are not missing values. The 25 samples include 18 zero Noise Sensitivity scores. RAGAS measures answer and retrieval quality; it does not replace security testing and does not prove tenant isolation, authorization, revocation, or absence of data leakage.

Per-sample results

Scores are reproduced exactly from the saved v2 results; values range from 0 to 1.

#	Question	Faithfulness	Answer relevancy	Context precision	Context recall	Entity recall	Noise sensitivity
1	What does the Information Security Policy require for a security exception?	1.000	0.885	1.000	1.000	0.125	0.000
2	According to the Access Control Policy, how do authentication and authorization differ?	1.000	0.830	1.000	1.000	0.667	0.000
3	What are the distinct mover and leaver actions in the Employee Access Management Standard?	1.000	0.635	0.679	1.000	0.700	0.333
4	How must Confidential information be handled under the Data Classification Standard?	0.333	0.651	0.639	1.000	0.700	0.400
5	What sequence does the Incident Response Playbook prescribe after a suspected compromise?	1.000	0.719	0.887	1.000	0.700	0.750
6	When a document reaches its retention expiry, what must happen to its derived vector chunks and backups?	1.000	0.679	0.804	1.000	0.700	0.333
7	Which device and network safeguards does the Remote Work Security Standard require?	1.000	0.902	0.887	1.000	0.500	0.286
8	May an employee probe another tenant's documents as an acceptable-use test?	0.667	0.857	0.917	1.000	0.700	0.000
9	How does the AI Use and Governance Standard treat instructions found inside retrieved documents?	0.700	0.700	0.833	0.700	0.700	0.000
10	If a temporary grant is expired but a stale vector ACL still lists the user, should the document enter the LLM context?	0.500	0.349	1.000	1.000	0.700	0.500
11	What data-minimization steps are required before using personal data in an AI retrieval workflow?	1.000	0.755	1.000	1.000	0.700	0.600
12	What protections does the Authentication and Password Standard require for stored passwords and access tokens?	1.000	0.869	0.700	1.000	1.000	0.000
13	What is the difference between an audit record and a security event in the monitoring standard?	0.700	0.700	0.700	0.700	0.700	0.000
14	Describe both authorization checks in RAGVault's documented retrieval path.	1.000	0.866	0.367	1.000	0.500	0.000
15	What chunk size, overlap, and top-k does the RAGVault Engineering Architecture specify for production and evaluation?	0.700	0.700	0.700	0.700	0.700	0.000
16	In the Vendor Security Assessment PDF, what must be completed before production data is shared with a vendor?	0.700	0.700	0.700	0.700	0.700	0.000
17	What does the Employee Access Lifecycle DOCX say to do when an employee leaves?	0.700	0.700	0.700	0.700	1.000	0.000
18	How do retention holds differ from incident evidence preservation?	0.700	0.700	0.700	0.700	0.700	0.000
19	When should an access request name a specific user rather than a role?	0.700	0.700	0.700	0.700	0.700	0.000
20	Does being an administrator in one tenant allow access to another tenant's documents?	0.667	0.801	0.950	1.000	0.700	0.000
21	What steps make permission revocation effective in both the database and retrieval path?	0.750	0.713	1.000	0.700	0.700	0.000
22	Which control distinguishes a temporary document grant from a permanent role grant?	0.700	0.700	0.700	0.700	0.700	0.000

#	Question	Faithfulness	Answer relevancy	Context precision	Context recall	Entity recall	Noise sensitivity
23	Which standard owns alerting on repeated authorization denials, and is that the same as privacy data minimization?	0.700	0.700	0.700	0.700	0.700	0.000
24	Which tests does the security test inventory list for Qdrant ACL filtering and excluding unauthorized content from the LLM context?	0.700	0.700	0.700	0.700	0.700	0.000
25	What does the Security Test Inventory say about RAGAS and security assurance?	1.000	0.765	1.000	1.000	1.000	0.000