

TEST REPORT SUMMARY

Issued by: BMM Compliance Singapore Pte Ltd
1 Science Park, TUV SUD PSB Blk,
#B1-03, Singapore 118221

Project Number: GCH.1001

Report Number: GCH.1001.01

Applicant: Galaxy City Holdings Ltd
PO Box 957,
Offshore Incorporation Centre,
Road Town, Tortola, British Virgin Islands.

Manufacturer: Galaxy City Holdings Ltd

Manufacturer Reference No: N/A

Machine Type: N/A

Product Name: Online Texas Mahjong Game (Version 420)


Standards Tested To: GLI-19: Interactive Gaming Systems Version 2.0 (February 15, 2013)

Test Location: BMM Compliance Singapore Pte Ltd
1 Science Park, TUV SUD PSB Blk,
#B1-03, Singapore 118221

Issues/Observations: Refer to section 6 of the test report.

Test Engineer: Wee Lun Lee **Signed:** 

BMM Certification: I, Yi Miin Heng, Test Lead – Technical Services, hereby certify that the online Texas Mahjong game complies with the relevant standard.

Signed: 
Yi Miin Heng, Test Lead – Technical Services

Note: The content of this document is strictly confidential. It has been prepared by BMM Singapore Pte Ltd (BMM) exclusively for Galaxy City Holdings Ltd and may not be disclosed to any other party without prior written approval of BMM.

1. STANDARD(S) TESTED AGAINST/RESULT

Technical Standard(s) used for Compliance Evaluation:	Test Result	
	Pass	Fail
GLI-19: Interactive Gaming Systems Version 2.0 (February 15, 2013)	✓	

2. PURPOSE

Galaxy City Holdings Ltd has requested BMM to evaluate their online Texas Mahjong software Version 420 for satisfactory operation against GLI-19: Interactive Gaming Systems Version 2.0 (February 15, 2013) standard.


The purpose of this report is to set out the findings of BMM's evaluation, and to provide a recommendation for Galaxy City Holding Ltd's Texas Mahjong game software.

3. GAME CHARACTERISTICS

Texas Mahjong is a skill game using the combination of Texas Poker and Mahjong (based from the traditional 4-Tiled Sichuan Mahjong in a modernize way to play the game. Texas Mahjong is played from two (2) to six (6) players in each hand, and is played using the Mahjong's Character suits, Circle suits and "Joker". "Joker" tile is a wild card. It can be used to represent any other tiles.

Texas Mahjong game consists of a total of 152 tiles where 8 sets of Character tiles, Circle tiles and "Joker" tile respectively.

- The Circle Suits



- The Character Suits



- Joker



Texas Mahjong:

During the start of the game, each player is dealt with seven (7) tiles. The game play moves clockwise around the table, starting from the left of the dealer button. The first two (2) players to the immediate left of the dealer seat are

bmm testlabs

required to post a small blind and a big blind to initiate the betting. Remaining player(s) needs to place a bet amount equal to or exceed the big blind amount in order to continue the game. Upon all players placing the same bet amount, the eighth (8th) tile will then be drawn by every player. After the first round of tiles drawn and if there is no winner(s), player(s) is given five (5) to eight (8) seconds (configurable) to discard a tile. If the player failed to do so, the system will auto discard a tile on player's behalf. This process will continue until one or more winners win the hand upon drawing the eighth (8th) tile. The tiles are shuffled before the start of every new game.

The winner(s) wins the pot that is contributed to. If a pot is won by two (2) or more players, the pot is split equally among the winners upon drawing the eighth (8th) tile.

Betting Round(s)

During the first round of betting, minimum bet amount is the big blind amount of that table. During the betting round(s), player can select one of the following options:

- Raise : Increase the bet amount.
- Call : Match the amount of big blind.
- Fold : To give up placing the tile and lose the current betting amount.
- All-In : Bet all chips or to raise to/call with all chips left

If a player chooses to bet "All-In", then the player is exempted from further betting the game. A side pot is created when a player calls a bet but does not have enough chips to cover the bet or if a player raises when another player is already all-in. The main pot holds the chips that every player contributed equally to. The overflow bets go into the side pot, which the all-in player did not contribute to and therefore cannot win. There can be multiple side pots if there are multiple all-in players.

Winning Combination

Texas Mahjong game winning combinations (a hand of eight (8) tiles) as below:

- Two sets of Straight and A Pair




- Two sets of Three of a kind and A pair




- One set of Straight and One set of Three of a kind and A pair



- Four sets of pair



and



and



and



Note: There is no winning ranking for the above combination.

At the end of the game, if there is no player can form a winning combination or if there is insufficient tiles to be drawn, the game will be announced as a draw game. All the bet amount will be returned to all players after deducting the rake amount.

Tournament

Galaxy City Holding Ltd offers two (2) types of tournaments for Texas Mahjong game. In order to join the tournament, player will need to pay for the tournament and host fee as shown on screen.

- Sit and Go Tournament

The tournament will begin once the required number of players join the game.

- Scheduled Tournament

Player registration is required prior to the tournament begins. Tournament will begin at a scheduled time with the condition that number of players joining the tournament meet the minimum required number as indicated on screen.

4. BMM EVALUATION PERFORMED

BMM has tested and confirmed compliance of the Texas Mahjong game software against the relevant technical requirements in GLI-19: Interactive Gaming Systems Version 2.0 (February 15, 2013). BMM performed the following tests to confirm compliance to the relevant regulatory requirements:

4.1 SOFTWARE EVALUATION

Ensure that software meets all the relevant requirements specified in GLI-19: Interactive Gaming Systems Version 2.0 (February 15, 2013). BMM performed this by evaluating all the game source code.

4.2 ARTWORK EVALUATION

Artwork was evaluated to ensure that it correctly explains the game rules and payouts as specified in the technical documentation supplied by the manufacturer and that it conforms to the requirements of GLI-19: Interactive Gaming Systems Version 2.0 (February 15, 2013).

4.3 MATHEMATICAL EVALUATION

Verification of the theoretical return of the game is as specified in the technical documentation supplied by the manufacturer and complies with the relevant rules as specified by GLI-19: Interactive Gaming Systems Version 2.0 (February 15, 2013) requirements.

4.4 PAYOUT TESTING

Payout testing was conducted by simulating all winning outcomes of the game to ensure that the correct amount of credits is awarded for all winning outcomes as reflected on artwork, pay-table, source code and the technical documentation supplied by the manufacturer.

4.5 REGRESSION TESTING

BMM conducted a complete range of functional tests of this new game. Testing was conducted in accordance with the test plans using relevant checklists to confirm the game's performance to a wide range of functions and failures.

4.6 COMPLIANCE TESTING

Perform all tests necessary to confirm that the game complies with all the relevant requirements specified in "Section 3: Game Requirements".

5. RECOMMENDATION

BMM has tested and confirmed compliance of Texas Mahjong game software against "Section 3: Game Requirements" of GLI-19: Interactive Gaming Systems Version 2.0 (February 15, 2013), subject to secure installation on the production system and information specified in section 6 of this report.

Please refer to Appendix 1 for details of the software used for this evaluation.

GAME PERCENTAGE VARIATION DETAILS

Stakes	% Rake	2 Player Cap	3~6 Players Cap	Min. RTP (BMM)	Max. RTP (BMM)	Min. RTP (Galaxy)	Max. RTP (Galaxy)
\$0.01/\$0.02	5%	\$1.00	\$3.00	95.00%	95.00%	95.00%	95.00%
\$0.02/\$0.05	5%	\$1.00	\$3.00	95.00%	95.00%	95.00%	95.00%
\$0.05/\$0.10	5%	\$1.00	\$3.00	95.00%	95.00%	95.00%	95.00%
\$0.10/\$0.25	5%	\$2.00	\$5.00	96.00%	96.67%	96.00%	96.67%
\$0.25/\$0.50	5%	\$2.00	\$5.00	98.00%	98.33%	98.00%	98.33%
\$0.50/\$1.00	5%	\$3.00	\$5.00	98.50%	99.17%	98.50%	99.17%
\$1.00/\$2.00	5%	\$3.00	\$5.00	99.25%	99.58%	99.25%	99.58%

bmm testlabs

\$2.00/\$4.00	5%	\$4.00	\$6.00	99.50%	99.75%	99.50%	99.75%
\$3.00/\$6.00	5%	\$5.00	\$8.00	99.58%	99.78%	99.58%	99.78%
\$5.00/\$10.00	5%	\$5.00	\$10.00	99.75%	99.83%	99.75%	99.83%

6. ADDITIONAL INFORMATION

1. The information on percentage return to player (RTP) is listed under the 'Menu-> Game Rule' menu of the game.
2. Clauses 3.3.7a of GLI-19: Interactive Gaming Systems Version 2.0 (February 15, 2013) could not be verified due to limitations of the test environment.

7. COMMENTS

BMM has conducted a level of testing/evaluation which has historically been adequate for a submission of this type. Accordingly from the testing performed BMM confirms that the item under test (unless otherwise stated) conforms to all the relevant GLI-19: Interactive Gaming Systems Version 2.0 (February 15, 2013) as stated below, subject to secure installation on the production system and information specified in section 6 of this report.

GLI-19: Interactive Gaming Systems Version 2.0 (February 15, 2013)	Pass / Fail / N/A
2.0 GAMING PLATFORM REQUIREMENTS	N/A
3.0 GAME REQUIREMENTS	Pass
4.0 RANDOM NUMBER GENERATOR (RNG) REQUIREMENTS	Pass
5.0 INFORMATION SECURITY SYSTEM (ISS) REQUIREMENTS	N/A
6.0 PROGRESSIVE JACKPOT REQUIREMENTS	N/A
A.0 EVENT WAGERING	N/A
B.0 LIVE DEALER / PROXY PLAYER REQUIREMENTS	N/A

Test Engineer

Wee Lun Lee

Signed:



Test Lead – Technical Services Yi Miin Heng

Signed:



bmm testlabs

Appendix 1

The following details the relevant information for “Texas Mahjong” game software used for this evaluation:

Description	SHA1
Folder: \GameServer\	
.classpath	8327762348C649105C6AAF67962522E4E6A78722
.project	455143C77AAC2E88AC5C43DE71E3C16332AB9F8E
logback.properties	1434420F6C4C213E359F5EF36585860285512336
maven-eclipse-setup.bat	E326BB4CCF7ACE9BF496901DD82EE3CCCCE771FB
maven-shade-aws_demo_server.bat	148E0901B20EEA040F8234CF28A993F89A189E5C
maven-shade-cash_production.bat	B062B99A828E038437BF6990795DB7A9C7F71974
maven-shade-development.bat	0E17958A8791DB4C9EAC4B0283E383482D637294
maven-shade-facebook_production.bat	9650CB798E1677386863C4747FDCDC1F88C2AB86
maven-shade-facebook_staging.bat	09888058B106F564273A4D7E9BDAAC97B42E92FD
maven-shade-uat_test_env.bat	A31E6D7BF4749197D75EB1B13AC50E931292A50E
pom.xml	EB4032B421E872DAD3CDDCE568A68B2CD7DED9A7
.settings\org.eclipse.jdt.core.prefs	7534000153624CACBC3BB2FEA96C0DCBF163D73
.settings\org.eclipse.wst.common.component	D5C5BD2B44224B81BCC16A0D6CC31A7E1A8C1EA8
.settings\org.eclipse.wst.common.project.facet.core.xml	F40AAFB5E7A31EF3E9043ED0167771E4960344C5
src\main\config\cash_production\game_server.properties	7E993D93A1556A629ABDA0FE0E3471B41F80C6C4
src\main\config\uat_test_env\game_server.properties	1B7341D6B362BF99393D35DB47AE3C72A91EB483
src\main\java\com\pkmj\game\GameAkkaActorUtils.java	D8D7F970CEA5BC16951F78C9DD9C6A0C5B01AD30
src\main\java\com\pkmj\game\GameAkkaFactoryUtils.java	778C1DE02B5667C61792AE7866184330040C53D1
src\main\java\com\pkmj\game\GameAkkaRemoteUtils.java	089A618FFEC8BD4F0714077C6F77E661CBE0E4CD
src\main\java\com\pkmj\game\GameServerBoot.java	DC2122984744A388A8592435F489DE003B361BE9
src\main\java\com\pkmj\game\GameServerConfiguration.java	A34E74B968A32F7A68C67FE84433B37E694AF9D8
src\main\java\com\pkmj\game\GameServerConfigUtils.java	76D0F3FCA75D1076C2FE4D35541B065E24722264
src\main\java\com\pkmj\game\GameServerLauncher.java	BB6F08C958E19498F9DA2330789C9F34E4A73781
src\main\java\com\pkmj\game\actor\BaseGameActor.java	4F261054AF9D381724D7A82576C1F19339985747
src\main\java\com\pkmj\game\actor\BaseProcedure.java	3215FE99991FD6760FBA03A3EBB78D96FA439FF
src\main\java\com\pkmj\game\actor\GameAutoScalingActor.java	D7A8A6BD1215F980ADC3ABB9BF67571986579CC5
src\main\java\com\pkmj\game\actor\GameCamelConsumerActor.java	23E250A750853441C509C99DB2BA390548D8449D
src\main\java\com\pkmj\game\actor\GameCurrencyActor.java	8BCF60C5AAEC81CE781348434D12499F0D3B3B1
src\main\java\com\pkmj\game\actor\GameServerActor.java	188525A91844C40252A69DF028365D9938CE4D19
src\main\java\com\pkmj\game\actor\MultiTableTournamentActor.java	FB9B992E8ACFA75BA86900244DDF2363A77E521B
src\main\java\com\pkmj\game\actor\NormalTableHistoryActor.java	5D6E3705D6D79640B37DAA9A387CE6284EADB1
src\main\java\com\pkmj\game\actor\RoomBuilderActor.java	1B130B7EF025AC02E6C63B9CBB7E6E4EC23FBE52
src\main\java\com\pkmj\game\actor\SitAndGoTournamentActor.java	9FF2145B76E5C2037FF93DB0F5F653FDC5BC8275
src\main\java\com\pkmj\game\actor\TableActor.java	1448D8DB660EF53072DAA4BD3AFAE465EF0E8C06
src\main\java\com\pkmj\game\actor\TableConfigActor.java	890D51963F4F43F8E01B201D76CA90381FF23296
src\main\java\com\pkmj\game\actor\TournamentActor.java	75AB8F65B4872AD13A103F8759CF1E8400D3A96B

src\main\java\com\pkmj\game\utils\ConcurrentUtils.java	D822D94C36000F6E79BA10F87DAD937E210EC515
src\main\java\com\pkmj\game\utils\TableMessageUtils.java	5791272A97D0A215979B92DFB62797D1D1496B10
src\main\java\com\pkmj\game\utils\TournamentMessageUtils.java	418E69AA199C8998E4B2FC472E279190723B66DE
src\main\resources\game_server.properties	7649D1E2F2E7B97C7953BF1DFD4DC44A8BE57BEA
src\test\java\com\pkmj\game\test\AkkaFutureTest.java	268A0FD7F4B790C4227840375FDA73A88AD2B160
src\test\resources\game_test.properties	7A68225555DA5D0B1E38CD911F0A669437C37E69
target\classes\game_server.properties	7649D1E2F2E7B97C7953BF1DFD4DC44A8BE57BEA
target\classes\com\pkmj\game\GameAkkaActorUtils\$1.class	497991632E251C46B3A781B7A47451BAF496CD11
target\classes\com\pkmj\game\GameAkkaActorUtils\$2.class	EBACBBE24C08267FCAB844F62314B8C24399449B
target\classes\com\pkmj\game\GameAkkaActorUtils.class	925546996BDB86C8E9852D5E6D057D0C24E38BAA
target\classes\com\pkmj\game\GameAkkaFactoryUtils.class	FCCEEAF6517C3EAB869A452B413B5100CFF6D5C9
target\classes\com\pkmj\game\GameAkkaRemoteUtils.class	142F03AC2034316AC6ED68466DF7EEE6CA5C2B7D
target\classes\com\pkmj\game\GameServerBoot.class	433834472BF2D0AEE0CE1525900C46AABFC95590
target\classes\com\pkmj\game\GameServerConfiguration.class	F19E24C96C0FAE8B9A95FF0D45A713F0627FCEDC
target\classes\com\pkmj\game\GameServerConfigUtils.class	7570D2E55725BFF087C7D4E7AB0E02ABB50E2CF
target\classes\com\pkmj\game\GameServerLauncher.class	C23F55396083220F631956820A11075380FFA2D1
target\classes\com\pkmj\game\actor\BaseGameActor.class	9F05281BBA812B5CF009DDA297FA6582A39F3EF3
target\classes\com\pkmj\game\actor\BaseProcedure.class	E8C4C26B011B1E1C2D1FB363BC99C565C536BC8E
target\classes\com\pkmj\game\actor\GameAutoScalingActor.class	819AA1A49D42B7503A656601A6C4C01B32213F45
target\classes\com\pkmj\game\actor\GameCamelConsumerActor.class	7B7EBC8823EC15F963F4A90515C0F8A9DA8464CC
target\classes\com\pkmj\game\actor\GameCurrencyActor.class	B0CFF6DE29726E84E1BB8E28B20E06BE5B7D21EC
target\classes\com\pkmj\game\actor\GameServerActor.class	670CAFEB51548E6AC9D520E6B251F85A689B3EC5
target\classes\com\pkmj\game\actor\MultiTableTournamentActor.class	38B5AA7D4D57679BF6811E2713C108154790154
target\classes\com\pkmj\game\actor\NormalTableHistoryActor.class	AC4899AD851F6E34221C7E7CC8B5A17DAD2D778B
target\classes\com\pkmj\game\actor\RoomBuilderActor.class	8C229E739A0DB83C000621771F9A58B3379FA1B2
target\classes\com\pkmj\game\actor\SitAndGoTournamentActor.class	12B00EC29313DB7C0628560AECFE6825473188F0
target\classes\com\pkmj\game\actor\TableActor\$1.class	DEC88E0E62D7CA2AE8412733285CF2487A3F8E57
target\classes\com\pkmj\game\actor\TableActor\$2.class	66D089A558931157A9F64274BF2E7D18FD493B4B
target\classes\com\pkmj\game\actor\TableActor\$3.class	70C27030F9E008AA904C5FD63A807596B0C04B4F
target\classes\com\pkmj\game\actor\TableActor\$4.class	CF2C0FEF72BF599227FF28B0410E562D552CBED2
target\classes\com\pkmj\game\actor\TableActor.class	931285D16925481296E3876ECC598AE0CF771D92
target\classes\com\pkmj\game\actor\TableConfigActor\$1.class	FB22B9D49B5BAA265E483E7F56710B6178AC0232
target\classes\com\pkmj\game\actor\TableConfigActor.class	443731D324CFC7938AE50BB2BF885AD8FF1A7106
target\classes\com\pkmj\game\actor\TournamentActor\$1.class	CA72293D440C711BA23FE587324054AFDA54A098
target\classes\com\pkmj\game\actor\TournamentActor\$10.class	927697BB6FF486369558026BF2BD0A7B2EA9C528
target\classes\com\pkmj\game\actor\TournamentActor\$11.class	6C35CA786915B72B0E5C6BC8D133201BC5FC201C
target\classes\com\pkmj\game\actor\TournamentActor\$2.class	48729B19C2195B0C38B01D0F4B5400316EFD5674
target\classes\com\pkmj\game\actor\TournamentActor\$3.class	48B5F16045FAD68DFB59F10B7F6F70ACBA33F5B1
target\classes\com\pkmj\game\actor\TournamentActor\$4.class	E6B86BBE82E9A5C6289EBA155444C14D3176158F
target\classes\com\pkmj\game\actor\TournamentActor\$5.class	6A8A6288B2F6B5ABE151758965502346CE1F2449
target\classes\com\pkmj\game\actor\TournamentActor\$6.class	B3197EA26F778021E83157FE76F9EF809F6C4F54

target\classes\com\pkmj\game\actor\TournamentActor\$7.class	042BFAD2F1D7D4AA8EBE4AA09A9B0A219691DCB4
target\classes\com\pkmj\game\actor\TournamentActor\$8.class	245E59C724FD9A4BEA626CF2FBE42053FBF5C83E
target\classes\com\pkmj\game\actor\TournamentActor\$9.class	A26D2EF38CBCE43CF701536457C2A5FB56F5233
target\classes\com\pkmj\game\actor\TournamentActor.class	AA8EB57FBC46DA19EFC6F757278DF33BDEEE85DC
target\classes\com\pkmj\game\utils\ConcurrentUtils\$1.class	48D66B9257099B88373F12D1857F837EF7B205A2
target\classes\com\pkmj\game\utils\ConcurrentUtils.class	B52FD591A59F76A893B3413B8979D2301AFDCF8F
target\classes\com\pkmj\game\utils\TableMessageUtils.class	F9E6B080E4A4695BC7CD3305813B707B7E019F
target\classes\com\pkmj\game\utils\TournamentMessageUtils.class	E6B07FC22442B1ED05C749E1F8D7BAF36351F0D1
Folder: \.metadata\plugins\org.eclipse.wst.server.core\tmp0\wtpwebapps\HttpServer\	
index.html	68BD1385FAA0B413069F3B636669C47C7E49A7B3
lptest.txt	FDE773A18BB29F5ED65E6F0A7AA717FD1FA485D4
robots.txt	7A54E2D580B1CCECB62FE3FBB7B98FE569630744
images\1001.png	999654401F7C7D91EE0714AACE1129C696C9130E
images\bonusPackage1.jpg	DEBF54A5D671BF045F9759D31552A494D853CE5
images\bonusPackage1.png	999654401F7C7D91EE0714AACE1129C696C9130E
images\giftPackage1.png	999654401F7C7D91EE0714AACE1129C696C9130E
WEB-INF\dispatcher-servlet.xml	D5C4B087B73E8FFD86D7F7E9179512D29A6A329D
WEB-INF\web.xml	5BD836017B544FB53219DF8B76DEB1159F1875A
WEB-INF\classes\application.properties	032E98BB700E296B1196B3DE469D46299278AD01
WEB-INF\classes\applicationContext-activemq.xml	27F5351A1C2ABFA63530BD4504F804FB6182C1F7
WEB-INF\classes\applicationContext-base.xml	772AD79D624DAB7A6AB248F41EECC0BC63C6872B
WEB-INF\classes\applicationContext-database.xml	4F4A548D98796676BDA3AA35A5EA55677C0BB5ED
WEB-INF\classes\applicationContext-interceptors.xml	0B5FE30E3C46D4CF90869C0EA828D962F4D13504
WEB-INF\classes\authentication.properties	61093586766D8CAE778288F7965441E29AD10D41
WEB-INF\classes\bonus_gift.properties	CA9D5D94DE54062BF2A8B130F89B98B0951EEF8D
WEB-INF\classes\dummy_user.properties	193FDD52F6B4A88FE5DB053D7776BBA136F497F0
WEB-INF\classes\facebook-standalone.xml	F3AC30E55EBB3942016FC1B97AEFC12A9CDB0E87
WEB-INF\classes\jdbc.properties	BFF484A23DB8041EDE435350D83F743D11F816C6
WEB-INF\classes\logback.xml	87ED6F15DAEBFAF53B8E6DEBD438918E48AFE465
WEB-INF\classes\payment.properties	8EAFB98E77C6FFF531D155AC738CB148A646BF22
WEB-INF\classes\VelocityEmailSender-context.xml	2BA3B74C77636E4B1EC0550FDCAD2C7704345955
WEB-INF\classes\com\pkmj\hs\common\ActiveMQUtils.class	594390BC63238AB413A07FEF8D53217ED00D06B0
WEB-INF\classes\com\pkmj\hs\common\ApplicationUtils.class	3B5007CDA41650A6DB90CCD9BF30CF687CC4E30E
WEB-INF\classes\com\pkmj\hs\common\AuthenticationUtils.class	032E5D6EA564136C3AD545F769580E69E59C7AA4
WEB-INF\classes\com\pkmj\hs\common\Constants.class	82AB852374EAF66587B24E016D2D0CBAA42EFFCA
WEB-INF\classes\com\pkmj\hs\common\DateTimeDeserializer.class	923F96FD02A4A8D1EF2EEAE2667A4A702DA5576C
WEB-INF\classes\com\pkmj\hs\common\DateTimeSerializer.class	3E363CBAC57741C84B72A1B1C9782D2D81B13140
WEB-INF\classes\com\pkmj\hs\common\DateTimeUtils.class	ABB8DB6CB725C9E3DEE77300826193948002725C
WEB-INF\classes\com\pkmj\hs\common\DummyUserUtils.class	62E1AAF174725FAD163982A070454DD47B7D6591
WEB-INF\classes\com\pkmj\hs\common\GiftBonusConfigUtils.class	9E1C5B2AA7C2C70C66D5FCE46091E86D26D6A308
WEB-INF\classes\com\pkmj\hs\common\HttpSessionUtils.class	1710CB3FF8E8832A9247735C9E2D6F36011E695B

WEB-INF\classes\com\pkmj\hs\common\JsonParseUtils.class	254F3B7CDFCD03DF8B92FCCEA757918DF68D4B38
WEB-INF\classes\com\pkmj\hs\common\JSONReader.class	121C963D61E88EE5355D298EFF539384D577633C
WEB-INF\classes\com\pkmj\hs\common\JsonReaderUtils.class	01943376FF22FF2A2EE26A7895F54705641A9F06
WEB-INF\classes\com\pkmj\hs\common\JsonStringUtils.class	361A8B5AA8203887B50123E3C10B5B1A0C37FE52
WEB-INF\classes\com\pkmj\hs\common\PaymentConfigUtils.class	357ACE57C0B84C4E22EF1A35F549E9F94D8D0E48
WEB-INF\classes\com\pkmj\hs\common\XmlParseUtils.class	6664FC6600DB39FD766D54EDE4195BE6D53CC598
WEB-INF\classes\com\pkmj\hs\common\email\dispute_alert.vm	5978AF40FB99A35C1958E7E332A6C1E038DB97F8
WEB-INF\classes\com\pkmj\hs\common\email\Sender.class	84723F71005137B24E639004932626D8BA788A48
WEB-INF\classes\com\pkmj\hs\common\email\VelocityEmailSender\$1.class	50B55C3A4FB76FC61B8075C12EAFA815DD2CE84A
WEB-INF\classes\com\pkmj\hs\common\email\VelocityEmailSender.class	8AD3727105F208CAD57A5C09A0B93CFD4E2D938F
WEB-INF\classes\com\pkmj\hs\scheduler\job\ScheduledJobs.class	7FBF84F1E38B3233BD0386DB3A9570F8840AAB1B
WEB-INF\classes\com\pkmj\hs\scheduler\task\BaseTask.class	EAB6C4C791823833E2BE5D2C6EA12CE9843E3FAD
WEB-INF\classes\com\pkmj\hs\scheduler\task\GiftRecieverHandlerTask.class	0B3042B9078DA4B9776294C5B82122556D5A8994
WEB-INF\classes\com\pkmj\hs\scheduler\task\TaskRunnerService.class	BF5D49798DCB2E2AD5FC0157115AC92921DE0748
WEB-INF\classes\com\pkmj\hs\server\dao\BaseMasterDaoSupport.class	C7EB2461398DD32DF0213FDF87394BFE9A9F4BD2
WEB-INF\classes\com\pkmj\hs\server\dao\BaseSlaveDaoSupport.class	94B3EB4C1B503A16BAE23A1E5212E7364D35AC06
WEB-INF\classes\com\pkmj\hs\server\dao\BonusItemPackageDao\$1.class	4425DE2BEAA2105BD457543618FD1FE5D9BCB586
WEB-INF\classes\com\pkmj\hs\server\dao\BonusItemPackageDao\$2.class	19A601E11C14C9A624A30AD4986B76BA56792B26
WEB-INF\classes\com\pkmj\hs\server\dao\BonusItemPackageDao\$3.class	AA56FA8677B048354649725802D86921E98C8172
WEB-INF\classes\com\pkmj\hs\server\dao\BonusItemPackageDao\$4.class	7F235EDC466261DB350517BF255809B3B5ADAC20
WEB-INF\classes\com\pkmj\hs\server\dao\BonusItemPackageDao.class	DD53D436806D1876EE2558559FDA719C133ACD62
WEB-INF\classes\com\pkmj\hs\server\dao\BonusRecordDao\$1.class	7F71F5F219AF5FA0E8C7AAB0792DAFC491FFC25B
WEB-INF\classes\com\pkmj\hs\server\dao\BonusRecordDao.class	91B1049B6E901511B2B9E6EDBF00E9B4A2FA5F23
WEB-INF\classes\com\pkmj\hs\server\dao\GameHistoryDao.class	004E1B9C8E28EC8307281E2F6E85C56038E23194
WEB-INF\classes\com\pkmj\hs\server\dao\GameUserDao.class	5166A06D27E509ABA1FBD07FDF97A155499FEC3B
WEB-INF\classes\com\pkmj\hs\server\dao\GiftItemPackageDao\$1.class	4718009B934B6C3F1FEB802A07711EADF17F0501
WEB-INF\classes\com\pkmj\hs\server\dao\GiftItemPackageDao\$2.class	E2CAD973EDB6059AF620F252D127C9CA6EDD85F4
WEB-INF\classes\com\pkmj\hs\server\dao\GiftItemPackageDao.class	CA0D1512F7A79747C6CC8006F0B1C4BCFE3B57BC
WEB-INF\classes\com\pkmj\hs\server\dao\GiftRecordDao.class	E76CD12BE15375871E431E83AC2E162DFB20D526
WEB-INF\classes\com\pkmj\hs\server\dao\GiftTransactionLogsDao\$1.class	B94E3C67BB9D9876B02CE34984895120274393E4
WEB-INF\classes\com\pkmj\hs\server\dao\GiftTransactionLogsDao.class	5468605A08028DAC1EEF50ED1E42139958B7A68
WEB-INF\classes\com\pkmj\hs\server\dao\IpDomainMappingDao.class	B38290A95037A0057F8CAEC6A61412BF0FC2CB8A
WEB-INF\classes\com\pkmj\hs\server\dao\ItemPackageDao.class	1F4C7DC8CA083FAE19882611748D30A499E38423
WEB-INF\classes\com\pkmj\hs\server\dao\LeaderBoardDao.class	393087FDA8CD6244D786C92B448B9FF6E085D610
WEB-INF\classes\com\pkmj\hs\server\dao\LobbyServerInfoDao.class	07B15FE8B0F53D97CA4DEE50547E7C711CA16DE3
WEB-INF\classes\com\pkmj\hs\server\dao\OnlinePlayerDao.class	BF4ADBCFCD7DEAB07CC506ED3015CF0E4FE8710E
WEB-INF\classes\com\pkmj\hs\server\dao\OperatorDao.class	29887CD165AC3DB186C25573D2844D034F757413
WEB-INF\classes\com\pkmj\hs\server\dao\PaymentLogDao.class	C1BD7F56CB835A9425D2A28A40683723C95850F2
WEB-INF\classes\com\pkmj\hs\server\dao\PkmjGlobalConfigDao.class	A76561CEFB0867B1B1E0C3901F9DFE01E6CED538
WEB-INF\classes\com\pkmj\hs\server\dao\TransactionRecordDao\$1.class	CB3E7F88BE819A50584608EB27ABF0CB7103655F
WEB-INF\classes\com\pkmj\hs\server\dao\TransactionRecordDao.class	1B29A68C7F1B29190EACBAF512FCF7ED406C560C

WEB-INF\classes\com\pkmj\hs\server\dao\WinLoseDao.class	ED9629B637EF5778E032DBBD95CF9247FCC3F5DF
WEB-INF\classes\com\pkmj\hs\server\dao\WinnerListDao.class	C743782017BE61411D1EC326D5D86CBA80275C2F
WEB-INF\classes\com\pkmj\hs\server\entity\base\BaseBonusItemPackage.class	A767713F9A29D84C25D92443CFD77641B92356A9
WEB-INF\classes\com\pkmj\hs\server\entity\base\BaseBonusRecord.class	AA95C8B25344ACBAB61248AC867C54F76C964AFE
WEB-INF\classes\com\pkmj\hs\server\entity\base\BaseEntity.class	08017979B994541522ACF726FB914126836C4BA3
WEB-INF\classes\com\pkmj\hs\server\entity\base\BaseGameUser.class	2CD39BAD1D2158D17F0E7895FA4F1DC7F9852891
WEB-INF\classes\com\pkmj\hs\server\entity\base\BaseGiftItemPackage.class	D0D3C195F1D9AA753BF1A41A049B542CB8FF67D0
WEB-INF\classes\com\pkmj\hs\server\entity\base\BaseGiftRecord.class	488F72E311E13332387A12F99CC7952E8AE5DC06
WEB-INF\classes\com\pkmj\hs\server\entity\base\BaseGiftTransactionLogs.class	EF993F2BA3886A23C6109D18D828816645021710
WEB-INF\classes\com\pkmj\hs\server\entity\base\BaselpDomainMapping.class	1C3F8F28A68500076B8E1F486FE8118767E6AC1C
WEB-INF\classes\com\pkmj\hs\server\entity\base\BaseItemPackage.class	C62E0BAB2497836599AF0DDDF4D84B6FA00755E6
WEB-INF\classes\com\pkmj\hs\server\entity\base\BaseLobbyServerInfo.class	8E15F64605B5187B3B732754E5678624A5D21FDF
WEB-INF\classes\com\pkmj\hs\server\entity\base\BaseOperator.class	A0C70B46634809CD1ADDEBB7BDD5C8533DAA0447
WEB-INF\classes\com\pkmj\hs\server\entity\base\BasePaymentLog.class	0C35E4C042564C90A8FFD4A571905AD5E996AAD4
WEB-INF\classes\com\pkmj\hs\server\entity\base\BasePaymentLog2.class	263D99DE107ACF4D9B08AFCA1A6810B5F4BB9FA6
WEB-INF\classes\com\pkmj\hs\server\entity\base\BaseProductItemPackage.class	0578150D7B1BF5349B86FB5B45FC22A9B69007F5
WEB-INF\classes\com\pkmj\hs\server\entity\base\BaseTransactionRecord.class	68D9A82D88FBA26374FC0FB3555F3FAB07896DBF
WEB-INF\classes\com\pkmj\hs\server\entity\base\PkmjGlobalConfig.class	93BFC4D6BB13815EBD37DBDC02BB5F35BA4A62FB
WEB-INF\classes\com\pkmj\hs\server\entity\model\BonusItemPackage.class	F007B650C362DE2E076285B4F6F51B43ED1768A2
WEB-INF\classes\com\pkmj\hs\server\entity\model\BonusRecord.class	E47DAB58D1F57B1ECFAB9555267AC16150F61B2E
WEB-INF\classes\com\pkmj\hs\server\entity\model\GameUser.class	59BAC9393733EEF3FC9E62D12E743478AD4AA450
WEB-INF\classes\com\pkmj\hs\server\entity\model\GiftItemPackage.class	4E9151E2E23A5106A017936310F6680FC309FCD3
WEB-INF\classes\com\pkmj\hs\server\entity\model\GiftRecord.class	7F7F3DD2700FB30B510B031DF38F8AD9A1F3FA4C
WEB-INF\classes\com\pkmj\hs\server\entity\model\GiftTransactionLogs.class	98F206DEBCC7CEB603EE1F5B2C83F60669493987
WEB-INF\classes\com\pkmj\hs\server\entity\model\IpDomainMapping.class	35B7E8A320F231148DBFFDFE63CA50D161AB0DA9
WEB-INF\classes\com\pkmj\hs\server\entity\model\ItemPackage.class	70513857A91075FA21B3A72969DB51329BA43B12
WEB-INF\classes\com\pkmj\hs\server\entity\model\LobbyServerInfo.class	9BFECC1BB87C094EDFAF6AF25E8B69C857FD8A9D
WEB-INF\classes\com\pkmj\hs\server\entity\model\Operator.class	5B0EFBDF1EEF69A899A0F4690D7978F3DD8FC1FD
WEB-INF\classes\com\pkmj\hs\server\entity\model\PaymentLog.class	5A940A0BCE563CFD69433082DAE18E57915F8392
WEB-INF\classes\com\pkmj\hs\server\entity\model\TransactionRecord.class	62288B1B4FA01044C3B8BF3DA936BDA72302C3B
WEB-INF\classes\com\pkmj\hs\server\service\BonusItemPackageService.class	C8D177D40E94A07467595EDD581EBF57724FEA09
WEB-INF\classes\com\pkmj\hs\server\service\DataMappingUtils.class	014159809FD9A4EC5ABD576212B1EC88CD6DFB9B
WEB-INF\classes\com\pkmj\hs\server\service\GameHistoryService.class	57B0F4D6348DF133FF0549DFD2EAB21F81BA0C32
WEB-INF\classes\com\pkmj\hs\server\service\GameUserService.class	A420AA8FFDE59767728BB83770C210A1508BFFB2
WEB-INF\classes\com\pkmj\hs\server\service\GiftItemPackageService.class	41A1D1DA7F8B14562EAC9F29035A21374AC4002E
WEB-INF\classes\com\pkmj\hs\server\service\GiftRecordService.class	F8FF88D8882B8A6953F86EEDBC9885BCAF607817
WEB-INF\classes\com\pkmj\hs\server\service\GiftTransactionLogsService.class	8102B7147E62818855069B34110DA01B36869948

WEB-INF\classes\com\pkmj\hs\server\service\lahService.class	A71EFD1F10DEC1419A7F438D1EA431DB374265D4
WEB-INF\classes\com\pkmj\hs\server\service\InternalTokenFactory.class	7FCE2349D47FA82D43A1F279A4F11730379C579F
WEB-INF\classes\com\pkmj\hs\server\service\IpDomainMappingService.class	D82C48F6E5F6426E946311D674B4B26FC3B0A442
WEB-INF\classes\com\pkmj\hs\server\service\ItemPackageService.class	123D88625A9FAEAF8200EDF65FB3FC0AC6F3434D
WEB-INF\classes\com\pkmj\hs\server\service\LeaderBoardService.class	BF62B38ECF566AEDD16B78C92213DD90DA9E880F
WEB-INF\classes\com\pkmj\hs\server\service\LobbyServerInfoService.class	816E4BB596C51E48549D71A917B6E84B1B128986
WEB-INF\classes\com\pkmj\hs\server\service\OnlinePlayerService.class	D8FCAC999286C5536996D2EC87DE0FFE2772D6CC
WEB-INF\classes\com\pkmj\hs\server\service\OperatorService.class	EEE4C65FD518B31F5EE1B839C042C89216D6DD7E
WEB-INF\classes\com\pkmj\hs\server\service\PaymentLogService.class	DD59A9179B20B4528D603A27BC965FC299F21718
WEB-INF\classes\com\pkmj\hs\server\service\TransactionRecordService.class	891842EC871E0C9AD5082AEE3DE5C45C56327F3D
WEB-INF\classes\com\pkmj\hs\server\service\WinLoseService.class	87C0F72C9AB902BC1088BEB695EF9468F4652A20
WEB-INF\classes\com\pkmj\hs\server\service\WinnerListService.class	9D679FDB63B289E6B29A8AAD76BDC61CCE7C3685
WEB-INF\classes\com\pkmj\hs\standalone\component\DeleteGiftRecordSchedulerComponent.class	716C4043930149DC6AC4FD1F7487B3C4B40B0198
WEB-INF\classes\com\pkmj\hs\web\component\AuthDummyComponent.class	82DDA11F8101BFA42D8DB5114DD6B87B37BEE5D5
WEB-INF\classes\com\pkmj\hs\web\component\AuthFaceBookComponent.class	2D0AE63B52789217D9ACE47CDE75FEDE0D92095D
WEB-INF\classes\com\pkmj\hs\web\component\AuthGeneralVendorComponent.class	DFF8B8E0D08A2BA49B81899A0B36267FB2275228
WEB-INF\classes\com\pkmj\hs\web\component\AuthMobileDeviceComponent.class	C6F39B18B4FAEC3872ADCDDF17E0107AD285F802
WEB-INF\classes\com\pkmj\hs\web\component\AuthW88Component.class	8AE1462A7F04E9506A63A609ADC610659C5BA3C6
WEB-INF\classes\com\pkmj\hs\web\component\BonusItemPackageServiceComponent.class	E28ABD36E2A2B5985448944860804350A47E5253
WEB-INF\classes\com\pkmj\hs\web\component\GameHistoryComponent.class	D4258C6BB41039E49616EC3336DA5A8521D837C4
WEB-INF\classes\com\pkmj\hs\web\component\GiftItemPackageComponent.class	A6CAE0F8E711EC639D6D80B10CCADC0A4395DBDA
WEB-INF\classes\com\pkmj\hs\web\component\GiftRecordComponent.class	693AC5907F8C8823A093AB42A64740354506274E
WEB-INF\classes\com\pkmj\hs\web\component\GiftTransactionLogsComponent.class	F52EE3661899451E3B595345683C6CB891C98DC1
WEB-INF\classes\com\pkmj\hs\web\component\lahHelperComponent\$1.class	DAA7D6FF778DDA383C12605F4D18923BE1D11754
WEB-INF\classes\com\pkmj\hs\web\component\lahHelperComponent.class	21CD221A9F26EF82345A0CAEA8B47FF081F9EF29
WEB-INF\classes\com\pkmj\hs\web\component\lahInterceptor.class	87F1BC13156B959D9A15539C641F2D0BA0772CAF
WEB-INF\classes\com\pkmj\hs\web\component\JmsMessageBuilder.class	1E88299FA0FD690B66F949FCA28C4BBC0D836D9E
WEB-INF\classes\com\pkmj\hs\web\component\JmsSendComponent\$1.class	3E68D2E05BA3684015CDC66BE09E41480DCF56D5
WEB-INF\classes\com\pkmj\hs\web\component\JmsSendComponent.class	A998B91B2FCB26B02D3A632D2F0D24DFCC228CD8
WEB-INF\classes\com\pkmj\hs\web\component\LeaderBoardComponent\$1.class	7EA518D4BFCDE2756A8CA074568E5284C6B57193

WEB-INF\classes\com\pkmj\hs\web\component\LeaderBoardComponent\$2.class	2C9EF4F0977E59B6013B1A957D9D28F4DFF13DB3
WEB-INF\classes\com\pkmj\hs\web\component\LeaderBoardComponent\$3.class	BD0CEA172E046DF780E47286A1B3F5ABC43B337F
WEB-INF\classes\com\pkmj\hs\web\component\LeaderBoardComponent.class	13BCD9499870B5708A1FED38C7D4F921AC2EE632
WEB-INF\classes\com\pkmj\hs\web\component\LobbyServerComponent.class	37BD572366D113AB7C4D1062595E3717B43FA27F
WEB-INF\classes\com\pkmj\hs\web\component\OnlinePlayerComponent\$1.class	85221492BC851F99A42E9CC760B22EA3E8FD8255
WEB-INF\classes\com\pkmj\hs\web\component\OnlinePlayerComponent.class	537A06B6861D1BB111404C5697184F20FF6D760D
WEB-INF\classes\com\pkmj\hs\web\component\SubtractWalletComponent.class	8130E94A228D65F9EF70BA5C03E39D57289EB0CB
WEB-INF\classes\com\pkmj\hs\web\component\TopUpWalletComponent.class	EBC0F00AEC878EB7714DC0DCAEAFE6D266364261
WEB-INF\classes\com\pkmj\hs\web\component\WinLoseComponent.class	D39B8D7FAA738CFEEE9F16DA7FE6AA3C93242041
WEB-INF\classes\com\pkmj\hs\web\component\WinnerListComponent.class	F00AFF4F7C242F4A989F8DB05D4DC4C98E25320E
WEB-INF\classes\com\pkmj\hs\web\controller\AuthenticateController.class	9A8A526C2E7105A767E5003A78D3F56328E1F25E
WEB-INF\classes\com\pkmj\hs\web\controller\BaseController.class	82B4710A850D0881D0385BE616191E0AC7188E54
WEB-INF\classes\com\pkmj\hs\web\controller\BaseProcessor.class	FDD22AA2A894F96E5D6B55CB4A9A653FBAB37405
WEB-INF\classes\com\pkmj\hs\web\controller\BonusClaimController.class	CFB9A494BDE6E7CA377B8589E4FCBD274EFE0F52
WEB-INF\classes\com\pkmj\hs\web\controller\FaceBookItemController.class	ED65AEA8920C9F9696DF135DFA0560F2174A57A8
WEB-INF\classes\com\pkmj\hs\web\controller\GameHistoryController\$1.class	FADCAC43CFF9C8CAA2EA230984A6EBF256D03B7
WEB-INF\classes\com\pkmj\hs\web\controller\GameHistoryController\$2.class	EF35BAC3E7320A04AAE953C7EDA99440BDA029A9
WEB-INF\classes\com\pkmj\hs\web\controller\GameHistoryController.class	CEC120367F899B5B44ED314B620A25512D4BEFAB
WEB-INF\classes\com\pkmj\hs\web\controller\GiftClaimController.class	D70BECD4A963E5DFF6B65414F4B5C2B13EE7DF06
WEB-INF\classes\com\pkmj\hs\web\controller\IahController.class	C8E20551089C35743C6B9060284975D91ABE7988
WEB-INF\classes\com\pkmj\hs\web\controller\LeaderBoardController\$1.class	2B84B2D14CD60EE8206494F8F5975DE88E69B969
WEB-INF\classes\com\pkmj\hs\web\controller\LeaderBoardController.class	240D594E09A5D04AFFAC7773657BAF8502235AF5
WEB-INF\classes\com\pkmj\hs\web\controller\ListItemPackageController.class	8A30486B13D7974B8F33BDC660958A2D3BDDE33F
WEB-INF\classes\com\pkmj\hs\web\controller>MainSystemController.class	30FE2F6E2A583BA674596EBB1437B3FC645FD456
WEB-INF\classes\com\pkmj\hs\web\controller\PaymentCallbackController.class	83EDACF43D769B61BA18B22292F03679C6CDFCBF
WEB-INF\classes\com\pkmj\hs\web\controller\ResponseWrapper.class	52244E6DFA515DF423AA653A6FE579CA2878953D
WEB-INF\classes\com\pkmj\hs\web\controller\WinLoseController\$1.class	BE8CCA5A43C80DB8576D6186968088D24F8B6185
WEB-INF\classes\com\pkmj\hs\web\controller\WinLoseController.class	4395B3080553F3589BA188EC156BBD63BBF301EE
WEB-INF\classes\com\pkmj\hs\web\history\BaseHistoryDetailOutMsg.class	B462D6681BA6050A46A9F82A21EF2B044910184A
WEB-INF\classes\com\pkmj\hs\web\history\GameHistoryAward.class	4601E86FA52E2CB079DCA0BF4FCF775A5BA56EC1
WEB-INF\classes\com\pkmj\hs\web\history\GameHistoryLine.class	7CA4910C385461BB62B955447AEB72F380573BB8
WEB-INF\classes\com\pkmj\hs\web\history\GameHistoryLineOut.class	33CD0578A3EFFCC09A12D231A2702740E39895F5
WEB-INF\classes\com\pkmj\hs\web\history\GameHistoryMahjongTile.class	98417D402C30E6300E339F4C190F351452C93CA8
WEB-INF\classes\com\pkmj\hs\web\history\GameHistoryQuerySqlUtils.class	0FF6DCF0B3E78F4C6EFEC35BCDF2DB8C29E743B1
WEB-INF\classes\com\pkmj\hs\web\history\GameHistoryResult.class	EFD29FD86E9C6D5038AFD7C884B60952ABDF4151

bmm testlabs

WEB-INF\classes\com\pkmj\hs\web\history\GameHistoryResultOutMsg.class	90974E7F7B5DBD875CEF5CF5250B184151FA4F58
WEB-INF\classes\com\pkmj\hs\web\history\GameHistoryUtils.class	8A2F4E3D072F2DAAF99BA4F757A3D3B2980EF760
WEB-INF\classes\com\pkmj\hs\web\history\HistoryDetailResult.class	4F13FC80E7C0E9E2EE6511B738A0E95D96297FC1
WEB-INF\classes\com\pkmj\hs\web\history\PlayerHistoryDetailLine.class	896A2A144DCBF159C3ED96735076159B21B36798
WEB-INF\classes\com\pkmj\hs\web\history\PlayerHistoryDetailLineOut.class	88668023D66A3A8C535E0CCF3640818FEC42FC0
WEB-INF\classes\com\pkmj\hs\web\history\PlayerHistoryDetailOutMsg.class	4C8880E5F46B270E35F2965ECB3E3024E3867F91
WEB-INF\classes\com\pkmj\hs\web\history\TournamentHistoryDetailLine.class	606DAA43E7B23DDEC0412E0C8A87527C09130261
WEB-INF\classes\com\pkmj\hs\web\history\TournamentHistoryDetailLineOut.class	A40E697D03CD9C24637CBE047B9AFDB3D00CE2FB
WEB-INF\classes\com\pkmj\hs\web\history\TournamentHistoryDetailOutMsg.class	D1695596388EAA43B07E4139A4D1868485C0E817
WEB-INF\classes\com\pkmj\hs\web\history\TournamentType.class	4EC7C6E2AA5E86BBEB2746557D1116A7FEF1F005
WEB-INF\classes\com\pkmj\hs\web\history\WinLoseLine.class	24D38A669E6E330F9872067B5A7515378B7D71A5
WEB-INF\classes\com\pkmj\hs\web\history\WinLoseLineOut.class	51F71563739749BB716FCCDCA2ABB7DCD4FE276F
WEB-INF\classes\com\pkmj\hs\web\history\WinLoseQuerySqlUtils.class	B19D891EED87565305CB7B42920258D106E69795
WEB-INF\classes\com\pkmj\hs\web\history\WinLoseResult.class	51DAA46286A16DC270DBF0C25B621B2962A6AB02
WEB-INF\classes\com\pkmj\hs\web\http\AuthFaceBookHttpUtils.class	FE7702F0F017F185C6D377A621935F95B8E06227
WEB-INF\classes\com\pkmj\hs\web\http\AuthGeneralVendorHttpUtils.class	4B0440B2B57AAB4A30C40B4756FA9650E45B7CAB
WEB-INF\classes\com\pkmj\hs\web\http\AuthIahHttpUtils.class	E84F493D31E19FEAF68C98637EFD7F83120FCB44
WEB-INF\classes\com\pkmj\hs\web\http\AuthW88HttpUtils.class	C031C340FEDBE2414BF8B3639B754156389BD73D
WEB-INF\classes\com\pkmj\hs\web\http\BaseHttpUtils.class	74D6F4FCA654E51D5D2894D27D827A1F17BC3CDD
WEB-INF\classes\com\pkmj\hs\web\http\PaymentHttpUtils.class	44EBE059159B74CDCC294642D671815088AAE496
WEB-INF\classes\com\pkmj\hs\web\http\TestHttpUtils.class	5BCF384003CE4453DFCF844A5527BC307354EA94
WEB-INF\classes\com\pkmj\hs\web\http\WalletHttpUtils.class	F5EED94FB8DDC629131008FFF6FEA22D1DD1E9B9
WEB-INF\classes\com\pkmj\hs\web\model\AccountCreateErrorCode.class	A74E2EC758CD87C8ADFC12E864B2241AEEA8A90A
WEB-INF\classes\com\pkmj\hs\web\model\AuthDataOutIgnore.class	AAD27453ACB96E04BD95AA129A4C3E89ECB93597
WEB-INF\classes\com\pkmj\hs\web\model\AuthGeneralVendorToken.class	26BD3E6C330CBCC27321EA9EF091DC295B749176
WEB-INF\classes\com\pkmj\hs\web\model\AuthUserPass.class	BCE182BB01AA33E71DAA9E51B7751949AC943CFC
WEB-INF\classes\com\pkmj\hs\web\model\AuthUserToken.class	8BDD61449E0D588377ECB4B77E054DE40D052C4A
WEB-INF\classes\com\pkmj\hs\web\model\GeneralResult.class	E6B892DCA10CA824A17FC5DC0E531D053781D982
WEB-INF\classes\com\pkmj\hs\web\model\HttpErrorCode.class	3E4CCFD5AF8AC861B662F9F7FCC6E7A1C6A13DED
WEB-INF\classes\com\pkmj\hs\web\model\IahWalletCallErrorCode.class	D95619DCB9F0CCE800234750E844E53109D46215
WEB-INF\classes\com\pkmj\hs\web\model\LeaderBoard.class	FE61C4BFE8E7321DBD3A1582B3C1DAF7E10F7D96
WEB-INF\classes\com\pkmj\hs\web\model>LoginPassportResult.class	272254AFFD469C1ACC0B55C5FDA382FC01D94697
WEB-INF\classes\com\pkmj\hs\web\model\TopUpResult.class	0A67B8ECDD15A50A451704BB0F8D2E613098A493
WEB-INF\classes\com\pkmj\hs\web\model\UserInfo.class	0D2F7295DAD26EBEAB96689882B5B14438ED6195
WEB-INF\classes\com\pkmj\hs\web\model\Winner.class	572E13D49D87D05B5E0060BEF6CC07F5FFE19048
WEB-INF\classes\com\pkmj\hs\web\msg\AuthDataInMessage.class	C7A3B279FFF7B72AE0A71F3067D5999C29AFC1B0F
WEB-INF\classes\com\pkmj\hs\web\msg\AuthDataOutMessage.class	874345137ED71CBB760BBC760A60059FDAA3525C
WEB-INF\classes\com\pkmj\hs\web\msg\BaseDataInMessage.class	5D7D8569BD24E0C936D23F2EE6EF3618F9BFFAE5
WEB-INF\classes\com\pkmj\hs\web\msg\BaseDataOutMessage.class	5476B6753B1DC67CF32325C6467941C486263C21

WEB-INF\classes\com\pkmj\hs\web\msg\BasePaginationDataInMessage.class	ACACB711DBBBCFCCE4D51B9E65E589F1D4174B96
WEB-INF\classes\com\pkmj\hs\web\msg\BaseSerialMessage.class	F8FD358286C2E2E6A1129A839297F0EEDCFB56ED
WEB-INF\classes\com\pkmj\hs\web\msg\BonusClaimDataInMessage.class	E3261D799C1608231BFA9787800390C23CEE8BA5
WEB-INF\classes\com\pkmj\hs\web\msg\BonusClaimDataOutMessage.class	203427F711F5DDC3940B8A276F7B73750E637FCF
WEB-INF\classes\com\pkmj\hs\web\msg\BonusDataOutMessage.class	619B8EDB8DB80C3089523BBDF60C207CA1906762
WEB-INF\classes\com\pkmj\hs\web\msg\ErrorDataOutMessage.class	D5D21061D7C6379438FFF62512D63B6D3A8B351D
WEB-INF\classes\com\pkmj\hs\web\msg\GameHistoryDataInMessage.class	3EADECE0341C2AD1710A5E1CCDBC2452BD1C2C08
WEB-INF\classes\com\pkmj\hs\web\msg\GiftClaimDataInMessage.class	8CAA4C27C041B5A64D67DE2DD91EE3D7AC737BE9
WEB-INF\classes\com\pkmj\hs\web\msg\GiftClaimDataOutMessage.class	0BAC71D38D3170D2165C251466A6EE49B5714A7D
WEB-INF\classes\com\pkmj\hs\web\msg\GiftDataOutMessage.class	1B0E7CDE4F9B42671B0646B70B9B66DE809203FE
WEB-INF\classes\com\pkmj\hs\web\msg\GiftSendRequestDataInMessage.class	B1F8FAD795CD080D3F4539F0C639FBD3CFE44EE9
WEB-INF\classes\com\pkmj\hs\web\msg\GiftSendRequestDataOutMessage.class	319B64F7DDA85B4E9449F6E4C8C6BB415CAF5294
WEB-INF\classes\com\pkmj\hs\web\msg\HistoryDetailDataInMessage.class	9862BEFB664D134FC4F82953AF17C024E417000
WEB-INF\classes\com\pkmj\hs\web\msg\IahAccountCreateInMessage.class	2EA5356494BC75338D02E1E56B46F070BC9B8988
WEB-INF\classes\com\pkmj\hs\web\msg\IahAccountCreateOutMessage.class	220F0B3B266235CE11AAF5243666F8891F59294
WEB-INF\classes\com\pkmj\hs\web\msg\IahAuthDataInMessage.class	544B26645BE5F626B72C73DD80875F864C64F14B
WEB-INF\classes\com\pkmj\hs\web\msg\IahCheckUserExistOut.class	E2156C716434AA7DE78F17339A1BD1724CED607D
WEB-INF\classes\com\pkmj\hs\web\msg\IahWalletRequestDataInMessage.class	FE697F685D0CB70D643802E009AD971ACE69A58F
WEB-INF\classes\com\pkmj\hs\web\msg\IahWalletRequestDataOutMessage.class	8BCCA139BFA6BD08FD4F9A1A53EEFA4E439871D5
WEB-INF\classes\com\pkmj\hs\web\msg\IahWalletRequestDataOutMessageWrapper.class	119DEFE81139A3236FDEEA5DE6C9EFCD5688B042
WEB-INF\classes\com\pkmj\hs\web\msg\LeaderBoardDataInMessage.class	0C36669A3643D4582C19A5478565425564740D78
WEB-INF\classes\com\pkmj\hs\web\msg\LeaderBoardDataOutMessage.class	A8D6C9D0FE23C3D441E649F6CC9FB79C6CAEA9AE
WEB-INF\classes\com\pkmj\hs\web\msg\ListItemPackageDataOutMessage.class	D22A781C71D6C5D0AB19C59F6B188C47E66D5C02
WEB-INF\classes\com\pkmj\hs\web\msg\SendDataOutMessage.class	4A12AA07DB6BFC80C15820AA61F643AC90F07103
WEB-INF\classes\com\pkmj\hs\web\msg\TopUpDataInMessage.class	CFADB094EFA5E3FC9DC597E9B7291204A910AE20
WEB-INF\classes\com\pkmj\hs\web\msg\TopUpDataOutMessage.class	13FCFD692A7B43073B356373B759750BC77E67C
WEB-INF\classes\com\pkmj\hs\web\msg\WinLoseDataInMessage.class	959223719E540C90350E4EE767C8F4B54F88FA5C
WEB-INF\classes\com\pkmj\hs\web\msg\WinLoseDataOutMessage.class	48C539F3F1A1DD58B223F90A3C26D3E3E009C780
WEB-INF\classes\com\pkmj\hs\web\msg\WinnerListDataOutMessage.class	8EA3F2ED3E90E7A31CB1C1A3FB9C7C38F1BECEF2
WEB-INF\classes\com\pkmj\hs\web\msg\WinnerListRequest.class	F6D94945F3CA9B66DF554BCAD25EC8FFE91D71B5
WEB-INF\classes\com\pkmj\hs\web\msg\out\BaseOutObject.class	7C5E2163000711508D76283A31D6FC4853722364
WEB-INF\classes\com\pkmj\hs\web\msg\out\ItemPackageOut.class	0A3028C3D9DD8D1BB69D9527D558573A5841D278
WEB-INF\classes\game_history_query_sqls\player_history.sql	6979B1D9FA40D1976312B697D1CD282BE36260C4
WEB-INF\classes\game_history_query_sqls\player_history_count.sql	2EE84C7C55D630BC67EB34E5720003441A6DA2E8
WEB-INF\classes\game_history_query_sqls\player_history_detail.sql	76C123CB968B1B6DF2E206F41776F9E1C34CEEEED
WEB-INF\classes\game_history_query_sqls\tournament_history.sql	4ADB3F858AD53E0F23BAF17FDDA25A48A1CD6F0B

WEB-INF\classes\game_history_query_sqls\tournament_history_count.sql	9BB29F1C6C611765C1C1ACF0F847226B417D6C64
WEB-INF\classes\game_history_query_sqls\tournament_history_detail.sql	776FB8853ED1F6802CA7A1CFEC8EE57B556AB2C1
WEB-INF\classes\win_lose_query_sqls\win_lose.sql	44C8EFCE855EEA4DB73BB0D16E4BB7975271D9E4
WEB-INF\classes\win_lose_query_sqls\win_lose_count.sql	EFF08E05BB228CF2E84C23A0A8E1E6DA054BF37E
WEB-INF\jsp\item.jsp	074AF5E24FE4F5683A4EED62880BE49FD2130A69
WEB-INF\lib\activation-1.1.1.jar	485DE3A253E23F645037828C07F1D7F1AF40763A
WEB-INF\lib\activemq-client-5.11.1.jar	4D501BA53065BE743DD66BF13E81A0512E33E860
WEB-INF\lib\activemq-jms-pool-5.11.1.jar	D55309C8087FD53BC6152E0F81FB8A087B2CED79
WEB-INF\lib\activemq-pool-5.11.1.jar	B02BFC6FD769B49E395F6F394BAE9A1CCC9E86C3
WEB-INF\lib\antlr-2.7.7.jar	83CD2CD674A217ADE95A4BB83A8A14F351F48BD0
WEB-INF\lib\aoapalliance-1.0.jar	0235BA8B489512805AC13A8F9EA77A1CA5E8E3E8
WEB-INF\lib\c3p0-0.9.1.1.jar	302704F30C6E7ABB7A0457F7771739E03C973E80
WEB-INF\lib\classmate-1.0.0.jar	434EFF28C81162B17C540E634CFFA3BD9B09B4C
WEB-INF\lib\CommonBase.jar	B919E4E5C25D8B93C0C975CE5A4404F7707D0FAD
WEB-INF\lib\commons-codec-1.9.jar	9CE04E34240F674BC72680F8B843B1457383161A
WEB-INF\lib\commons-collections-3.2.1.jar	761EA405B9B37CED573D2DF0D1E3A4E0F9EDC668
WEB-INF\lib\commons-io-2.4.jar	B1B6EA3B7E4AA4F492509A4952029CD8E48019AD
WEB-INF\lib\commons-lang-2.6.jar	0CE1EDB914C94EBC388F086C6827E8BDEEC71AC2
WEB-INF\lib\commons-lang3-3.4.jar	5FE28B9518E58819180A43A850FBC0DD24B7C050
WEB-INF\lib\commons-logging-1.2.jar	4BFC12ADFE4842BF07B657F0369C4CB522955686
WEB-INF\lib\commons-pool-1.6.jar	4572D589699F09D866A226A14B7F4323C6D8F040
WEB-INF\lib\dom4j-1.6.1.jar	5D3CCC056B6F056DBF0DDDFF43894B9065A8F94
WEB-INF\lib\geronimo-j2ee-management_1.1_spec-1.0.1.jar	5372615B0C04C1913C95C34A0414CEF720CA2855
WEB-INF\lib\geronimo-jms_1.1_spec-1.1.1.jar	C872B46C601D8DC03633288B81269F9E42762CEA
WEB-INF\lib\geronimo-jta_1.0.1B_spec-1.0.1.jar	C9E67D21082A497F20E4CE87BE1379FACEB9C087
WEB-INF\lib\hawtbuf-1.11.jar	8F0E50AD8BEA37B84B698EC40CCE09E47714A63E
WEB-INF\lib\hibernate-commons-annotations-4.0.5.Final.jar	2A581B9EDB8168E45060D8BAD8B7F46712D2C52C
WEB-INF\lib\hibernate-core-4.3.10.Final.jar	6DBF5FE7A8CB307587AD4B4A97AE0933BBA5E2A9
WEB-INF\lib\hibernate-entitymanager-4.3.10.Final.jar	001D1BEB7BBD179D9BF241C4A8165F0BF3693ACA
WEB-INF\lib\hibernate-jpa-2.1-api-1.0.0.Final.jar	5E731D961297E5A07290BFAF3DB1FBC8BBBF405A
WEB-INF\lib\hibernate-validator-5.1.3.Final.jar	334D46A93CF095160CE06D8382594B904933C808
WEB-INF\lib\HikariCP-java6-2.3.8.jar	44F04673A2AEFCBD94EB0D542005E2619BAA4FBD
WEB-INF\lib\httpasyncclient-4.1.jar	27EA5ABF1834F2C0BDE03ABEC3917172EC698870
WEB-INF\lib\httpclient-4.4.1.jar	016D0BC512222F1253EE6B64D389C84E22F697F0
WEB-INF\lib\httpcore-4.4.1.jar	F5AA318BDA4C6C8D688C9D00B90681DCD82CE636
WEB-INF\lib\httpcore-nio-4.4.1.jar	A8C5E3C3BFEA5CE23FB647C335897E415EB442E3
WEB-INF\lib\jackson-annotations-2.6.0.jar	A0990E2E812AC6639B6CE955C91B13228500476E
WEB-INF\lib\jackson-core-2.6.0.jar	BA4506602D0F51D214BA16B80E2E70A714152A20
WEB-INF\lib\jackson-core-asl-1.9.3.jar	E96286E8EBE4C5523D5621278DC2114116108A0E
WEB-INF\lib\jackson-databind-2.6.0.jar	D2E494B027C26EDC4D4E7E9251E168E6AF26D2D3
WEB-INF\lib\jackson-dataformat-xml-2.6.0.jar	C7C59E9DCC81F42DC8B245CA8105FAEC5AEF5DE7

WEB-INF\lib\jackson-datatype-hibernate4-2.6.0.jar	071407C1D4DBBA753548467485C87726CBA2D6BD
WEB-INF\lib\jackson-mapper-asl-1.9.3.jar	DD1373FE304F64AE3DAA50E67B9B9CF6995EC1A0
WEB-INF\lib\jackson-module-jaxb-annotations-2.6.0.jar	ABDEB3242C00701FD2542EEEB757DB4189A4361D
WEB-INF\lib\jandex-1.1.0.Final.jar	E84A2122E76F0B6503BE78094DDF2108057AC15F
WEB-INF\lib\javassist-3.18.2-GA.jar	1180A90FBAD732B60FB728A6BBE8FCB3151423D7
WEB-INF\lib\jboss-logging-3.1.3.GA.jar	64499E907F19E5E1B3FDC02F81440C1832FE3545
WEB-INF\lib\jboss-logging-annotations-1.2.0.Beta1.jar	2F437F37BB265D9F8F1392823DBCA12D2BEC06D6
WEB-INF\lib\jboss-transaction-api_1.2_spec-1.0.0.Final.jar	1F9FEF7A9FCBB41CC390FC370A291CF30729E094
WEB-INF\lib\joda-time-2.8.1.jar	F5BFC718C95A7B1D3C371BB02A188A4DF18361A9
WEB-INF\lib\joda-time-hibernate-1.4.jar	179CECF3473DF1BE04E1A7F3222C7BDDE6792327
WEB-INF\lib\json-20140107.jar	D1FFCA6E2482B002702C6A576166FD685E3370E3
WEB-INF\lib\jsp-api-2.1.jar	63F943103F250EF1F3A4D5E94D145A0F961F5316
WEB-INF\lib\jstl-api-1.2.jar	F9A034C1CA1F79C03BB461805A688F944544D138
WEB-INF\lib\logback-classic-1.1.3.jar	D90276FFF414F06CB375F2057F6778CD63C6082F
WEB-INF\lib\logback-core-1.1.3.jar	E3C02049F2DBBC764681B40094ECF0DCBC99B157
WEB-INF\lib\mail-1.4.7.jar	9ADD058589D5D85ADEB625859BF2C5EEAAEDF12D
WEB-INF\lib\mockito-all-1.10.19.jar	539DF70269CC254A58CCCC5D8E43286B4A73BF30
WEB-INF\lib\mysql-connector-java-5.1.36.jar	6BBB5861F44C21C775EE713A438E5BC493C095F7A
WEB-INF\lib\quartz-2.2.0.jar	2EB16FCE055D5F3C9D65420F6FC4EFD3A079A3D8
WEB-INF\lib\restfb-1.7.1.jar	541C4EA8591348CC059E681648941FE68365687A
WEB-INF\lib\servlet-api-2.5.jar	5959582D97D8861F4D154CA9E495AAFD16726E34
WEB-INF\lib\slf4j-api-1.7.12.jar	8E20852D05222DC286BF1C71D78D0531E177C317
WEB-INF\lib\spring-aop-4.1.7.RELEASE.jar	127F005BAC8EC1FBBBC5BB1595D78C6179394A46
WEB-INF\lib\spring-beans-4.1.7.RELEASE.jar	E52148E9671E2918A2172C9CF56B77BEDE2042CE
WEB-INF\lib\spring-context-4.1.7.RELEASE.jar	8C6C02BCCCFA23A74DB59F7B7725E69E1AF38F04
WEB-INF\lib\spring-context-support-4.1.7.RELEASE.jar	0DB508937A1033BD3267E57566044DF705076DC6
WEB-INF\lib\spring-core-4.1.7.RELEASE.jar	9F8E34EEF228F44BDA771C9DC62E9F1EFA82C92D
WEB-INF\lib\spring-expression-4.1.7.RELEASE.jar	9BC3B81D05961F042EA4A45E84D60CDC59EA51F5
WEB-INF\lib\spring-jdbc-4.1.7.RELEASE.jar	5E4C9931ACAF2857EFE5F1AD27E4791C0855B8B2
WEB-INF\lib\spring-jms-4.1.7.RELEASE.jar	75CCE2B45BF573A2C9197C2E4DAE6480BDB2D27C
WEB-INF\lib\spring-messaging-4.1.7.RELEASE.jar	329DF947037C2DFF0A922A234DE575CC0CACA09D
WEB-INF\lib\spring-orm-4.1.7.RELEASE.jar	D8923BDFFE631904899875E719D8B363BC3DEAEA
WEB-INF\lib\spring-tx-4.1.7.RELEASE.jar	3465A5D3B24006D51482CF45ABD13E347F64582A
WEB-INF\lib\spring-web-4.1.7.RELEASE.jar	2D9245006B788D7D6AFEEC85A43E4BFE2E46340A
WEB-INF\lib\spring-webmvc-4.1.7.RELEASE.jar	B6B9F604CB2223251CAE67FFF7CA2B1D9FF1C2D8
WEB-INF\lib\standard-1.1.2.jar	A17E8A4D9A1F7FCC5EED606721C9ED6B7F18ACF7
WEB-INF\lib\stax2-api-3.1.4.jar	AC19014B1E6A7C08AAD07FE114AF792676B685B7
WEB-INF\lib\usertype.core-3.1.0.CR1.jar	167177B63A95AB32C8BC9DFE0D07781D1E219847
WEB-INF\lib\usertype.spi-3.1.0.CR1.jar	C7D26878D55FFBB369D22885A9BE04502AD97EB9
WEB-INF\lib\validation-api-1.1.0.Final.jar	8613AE82954779D518631E05DAA73A6A954817D5
WEB-INF\lib\velocity-1.7.jar	2CEB567B8F3F21118ECDEC129FE1271DBC09AA7A

WEB-INF\lib\xml-apis-1.0.b2.jar	3136CA936F64C9D68529F048C2618BD356BF85C9
Folder: \LobbyServer\	
.classpath	8327762348C649105C6AAF67962522E4E6A78722
.project	71F821CFC976B52B902DF14E260CE2ABA5AE70B7
logback.properties	1434420F6C4C213E359F5EF36585860285512336
maven-eclipse-setup.bat	E326BB4CCF7ACE9BF496901DD82EE3CCCCE771FB
maven-shade-aws_demo_server.bat	257EFB48A3B395EF75656ECEB0413869D4FEA45D
maven-shade-cash_production.bat	F0593DAA12DB4FDB77D7AA3C65BB96E60384C98A
maven-shade-development.bat	03A3EB7B599056C93A77FD5D91E783FC777EECAE
maven-shade-facebook_production.bat	064C40A9EBA1879688A3E7386EC7B5930F28C8BA
maven-shade-facebook_staging.bat	3346168B392C8E6F6034816192109FA20CF7A25D
maven-shade-uat_test_env.bat	0322DB3E2190E18C97285E06F9928A6198A6B200
pom.xml	D999A11D149D3B1F35427D4410B79A1CC703D01
.settings\org.eclipse.jdt.core.prefs	B9D4C418A2B50A7A80BCFDEA46E4D3A4BC4863F7
.settings\org.eclipse.wst.common.component	123AC1ABB0B91F91BDFF7C3D658D0B5A57A2F031
.settings\org.eclipse.wst.common.project.facet.core.xml	F40AAFB5E7A31EF3E9043ED0167771E4960344C5
src\main\config\cash_production\lobby_server.properties	0C1678D1F20BB0D69DD6A011E9BDDB00B34FCA6F
src\main\config\uat_test_env\lobby_server.properties	A529EF9E42D73AD05D095577B3A12A209D547A1C
src\main\java\com\pkmj\lobby\LobbyAkkaActorUtils.java	C12DB9EF3D4FE83E6409685D6B631CDA2DDD857B
src\main\java\com\pkmj\lobby\LobbyAkkaFactoryUtils.java	5D4E03AF891666CD6339B36CBAE6A9333D8C3857
src\main\java\com\pkmj\lobby\LobbyAkkaRemoteUtils.java	712BB6DEC3E6308131B710A7A7DC14C35E64EA72
src\main\java\com\pkmj\lobby\LobbyServerBoot.java	01BA9CFB01CFA4DAA5F7E53027E5646D9E698246
src\main\java\com\pkmj\lobby\LobbyServerConfiguration.java	0A634747B049A1179509FA5BB0E6F84E5748A825
src\main\java\com\pkmj\lobby\LobbyServerConfigUtils.java	7EFAA1A35935487FED7289DB8272A6889D69B410
src\main\java\com\pkmj\lobby\LobbyServerLauncher.java	0854160696FE3DB7B46E0233799E7A5399A726B3
src\main\java\com\pkmj\lobby\MessageTranslator.java	5614A708E6E3DBDC2E813B821EAB0B927E3BE7D8
src\main\java\com\pkmj\lobby\actor\AnnouncementActor.java	9257F1F352F0C9E96E943D83A7EE3878B3170BE6
src\main\java\com\pkmj\lobby\actor\BaseLobbyActor.java	30DE875E16EF4CBB9617E2FE292CF75905BA1258
src\main\java\com\pkmj\lobby\actor\ConnectionActor.java	F00A5FAF8B0318F0FFC6A139F399AD409919146F
src\main\java\com\pkmj\lobby\actor\LobbyAutoScalingActor.java	BBE03A8A507EA455F827CD531830DF6F858AE616
src\main\java\com\pkmj\lobby\actor\LobbyCamelConsumerActor.java	91DB0F5CC826CA09A328E42238A75DB360EF2659
src\main\java\com\pkmj\lobby\actor\LobbyCurrencyActor.java	3D9A34ADE5806D9B9B4B2484E944BD3616B44FB0
src\main\java\com\pkmj\lobby\actor\LobbyServerActor.java	9A46EC86534BC99699C2DC0B33506A030FC61061
src\main\java\com\pkmj\lobby\actor\LobbyServerUtils.java	723EFF62A2B1C95FF2769D7BA154021511156AE4
src\main\java\com\pkmj\lobby\actor\RoomManagerActor.java	CB18BB11FC85867CA57E6031B8CBEBFEDD53CBA8
src\main\java\com\pkmj\lobby\actor\SendMessageToClientActor.java	D16E63E3E96B5E4582B899596BE94301B06B7169
src\main\java\com\pkmj\lobby\actor\UserActor.java	9E1C428ABE53C05928AD35BD37A7C60523FD4835
src\main\java\com\pkmj\lobby\actor\UserActorSupervisor.java	1806D054F1160781A2DBA588C35ECC5B823080DD
src\main\java\com\pkmj\lobby\actor\mobile\BaseMobileLobbyActor.java	CD52COBD2465EA62D940FA7DBAEB7550A989637C
src\main\java\com\pkmj\lobby\actor\mobile\MobileRoomManagerActor.java	E33A321CC6E8085B5D432384C8853E687750C88E
src\main\java\com\pkmj\lobby\netty\ActorPipelineFactory.java	E0C4A9CB2AEC09F8F685FE601B6FB2A641B5A654

src\main\java\com\pkmj\lobby\netty\GZIPDecoder.java	B147F7D9437E8B483D30BFBF344158CBB8E9D40D
src\main\java\com\pkmj\lobby\netty\GZIPEncoder.java	775E11C41B900B5F6561D092713B96EA9A28B56A
src\main\java\com\pkmj\lobby\netty\NettyServer.java	1478CAF33C6E22DA2072ECAD882BC3A40229551
src\main\java\com\pkmj\lobby\netty\NettyServerHandler.java	F513C2E123D00B515085F054BDC108D420164213
src\main\java\com\pkmj\lobby\netty\policyserver\FlashPolicyServerDecoder.java	D40E3BF908B3DB9E11D1FA781C06C21EE723F1EA
src\main\java\com\pkmj\lobby\netty\policyserver\FlashPolicyServerHandler.java	FEFAA3FDE0AE3CDCC9C28339E4E2E375F11C0B75
src\main\java\com\pkmj\lobby\netty\policyserver\FlashPolicyServerPipelineFactory.java	E6BA53C090168DB87A6E8AD604FB1D89434339AE
src\main\java\com\pkmj\lobby\utils\RandomChooseTableUtils.java	02B57D3E5815197123D59E32B4FC3BACA8B4FA2C
src\main\java\com\pkmj\lobby\utils\RandomChooseTourUtils.java	17C22689EBA9EB07B1CC57F27512D10B4B392868
src\main\java\com\pkmj\lobby\utils\SendAnnouncementMessageUtils.java	DE3B51E533876AC49CA7D0CF3DB4F25260D87B33
src\main\java\com\pkmj\lobby\utils\RandomChooseTableUtils.java	02B57D3E5815197123D59E32B4FC3BACA8B4FA2C
src\main\java\com\pkmj\lobby\utils\RandomChooseTourUtils.java	17C22689EBA9EB07B1CC57F27512D10B4B392868
src\main\java\com\pkmj\lobby\utils\SendAnnouncementMessageUtils.java	DE3B51E533876AC49CA7D0CF3DB4F25260D87B33
src\main\resources\application.conf	D68C74E3A2F70F55CA5FE77A7A9FB5880FE6A4A6
src\main\resources\lobby_server.properties	56CC4D57C0852442CBBE007C2B4375DBFA0DB3BA
src\main\resources\nickName_blacklist.txt	7A168F8839F02DD57829A68AD2B246468596EBBF
src\main\resources\roomCategory.xml	C9F634D8A9E58BE02702A528F618CD39611E4042
src\test\java\com\pkmj\lobby\test\CheckUserVPPServiceTest.java	D25FD998406FE79FEA8B9B98FDB6E2C779FD5D69
src\test\resources\lobby_test.properties	7A68225555DA5D0B1E38CD911F0A669437C37E69
target\classes\application.conf	D68C74E3A2F70F55CA5FE77A7A9FB5880FE6A4A6
target\classes\lobby_server.properties	56CC4D57C0852442CBBE007C2B4375DBFA0DB3BA
target\classes\nickName_blacklist.txt	7A168F8839F02DD57829A68AD2B246468596EBBF
target\classes\roomCategory.xml	C9F634D8A9E58BE02702A528F618CD39611E4042
target\classes\com\pkmj\lobby\LobbyAkkaActorUtils\$1.class	44205F80AAA2F69723692A3E56BC07A967BC00AF
target\classes\com\pkmj\lobby\LobbyAkkaActorUtils\$2.class	AF72C6AD878B09BA63E48B89D12134A37365C974
target\classes\com\pkmj\lobby\LobbyAkkaActorUtils.class	6E3410B682008ECCF12DC2781329E710CAA558FF
target\classes\com\pkmj\lobby\LobbyAkkaFactoryUtils.class	49E89437C8A710820FDE1635BB798582CDE155C7
target\classes\com\pkmj\lobby\LobbyAkkaRemoteUtils.class	3F47F991BC39E94E8DB5BD62D90B5CD02B25F92E
target\classes\com\pkmj\lobby\LobbyServerBoot.class	243B1B95C84B446D3726AFF0B2B3934F5A88EDC7
target\classes\com\pkmj\lobby\LobbyServerConfiguration.class	16868B186BDA9922B207ED0DA0B1EEC002E54F56
target\classes\com\pkmj\lobby\LobbyServerConfigUtils.class	89F2583B5A7206499D6A9246AF21597B9ECC1884
target\classes\com\pkmj\lobby\LobbyServerLauncher.class	4FBF74BE1DDCF1D8435F64090AFF6163ED37CAF5
target\classes\com\pkmj\lobby\MessageTranslator.class	1F91C43D6CF2936705354E3FAB8356FE924EB8AB
target\classes\com\pkmj\lobby\actor\AnnouncementActor.class	86597307B0D32F3261F3B683EF7448CF80FA7992
target\classes\com\pkmj\lobby\actor\BaseLobbyActor.class	DCB765E4036D55C4F92AC7624EE0BE2ABA9D9B0E
target\classes\com\pkmj\lobby\actor\ConnectionActor.class	A4A4BCCE55BEDFA2DF44FC1C4BA62610F8B9A40E
target\classes\com\pkmj\lobby\actor\LobbyAutoScalingActor.class	0051444833857A637C4F77FD6840FE4B5C4673A4

target\classes\com\pkmj\lobby\actor\LobbyCamelConsumerActor.class	4577C966A473A8235A7E17FDEBD20AAF6A01B796
target\classes\com\pkmj\lobby\actor\LobbyCurrencyActor.class	F8D9775F1E15662BC40007B9A129DEF6B77DCA2D
target\classes\com\pkmj\lobby\actor\LobbyServerActor.class	6B03EC92C55367C146CE17D8CA0D13BAE255398F
target\classes\com\pkmj\lobby\actor\LobbyServerUtils.class	F2612459275B3B6882284644AFD4FD935C9A0CA3
target\classes\com\pkmj\lobby\actor\RoomManagerActor\$1.class	19FBCF6869405E3E7EF96B09E3FDF221C0DF255A
target\classes\com\pkmj\lobby\actor\RoomManagerActor.class	63838C704B03D2EA4BE23FBFD6E39757ABFEE112
target\classes\com\pkmj\lobby\actor\SendMessageToClientActor.class	715FBB26FF041CA8104B907E86742FC0B0719D37
target\classes\com\pkmj\lobby\actor\UserActor.class	A1C886BBEBCD9AF3BD9FC4905DBF3C83AC7B4124
target\classes\com\pkmj\lobby\actor\UserActorSupervisor.class	1ED720765828457DE4D78083ECE0415EC75E2512
target\classes\com\pkmj\lobby\actor\mobile\BaseMobileLobbyActor.class	44BF9BE92E48189D59E8730584772E0DDE7B971E
target\classes\com\pkmj\lobby\actor\mobile\MobileRoomManagerActor\$1.class	8A1E43471D86BC6DDF09B51EEBA7AB12358F63D5
target\classes\com\pkmj\lobby\actor\mobile\MobileRoomManagerActor.class	D0B3E3EE5AE726BECCBEB975F1E3FA1AE4793765
target\classes\com\pkmj\lobby\netty\ActorPipelineFactory.class	5E8AA9825926402607242428538A3CA8B5458670
target\classes\com\pkmj\lobby\netty\GZIPDecoder.class	15086E03E55BBCCCBF8D7C5A315649F0A249153C
target\classes\com\pkmj\lobby\netty\GZIPEncoder.class	87B772AD970456B250CEE763381A742284EB6CE6
target\classes\com\pkmj\lobby\netty\NettyServer.class	A3A944DD09B87981411D4D7BF97C4D95EA56299A
target\classes\com\pkmj\lobby\netty\NettyServerHandler.class	3669A13530F89985F2FD1264BE1191EF2E6B6E26
target\classes\com\pkmj\lobby\netty\policyserver\FlashPolicyServerDecoder.class	8003874C1CA93081023DE24402093C0CF4114508
target\classes\com\pkmj\lobby\netty\policyserver\FlashPolicyServerHandler.class	9ED29952321A4FE7FC2D35AAC48E08AF225AA082
target\classes\com\pkmj\lobby\netty\policyserver\FlashPolicyServerPipelineFactory.class	FD5EAECB2E61F5A11A264315F7D58C50577CB231
target\classes\com\pkmj\lobby\utils\RandomChooseTableUtils.class	5A44DEAB7577B7C0EFDCC880AD9A4E046B4923818
target\classes\com\pkmj\lobby\utils\RandomChooseTourUtils.class	4786F532BE10E6D830C5E61A0E08F708255D787F
target\classes\com\pkmj\lobby\utils\SendAnnouncementMessageUtils.class	B11872B3EFFB9DB611D4DA58FA2637A8BEB77DDD
target\test-classes\lobby_test.properties	7A68225555DA5D0B1E38CD911F0A669437C37E69
target\test-classes\com\pkmj\lobby\test\CheckUserVPPServiceTest.class	F3B8AAE4FCB77EFDDD3576500D551167B2053708
Folder: \.metadata\plugins\org.eclipse.wst.server.core\tmp0\wtpwebapps\pokermahjongstub\	
authenticateConfig.json	C63B727CF40D4E1A69265DD345C5E6FA2B33DF04
crossdomain.xml	8C0767081C82EAE0CB77A2210EB8B1C1BBE60B88
favicon.ico	86D244A5AC21974DA4C3E4BD79711B816AC5F836
index.html	B767BE167C7945CD37A014AF402876573846B50E
preloader.swf	DC1A0DC56F7A1E7565021230CF136F424AFCB6B6
setting_1.xml	5357AC32D9F89CD6142FB682DC6A33556AD150B1
assets\assets.swf	C746D2B73B3036B631F76E94C8A6FEBEA85206EB
assets\assets_old.swf	7578075E71C8CE6435E1323D95DC618ACE36C1C8
assets\avatars.swf	35C7C34BC61F2CC8EA285B9E7670F24E65FE13C4
assets\backgrounds.swf	629413BEC3FB87ED213F553C86267368ED9FE2AB
assets\components.swf	D2F18C0A29A78887D209C12D430BE0B8DD3F89F9
assets\preloader.swf	5845A9D7569AABC0ECBE1945DCFAD96333C0C2D0
assets\sounds.swf	539137516E840E45589C3A91C9E1689AC1B7193B

bmm testlabs

assets\tutorial.swf	901DE11F5D1B379CB705A646B0D4708FBF6CC139
assets\fonts\en_US.swf	C2EE8041AA509B6DD4A3F206CBE8D9A9FDB52D27
assets\fonts\id_ID.swf	75E8F6AFF9ADAFBFEEA9C3EFD1E10DBE90A23E12
assets\fonts\ja_JP.swf	776D563548128E86CD7E854ACCCE83B1BC9A1954
assets\fonts\ko_KR.swf	3BCD0C44FE4230D5D81ACA677C5946F454E2974F
assets\fonts\th_TH.swf	5A04062D655178DC1A06D595470CD996605AE465
assets\fonts\vi_VN.swf	02D5761C32DCD27D2D52320514483806054712A2
assets\fonts\zh_CN.swf	02149355CBA01EBA45D017F6F7417AFAF2226DE4
images\chip.png	DBA10039C6F820F3AFEA3260B53174D47A81E552
images\close.gif	E44551F338998FCFFAC26BF10F0E410303EBD94D
images\headerBg.jpg	0BECA83568095E135B03DA00BE54B7CD455BD126
images\headerBg.png	751974F02AC90E8806FC1651BE19914358F586BC
images\pm-2-bg.jpg	A1E7C1748AB2700FDC4040C4091791DAC6DC1FFB
images\Tournament-Prize-320x320.jpg	FB7D6BCD9B269633D2BFC61CE137F1875FA91892
images_notes\dwsync.xml	5405DE84D25C9BA6B84576FD090A607D50149A24
locale\en_US\lang.properties	4F8934ED1F181CF84D1C3ABBFD24688586A0BD07
locale\id_ID\lang.properties	992BB2C11D43CFF0F525758DC75AF6B14F9A83FD
locale\ja_JP\lang.properties	C94F1216DE90144713BAF5873211390542C4E1F8
locale\km_KH\lang.properties	D1171C16067C5FA03DB7B0028FE0746FB9344FE1
locale\ko_KR\lang.properties	616BBD9617B73E9DD1C959372A84F92B97D07A7B
locale\th_TH\lang.properties	C4F67317E51DEFBC09B486E728EE4E9037957442
locale\vi_VN\lang.properties	E3ECC2658322657D470B05B908970A58276D8ECD
locale\zh_CN\lang.properties	88FBBB58DAC21BF90DBCEFFFF8979363B507A186
rules\Info Centre.html	F17B858D25F41649961B8A9071549F4434E9A49C
rules\Info Centre_files\back.gif	A52774655EED0F302C2ADD3FB985699949574AF6
rules\Info Centre_files\goTop.gif	BFA503ED4F7BC69449EE256C91A04EA7C2BDB195
rules\Info Centre_files\goTop.js	0C530E38CF78E143F8744B467221CAB5169C9802
rules\Info Centre_files\image001.png	33D2ACD431862D5D22E67298EEAFCB512EC5B68
rules\Info Centre_files\image002.png	F9CB528B0C799E7D9BB608CA1B3BBE6349A3ADBE
rules\Info Centre_files\image003.png	043B60324A480C903EBBC81F83E425AD5A0961CE
rules\Info Centre_files\image004.png	F95365B68CA27EBEDF03D380AB671BF7FC686218
rules\Info Centre_files\image005.png	71861225AB61E399C873CE83437939D54874A73B
rules\Info Centre_files\image006.png	1FDA81095C510C2694B44E74EC2CF1B2C6DD5014
rules\Info Centre_files\image007.png	3E521CEE3C2A1ADDE043CCA7503BC4F1BA030B02
rules\Info Centre_files\image008.png	696E0AC7EF62C05193674163E43EC10C6B810B52
rules\Info Centre_files\image009.png	847F554941C40A9C66CA53D6F129D7DBC65BA04A
rules\Info Centre_files\image010.png	E497EA4565ABF76F5C5A955E045558E712D392E4
rules\Info Centre_files\image011.png	1028FB5B8C3C60926D37E0870D91FC0FB2BA5FA6
rules\Info Centre_files\image012.png	37206D2C4105F642B7927ED04B8F7CDAF4987EF2
rules\Info Centre_files\image013.png	A4A877B461F206FA2342CC2F243A8ED6A34D6D58
rules\Info Centre_files\image014.png	57F629E2F769E225CEA895A7E31FE9B2E9548609

rules\Info Centre_files\image015.png	4B8663AEF755DD7E57A30C62F3B64444D7F353A4
rules\Info Centre_files\image016.png	66EEF72C5982002B2C1D0127B5E4E571A94BB41E
rules\Info Centre_files\image017.png	557F67FDBFDE7981EB17D761FAB019162356B047
rules\Info Centre_files\image018.png	953216DCFFE3B38A85C60B6B03476819DE60C4D6
rules\Info Centre_files\image019.png	3FC5A3CF908D4D4D3119E3DB1A25A3AA05A1E47D
rules\Info Centre_files\jquery.js	D9DEAF9F63882AC54B12629A00B8F848C15FA2BE
rules\Info Centre_files\share_en.css	7EC3690792591D5686F335BFD3DF6D86777CD303
rules\Info Centre_files\slideToggle.js	866CAC9E8357C2FD2B9CC37767E690A77A799DC1
scripts\jquery-1.8.2.js	F577A5E1173B2F0BB65A593DC2560DED3B0ADD8F
scripts\jquery-ui.js	0ED7DF6CC32BE8F9687CDA3CD6E109E5DE44339E
scripts\jquery-ui.min.js	9927AFBB31DF93A76977A676A933B7E3696D61BA
scripts\jquery.min.js	AFB90752E0A90C24B7F724FACA86C5F3D15D1178
scripts\swfobject.js	5847ED101F55D51C53538A7078971E7DE8FB6762
scripts_notes\dwsync.xml	895636952EF96C496DF8B8036EC981A2125584A0
WEB-INF\web.xml	7069BAC7F9F4C4D93D052D4C3516278E29B2D82B
WEB-INF\classes\authenticate.properties	E14CC27F948E0784EE61D2659535A34E9DDCEA4A
WEB-INF\classes\cashcheck.properties	973B899F81198D1A634AA8BB8C9B4EB4CF8FFF4A
WEB-INF\classes\credit.properties	3B7C457495B75B6966A471BA8701B3001EF77BE2
WEB-INF\classes\debit.properties	3B7C457495B75B6966A471BA8701B3001EF77BE2
WEB-INF\classes\passauth.properties	2B01B2421AD4526CF4CD0B9D461788F081C26DEB
WEB-INF\classes\com\pkmj\stub\cash\CashCheck.class	8221BFF12B4647745CDDE88F2FBF6F8D7AD43EC6
WEB-INF\classes\com\pkmj\stub\cash\Credit.class	ADDFC3228039EC909479373BD1D073E333878085
WEB-INF\classes\com\pkmj\stub\cash\Debit.class	8951B340003E7D42E53ACDAF281396E4D3F84AD4
WEB-INF\classes\com\pkmj\stub\cash\Test.class	190E6B6F93B8021FBE85B7753D58E1103EF153DA
WEB-INF\classes\com\pkmj\stub\login\PassAuthenticate.class	D257FCCD1EC6D929B8BB81A48A3AD5C41268F5C0
WEB-INF\classes\com\pkmj\stub\login\TokenAuthenticate.class	F61C9B6F5CF56345A9D88EE00DF146945AA47FE5
WEB-INF\classes\com\pkmj\stub\utils\WalletUtils.class	98CD47D439C6D187D5C8C9835BEF47A386F70E85
WEB-INF\lib\config-1.0.1.jar	E1AED022D2AF6A54B8D51A03EEF4AD6A3D29A42D
WEB-INF\lib\jackson-annotations-2.2.2.jar	285CB9C666F0F0F3DD8A1BE04E1F457EB7B15113
WEB-INF\lib\jackson-core-2.2.2.jar	D20BE6A5DDD6F8CFD36EBF6DEA329873A1C41F1B
WEB-INF\lib\jackson-databind-2.2.2.jar	3C8F6018EAA72D43B261181E801E6F8676C16EF6
WEB-INF\lib\jackson-dataformat-xml-2.2.2.jar	939B1A79DD5E1A04494279A727451C36D824089E
WEB-INF\lib\jackson-module-jaxb-annotations-2.2.2.jar	E301126FA9E0E5056FEEE5115A09DD22F8B026A2
WEB-INF\lib\servlet-api-2.5.jar	5959582D97D8B61F4D154CA9E495AAFD16726E34
WEB-INF\lib\stax-api-1.0-2.jar	D6337B0DE8B25E53E81B922352FBEA9F9F57BA0B
WEB-INF\lib\stax2-api-3.1.1.jar	0466EAB062E9D1A3CE2C4631B6D09B5E5C0CBD1B
Folder: \.metadata\plugins\org.eclipse.wst.server.core\tmp0\wtpwebapps\ROOT\	
crossdomain.xml	8C0767081C82EAE0CB77A2210EB8B1C1BBE60B88
WEB-INF\web.xml	3B0BE0F841B2CBAC09C70A93F7D6FA04D02B07CB