

```
#####
# WARNING!!!!
# This is a sandbox environment. Using personal credentials
# is HIGHLY! discouraged. Any consequences of doing so are
# completely the user's responsibilities.
#
# The FWD team.
#####
[node2] (local) root@192.168.0.7 ~
$ mkdir mysql-docker
[node2] (local) root@192.168.0.7 ~
$ cd mysql-docker
[node2] (local) root@192.168.0.7 ~/mysql-docker
$ touch Dockerfile
[node2] (local) root@192.168.0.7 ~/mysql-docker
$ touch Dockerfile
[node2] (local) root@192.168.0.7 ~/mysql-docker
$ nano Dockerfile
bash: nano: command not found
[node2] (local) root@192.168.0.7 ~/mysql-docker
$ vi Dockerfile
[node2] (local) root@192.168.0.7 ~/mysql-docker
$ touch init.sql
[node2] (local) root@192.168.0.7 ~/mysql-docker
$ vi init.sql
[node2] (local) root@192.168.0.7 ~/mysql-docker
$ docker build -t mysql-alunos .
[+] Building 70.4s (7/7) FINISHED                                docker:default
=> [internal] load build definition from Dockerfile                0.1s
=> => transferring dockerfile: 332B                               0.0s
=> [internal] load metadata for docker.io/library/mysql:latest    2.2s
=> [internal] load .dockerignore                                  0.0s
=> => transferring context: 2B                                     0.0s
=> [internal] load build context                                  0.1s
=> => transferring context: 318B                                   0.0s
=> [1/2] FROM docker.io/library/mysql:latest@sha256:0255b469f0135a0236d672d60e3154ae2f4538b146744966d96440318cc822c6 67.2s
```