

JAPAS COOLING SOLUTIONS CORP.

Office Address: 21 Villa Corazon 2 Subdivision (Subd.), Purok 6 Brgy. Cupang Antipolo City Mobile Nos.: 09167709345 / 0923 2969371 Email: gangtu1309@yahoo.com Email: japas.airconditioning@gmail.com

No 2391

CUSTOMER NAME: HANN PANYPOINTS INC	DATE: JUNE 11, NOW
ADDRESS/LOCATION: M.A DOYAK HAHWAY CHAPLE DA	MPANGA J.O. NO.:
CONTACT PERSON: FIND VEGLE ALMMURUAGE	SERIAL NO.: SKM 2010
EQUIPMENT/MODEL NO .: PILISHO	FOR QUOTATION: YES NO
EQUIPMENT/TYPE: CHINED WATER THINK & (B)) EMAIL:
REFRIGERANT: WA	CONTACT NO.:
REPORTED FAULT:	WORK DONE:
MOUTHLY POLYEUTY MAINTENANCE FOR THE MOINTH OF JUNE 2021 FINDING AND RECOMMENDATION: J. DEFFECTIVE FUTERIALS AND VERYING CHINED WATER THERMOMENTER THERMO	1. ARRYSO ONGITE AND COOPDINATE TO THE FINANCE OF AN TOOK AND MATERIALS AT PUMB ALTA- 3. CHOCKED JULY (TATUS - UNIT OPERATIONAL A. RECORD CATA PARAMETERS (5. OBSTRATO OPERATION IF ANY SHOW OF ARMOMINAUTY. C. JHOT-OFF MUST AND TURN-OFF MAIN BRETAKER BY OUTY WICHARDST. A OVERAN INCORPOSION OF AN FOUNAMENT IS
1. Junt 15 READY FOR OPERATION	PLACTING AND CHATY CXITEM ART IN PLACT. SOUTHWHO THATRION BOX, REMOVED AN DUR AND DIRT HING DRY AND
PARAMETERS	P. CHTOLETO FOR ANY LOOGED COMMECTIONS,
aleran	CABUTU OR ANY OHOW OF WARM CABUTUR, GU
LI - 199.1 A	AND TERMINALS.
13-20:0 A	10. OHTOUTO AND VERITY MOTOR BEARING
CURPLY IMBAIANCE _ 0.7%	M. CHEANED WATER WHITE FUTER STRANGE
VOUT AGE	12 CHTCHED AND YERLEY PRESCURE AND
1112-388.74	FIMPERATURE CHUCKE FOR ANY CHARLEST
UB-389.7V	2 turn ou man pretakter and start u
M3-896.14	. THE bun of duty wanter.
VOLTAGE IMBALANCE - 1.7%	HE CHECKED MOTOR YOUTAGE AND CHROSENT
TERMINAL TEMP	It arthubo etalthan companion of the +and
T4 - 36.4 °C +2 - 36.7 °C +3 - 36.0 °C	6. OFFANEN APER OF PERDONNIBUTY
HOURS WORK: From: To:	
Name of Technician/Sign PAG VIN MICT WILL TOWN Customer Name/Sign Date: 7	□ For S.I. / Billing