
## Name: <u>Jeonne Dwayne F. Aquino</u>

- 1. Display all columns from tbl employees.
- 2. Display only the firstname and lastname of all employees.
- 3. Show firstname, lastname, and salary of all employees.
- 4. Find all employees whose firstname starts with 'S'.
- 5. Find all employees whose lastname ends with 'off'.
- 6. Find employees with firstname containing 'an'.
- 7. Find employees whose firstname second letter is 'e'.
- 8. Find employees whose lastname starts with 'R'.
- 9. Show distinct position id values.
- 10. Show distinct gender values from the table.
- 11. Display all employees with a salary greater than 60,000.
- 12. Display all employees who were hired before **2015-01-01**.
- 13. Display employees with gender = 'F'.
- 14. Show employees whose status is ACTIVE.
- 15. Display employees whose salary is between **50,000** and **70,000**.

16. Display employees sorted by firstname in ascending order.


17. Display employees sorted by salary in descending order.



## 18. Show employees sorted by date\_hired (oldest first).

id	firstname	lastname	position_id	gender	salary	date_hired	status
3	Tony	Stark	2	М	102000.00	2002-02-01	ACTIVE
2	Peter	Parker	2	М	65000.00	2011-12-02	ACTIVE
7	Stephen	Strange	5	М	52000.00	2013-08-25	ACTIVE
4	Natasha	Romanoff	4	F	70000.00	2015-10-24	ACTIVE
5	Wanda	Maximoff	3	F	48000.00	2016-09-25	ACTIVE
6	Steve	Rogers	1	М	58000.00	2017-07-25	ACTIVE
1	Jerwin	Cruz	1	М	60000.00	2018-06-30	ACTIVE

## 19. Count how many employees are in each position\_id.



20. Count how many employees are grouped by gender.

- 21. Find the total salary per position id.
- 22. Show position\_id groups having more than 1 employee.
- 23. Show gender groups where the average salary is above **60,000**.
- 24. Show only the **first 3 employees** from the table.
- 25. Show 3 employees starting from the 3rd record in the table.