

# B1 - Das Arbeiten mit OSM Daten

Jan-Philipp Kolb

23 Oktober 2018

# Inhalt dieses Abschnitts

- Vorstellung des Openstreetmap (OSM) Projekts
- Welche OSM-Daten sind erhältlich und wie kann man diese bekommen?
- Präsentation des Key-Value Schemas, dass bei OSM Daten verwendet wird.

# OpenStreetMap Projekt

<http://www.openstreetmap.de/>

*OpenStreetMap.org ist ein im Jahre 2004 gegründetes internationales Projekt mit dem Ziel, eine freie Weltkarte zu erschaffen. Dafür sammeln wir weltweit Daten über Straßen, Eisenbahnen, Flüsse, Wälder, Häuser und vieles mehr.*

# OpenStreetMap

## Wikipedia - OpenStreetMap

*OpenStreetMap (OSM) ist ein kollaboratives Projekt um eine editierbare Weltkarte zu erzeugen.*

street png maps osm svg google maps screenshot tile cambridge openstreetmap.org api openstreet



OpenStreetMap – Wikipedia  
de.wikipedia.org



DE.Browsing - OpenStreetMap Wiki  
wiki.openstreetmap.org



OpenStreetMap - Wikipedia  
en.wikipedia.org



Openstreetmap: Die free Weltkarte richtig nutzen...  
insights.info



Why would you use OpenStreetMap i...  
geoawesomeness.com



The map you see on OpenStreetMap ...  
blog.openstreetmap.org




Vandalismusfall bei OpenStreetMap - Pro-Linux  
pro-linux.de



OpenStreetMap - Wikipedia  
en.wikipedia.org



Applications of OpenStreetMap - OpenStreetMap Wiki  
wiki.openstreetmap.org




Google Maps vs OpenStreetMap: Which is the Best W...  
monde-geospatial.com



OpenStreetMap Alternatives and Similar ...  
alternativeo.net

# Openstreetmap Tags



# OSM Map Features

## Amenity

Used to map facilities used by visitors and residents. For example: toilets, telephones, banks, pharmacies, cafes, parking and schools. See the page [Amenities](#) for an introduction on its usage.

Key	Value	Element	Comment	Rendering	Photo
<b>Sustenance</b>					
amenity	bar		Bar is a purpose-built commercial establishment that sells alcoholic drinks to be consumed on the premises. They are characterised by a noisy and vibrant atmosphere, similar to a party and usually don't sell food. See also the description of the tags <code>amenity=pub;bar;restaurant</code> for a distinction between these.		
amenity	bbq		BBQ or Barbecue is a permanently built grill for cooking food, which is most typically used outdoors by the public. For example these may be found in city parks or at beaches. Use the tag <code>fuel=*</code> to specify the source of heating, such as <code>fuel=wood;electric;charcoal</code> . For mapping nearby table and chairs, see also the tag <code>tourism=picnic_site</code> . For mapping campfires and firepits, instead use the tag <code>leisure=firepit</code> .		
amenity	biergarten		Biergarten or beer garden is an open-air area where alcoholic beverages along with food is prepared and served. See also the description of the tags <code>amenity=pub;bar;restaurant</code> . A biergarten can commonly be found attached to a beer hall, pub, bar, or restaurant. In this case, you can use <code>biergarten=yes</code> additional to <code>amenity=pub;bar;restaurant</code> .		
amenity	cafe		Cafe is generally an informal place that offers casual meals and beverages, typically, the focus is on coffee or tea. Also known as a coffeehouse/shop, bistro or sidewalk cafe. The kind of food served may be mapped with the tags <code>cuisine=*</code> and <code>diet=*</code> . See also the tags <code>amenity=restaurant;bar;fast_food</code> .		
amenity	drinking_water		Drinking water is a place where humans can obtain potable water for consumption. Typically, the water is used for only drinking. Also known as a drinking fountain or water tap.		

Figure 1: [http://wiki.openstreetmap.org/wiki/DE:Map\\_Features](http://wiki.openstreetmap.org/wiki/DE:Map_Features)

# Objekttypen in OSM

Es gibt prinzipiell drei verschiedene Objekttypen:

- nodes (points),
- ways (polygons and polylines)
- relations (logical grouping of all three object types to express real-world geographical relationships)

Hippolyte Pruvost and Peter Mooney: Exploring Data Model Relations in OpenStreetMap

# OpenStreetMap objects


Martijn van Exel

- nodes and ways



Nodes

Points with (X,Y) and attributes




Ways

Ordered set of nodes. Polygons are closed ways, not a separate entity. Can have attributes.

# OpenStreetMap objects

## Relations



## Relations

Groups of objects with a functional  
or geographic relationship

# Download von OpenStreetMap Daten - Metro extracts

- Ausschnitte von OpenStreetMap für einzelne Städte (**metro extracts**)

## metro extracts

Each week, Metro Extracts automatically creates snapshots of [OpenStreetMap](#) data into manageable, metro-area files in a variety of formats for you to use. Download an extract from the list of popular extracts below to get started right away, or request a new extract of anywhere in the world!

[Your Custom Extracts](#) | [Documentation](#) | [Tutorial](#) | [File Format Guide](#)

SEARCH FOR A CITY OR REGION

example: Los Angeles

SEARCH

POPULAR EXTRACTS:

**ABU DHABI**

Dubai

**ALGERIA**

Algiers

**ANGOLA**

Luanda

**ARGENTINA**

Buenos Aires

**AUSTRALIA**

Adelaide

Brisbane



# Download von OpenStreetMap Daten - Geofabrik

## Geofabrik

- Über **Geofabrik** lassen sich aktuelle Ausschnitte (auch Shapefiles) herunterladen



GEOFABRIK // Start  
geofabrik.de



GEOFABRIK // Start  
geofabrik.de



Geofabrik on Twitter: "Free Geofabrik ...  
twitter.com



GEOFABRIK // Routing  
geofabrik.de



LearnOSM  
learnosm.org



GEOFABRIK // OpenStreetMap-Ges...  
geofabrik.de

# Download von OpenStreetMap Daten - openaprs

## Kartendaten (openaprs)

apr mobile places2play pickleball usapa pickleball screenshot lambourn app iphone w3drm

The grid displays seven screenshots illustrating APRS data visualization and management:

- Creating APRS objects for repeaters u...
- OpenAPRS iPhone (@open...
- HB9EYZ - APRS (Windows & Android)
- OpenAPRS download | SourceFo...
- OpenAPRS - App Store
- OpenAPRS 2.4.1 Free Dow...
- OpenAPRS - App Store

# OSM Planet file

## Datenbanklösungen

- Bei den eben vorgestellten Möglichkeiten geht es vor allem um das Herunterladen kleiner Ausschnitte.
- Wenn größere Datenmengen benötigt werden, sollte man eine Datenbanklösung nutzen.
- **PostgreSQL** hat den Vorteil, dass es Open-Source ist.

# Download PostgreSQL

- Hier ist eine Einführung in PostgreSQL zu finden

The screenshot shows the Aqua Data Studio 15.0.0 interface. The left sidebar displays a tree view of a PostgreSQL 8.4.1 database named 'ivan'. Under 'Databases', 'public' is expanded to show tables like 'amay\_1', 'bi\_table', 'booltest', 'films', etc. Under 'Tables', 'orders' is selected, and its 'Columns' are listed. The main window shows the 'Alter: Table: orders' dialog. The 'General' tab is selected, displaying fields for 'Database' (ivan), 'Schema' (public), and 'Name' (orders). Below this is a table with columns for 'Column Name', 'Data Type', 'Length', and 'Allow Nulls'. The 'money' column is currently selected, showing its properties: path (40), point (200), polygon, serial, smallint, text, time, and timetz. A dropdown menu for 'Column' is open, listing various data types: int4, char, int4, timestamp, timestamp, timestamp, int4, float, money, path, point, polygon, serial, smallint, text, time, and timetz. The 'Constraints', 'Storage', 'Comments', 'Permissions', 'Preview SQL', and 'Messages' tabs are also visible at the top of the dialog.

Column Name	Data Type	Length	Allow Nulls
1	int4		✓
2	char	5	✓
3	int4		✓
4	timestamp		✓
5	timestamp		✓
6	timestamp		✓
7	int4		✓
8	float		✓
9	path	40	✓
10	point	200	✓
	polygon		
	serial		
	smallint		
	text		
	time		
	timetz		

# pgAdmin

- Sehr empfehlenswert: Arbeiten mit **pgAdmin**
- Beispiel: um Verknüpfung zu einer Datenbank herzustellen - Doppelklick auf den Server in pgAdmin

# PostGIS für PostgreSQL

- **Installieren** der PostGIS Erweiterung:

```
CREATE EXTENSION postgis;
```



# Programm zum Import der OSM Daten in PostgreSQL- osm2pgsql

- Läuft unter Linux deutlich besser
- so könnte bspw. ein Import in PostgreSQL aussehen:

```
osm2pgsql -c -d osmBerlin --slim -C -k berlin-latest.osm.pbf
```

# Verbindung zwischen R und Postgresql


```
install.packages("RPostgreSQL")
```

```
library("RPostgreSQL")
```

- **Github Verzeichnis** zum Paket

# Nutze bspw. QGIS um Shapefiles zu extrahieren

- Plugin OpenLayers



# Links

- **Wiki zum Download** von Openstreetmap Daten
- **Openstreetmap Blog**
- Liste möglicher Datenquellen für räumliche Analysen (weltweit und in **Deutschland** )
- **SALB** - Administrative Grenzen

<http://wiki.openstreetmap.org/wiki/SALB>