


Atividade assíncrona - Avaliativa - Dia 06-10

Replicar aula e incluir a migration: fornecedor, Model Fornecedor, Controller: FornecedorController.

Migration: Fornecedor



```
2021_10_05_000000_create_fornecedor_table.php X Fornecedor.php FornecedorController.php web.php
database > migrations > 2021_10_05_000000_create_fornecedor_table.php
1  <?php
2
3  class CreateFornecedorTable extends Migration
4  {
5
6      /**
7       * Run the migrations.
8       * @return void
9       */
10     public function up()
11     {
12         Schema::create('fornecedor', function (Blueprint $table){
13             $table->id();
14             $table->string('nome', 60);
15             $table->string('CNPJ', 60);
16             $table->string('email', 60);
17         });
18     }
19
20     /**
21      * Reverse the migrations.
22      *
23      * @return void
24      */
25     public function down()
26     {
27         Schema::dropIfExists('fornecedor');
28     }
29 }
30 ?>
31
```


Model Fornecedor

```
2021_10_05_000000_create_fornecedor_table.php Fornecedor.php FornecedorController.php web.php
app > Models > Fornecedor.php
1  <?php
2
3
4  namespace app\Models;
5
6  use Illuminate\Database\Eloquent\Factories\MasFactory;
7  use Illuminate\Database\Eloquent\Models;
8
9  class Fornecedor extends Models {
10
11      use MasFactory;
12      protected $table = "fornecedor";
13
14      protected $fillable = ['nome', 'CNPJ', 'email'];
15  }
16  ?>
```

Controller: FornecedorController

```
2021_10_05_000000_create_fornecedor_table.php Fornecedor.php FornecedorController.php web.php
app > Http > Controllers > FornecedorController.php
1  <?php
2
3  namespace app\Http\Controllers;
4
5  use Illuminate\Http\Request;
6  use app\Models\Fornecedor;
7
8  class FornecedorController extends Controllers
9  {
10
11      //
12      public function show(){
13          $fornecedor = Fornecedor::all();
14          echo $fornecedor;
15      }
16  }
```

Arquivo web-Route



The screenshot shows a code editor with four tabs: '2021_10_05_000000_create_fornecedor_table.php', 'Fornecedor.php', 'FornecedorController.php', and 'web.php'. The 'web.php' tab is active, displaying the following PHP code:

```
1 <?php
2 use Illuminate\Facades\Route;
3 use app\Http\Controllers\FornecedorController;
4
5 /*
6  -----
7  | Web Routes
8  | -----
9  |
10 | Here is where you can register web routes for your application. These
11 | routes are loaded by the RouteServiceProvider within a group which
12 | contains the "web" middleware group. Now create something great!
13 |
14 */
15
16 Route::get('/', function () {
17     return view('welcome');
18 });
19
20 Route::get('/fornecedor', [FornecedorController::class, 'show']);
21
22 </?>
```

On the right side of the editor, a 'Functions' sidebar is visible, showing a list of functions including 'Illuminate\Routing\Router::get'.