

Atividade III


Replique as funcionalidades para Fornecedor, criando:

1 - Criar Rotas (create e store)

2 - Criar View (fornecedor.create)

Funcionalidades para Clientes:

Arquivo cliente.php

A screenshot of a code editor with a dark theme. The editor shows a file named 'cliente.php' with the following PHP code:

```
1 <?php
2
3
4 namespace app\Models;
5
6 use Illuminate\Database\Eloquent\Factories\MasFactory;
7 use Illuminate\Database\Eloquent\Models;
8
9 class Cliente extends Models {
10
11     use MasFactory;
12
13     //nome da tabela
14     protected $table = "clientes";
15
16     //colocar campos que serao setados no bd
17     protected $fillable = [
18         'nome',
19         'debito',
20         'descricao'
21     ];
22
23
24 }
25
```

The editor's tab bar at the top shows four files: 'Cliente.php', 'ClienteController.php', 'create.blade.php', and 'index.blade.php'. The left sidebar shows the file explorer with 'app > Models > Cliente.php' selected.

Arquivo ClienteController.php

```
Cliente.php  ClienteController.php x  create.blade.php  index.blade.php
app > Http > Controllers > ClienteController.php
6  use app\Models\Cliente;
7
8  class ClienteController extends Controller
9  {
10     //
11     public function index(){
12         $clientes = Cliente::all();
13         return view('clientes.index', ['clientes'=>$clientes]);
14     }
15
16
17     public function create(){
18         return view('clientes.create');
19     }
20
21     public function store(Request $request){
22         $cliente = new Cliente();
23         $cliente->nome = $request->nome;
24         $cliente->debito = $request->debito;
25         $cliente->descricao = $request->descricao;
26         $cliente->save();
27         return redirect('index');
28     }
29
30
31 }
32
33
34
```

Arquivo create.blade.php

```
Cliente.php  ClienteController.php  create.blade.php x  index.blade.php
resources > views > clientes > create.blade.php
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta http-equiv="X-UA-Compatible" content="IE=edge">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7      <title>Cadastro de clientes</title>
8  </head>
9  <body>
10     <form action="store" method="post">
11         @csrf
12         <label for="">Nome clientes</label>
13         <input type="text" name="nome" id="nome">
14         <label for="">Debito</label>
15         <input type="text" name="debito" id="debito">
16         <label for="">Descricao</label>
17         <input type="text" name="descricao" id="descricao">
18         <input type="submit" value="cadastrar">
19     </form>
20
21 </body>
22 </html>
23
24
25
```

Arquivo index.blade.php

```
Cliente.php  ClienteController.php  create.blade.php  index.blade.php X
resources > views > clientes > index.blade.php
1  <h1>Página de clientes</h1>
2
3
4  @foreach ($clientes as $cliente)
5  <ul>
6      <li> nome do cliente: {{$cliente->nome}};</li>
7      <li> debito do cliente {{$cliente->debito}}</li>
8      <li> descricao  {{$cliente->descricao}}</li>
9  </ul>
10 @endforeach
11
```

Arquivo web.php

```
Cliente.php  ClienteController.php  create.blade.php  index.blade.php  web.php X
web.php
1  <?php
2
3  use Illuminate\Facades\Route;
4  use app\Http\Controllers\ClienteController;
5
6  /*
7  |-----
8  | Web Routes
9  |-----
10 |
11 | Here is where you can register web routes for your application. These
12 | routes are loaded by the RouteServiceProvider within a group which
13 | contains the "web" middleware group. Now create something great!
14 |
15 */
16
17 Route::get('/index', [ClienteController::class, 'index']);
18
19 Route::get('/create', [ClienteController::class, 'create']);
20
21 Route::post('/store', [ClienteController::class, 'store']);
22
23
24
25
```

Funcionalidades para Fornecedor:

Arquivo Fornecedor.php

```
Fornecedor.php X FornecedorController.php create.blade.php index.blade.php web.php
app > Models > Fornecedor.php
1  <?php
2
3
4  namespace app\Models;
5
6  use Illuminate\Database\Eloquent\Factories\MasFactory;
7  use Illuminate\Database\Eloquent\Models;
8
9  class Fornecedor extends Models {
10
11      use MasFactory;
12
13      //nome da tabela
14      protected $table = "fornecedor";
15
16      //colocar campos que serao setados no bd
17      protected $fillable = [
18          'nome',
19          'CNPJ',
20          'email'
21      ];
22
23  }
24
```

Arquivo FornecedorController.php

```
Fornecedor.php FornecedorController.php X create.blade.php index.blade.php web.php
app > Http > Controllers > FornecedorController.php
1  <?php
2
3  namespace app\Http\Controllers;
4
5  use Illuminate\Http\Request;
6  use app\Models\Fornecedor;
7
8  class FornecedorController extends Controller
9  {
10      //
11      public function index(){
12          $fornecedor = Fornecedor::all();
13          return view('fornecedor.index', ['fornecedor'=>$fornecedor]);
14      }
15
16      public function create(){
17          return view('fornecedor.create');
18      }
19
20      public function store(Request $request){
21          $fornecedor = new Fornecedor();
22          $fornecedor->nome = $request->nome;
23          $fornecedor->CNPJ = $request->CNPJ;
24          $fornecedor->email = $request->email;
25          $fornecedor->save();
26          return redirect('index');
27      }
28  }
29
30
31
```

Arquivo create.blade.php

```
Fornecedor.php  FornecedorController.php  create.blade.php X  index.blade.php  web.php
resources > views > fornecedor > create.blade.php
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta http-equiv="X-UA-Compatible" content="IE=edge">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7      <title>Cadastro de Fornecedor</title>
8  </head>
9  <body>
10     <form action="store" method="post">
11         @csrf
12         <label for="">Nome Fornecedor</label>
13         <input type="text" name="nome" id="nome">
14         <label for="">CNPJ</label>
15         <input type="text" name="cnpj" id="cnpj">
16         <label for="">Email</label>
17         <input type="text" name="email" id="email">
18         <input type="submit" value="cadastrar">
19     </form>
20
21 </body>
22 </html>
23
24
25
```

Arquivo index.blade.php

```
Fornecedor.php  FornecedorController.php  create.blade.php  index.blade.php X  web.php
resources > views > fornecedor > index.blade.php
1  <h1>Página de Fornecedor</h1>
2
3  |
4  @foreach ($fornecedor as $fornecedor)
5  <ul>
6      <li> nome do fornecedor: {{$fornecedor->nome}};</li>
7      <li> CNPJ do fornecedor {{$fornecedor->CNPJ}}</li>
8      <li> email {{$fornecedor->email}}</li>
9  </ul>
10 @endforeach
11
```

Arquivo web.php

```
routes > web.php
1  <?php
2
3  use Illuminate\Facades\Route;
4  use app\Http\Controllers\FornecedorController;
5
6  /*
7  |-----
8  | Web Routes
9  |-----
10 |
11 | Here is where you can register web routes for your application. These
12 | routes are loaded by the RouteServiceProvider within a group which
13 | contains the "web" middleware group. Now create something great!
14 |
15 */
16
17 Route::get('/index', [FornecedorController::class, 'index']);
18
19 Route::get('/create', [FornecedorController::class, 'create']);
20
21 Route::post('/store', [FornecedorController::class, 'store']);
22
23
24
25
```