


Atividade assíncrona - Avaliativa - Dia 06-10

GitHub: <https://github.com/Jaquellynne/web2-2021.1>

Replicar aula e incluir a migration: fornecedor, Model Fornecedor, Controller: FornecedorController.

Migration: Fornecedor



```
2021_10_05_000000_create_fornecedor_table.php X Cliente.php ClienteController.php 2021_10_05_000000_create_cliente_table.php Fornecedor.php ...
database > migrations > 2021_10_05_000000_create_fornecedor_table.php
1  <?php
2
3  use Illuminate\Database\Migrations\Migration;
4  use Illuminate\Database\Schema\Blueprint;
5  use Illuminate\Support\Facades\Schema;
6
7  class CreateFornecedorTable extends Migration
8  {
9
10     /**
11      * Run the migrations.
12      * @return void
13      */
14     public function up()
15     {
16         Schema::create('fornecedor', function (Blueprint $table){
17             $table->id();
18             $table->string('nome', 60);
19             $table->string('CNPJ',60);
20             $table->string('email',60);
21
22         });
23     }
24
25     /**
26      * Reverse the migrations.
27      * @return void
28      */
29     public function down()
30     {
31         Schema::dropIfExists('fornecedor');
32     }
33 }
```

Ln 5, Col 39 Espaços: 4 UTF-8 CRLF PHP


Model Fornecedor

```
2021_10_05_000000_create_fornecedor_table.php Fornecedor.php FornecedorController.php web.php
app > Models > Fornecedor.php
1 <?php
2
3
4 namespace app\Models;
5
6 use Illuminate\Database\Eloquent\Factories\MasFactory;
7 use Illuminate\Database\Eloquent\Models;
8
9 class Fornecedor extends Models {
10
11     use MasFactory;
12     protected $table = "fornecedor";
13
14     protected $fillable = ['nome', 'CNPJ', 'email'];
15 }
16 ?>
```

Controller: FornecedorController

```
Cliente.php ClienteController.php 2021_10_05_000000_create_cliente_table.php Fornecedor.php FornecedorController.php web.php
app > Http > Controllers > FornecedorController.php
1 <?php
2
3 namespace app\Http\Controllers;
4
5 use Illuminate\Http\Request;
6 use app\Models\Fornecedor;
7
8 class FornecedorController extends Controller
9 {
10     //
11     public function show(){
12         $fornecedor = Fornecedor::all();
13         echo $fornecedor;
14     }
15 }
```

Arquivo web-Route



The screenshot shows a code editor with four tabs: '2021_10_05_000000_create_fornecedor_table.php', 'Fornecedor.php', 'FornecedorController.php', and 'web.php'. The 'web.php' tab is active, showing the following code:

```
1 <?php
2 use Illuminate\Facades\Route;
3 use app\Http\Controllers\FornecedorController;
4
5 /*
6  *-----
7  * Web Routes
8  *-----
9  *
10  * Here is where you can register web routes for your application. These
11  * routes are loaded by the RouteServiceProvider within a group which
12  * contains the "web" middleware group. Now create something great!
13  *
14  */
15
16 Route::get('/', function () {
17     return view('welcome');
18 });
19
20 Route::get('/fornecedor', [FornecedorController::class, 'show']);
21
22 </?>
```

Migration: Cliente

```
database > migrations > 2021_10_05_000000_create_cliente_table.php
1  <?php
2
3  use Illuminate\Database\Migrations\Migration;
4  use Illuminate\Database\Schema\Blueprint;
5  use Illuminate\Support\Facades\Schema;
6
7  class CreateClientesTable extends Migration
8  {
9      /**
10       * Run the migrations.
11       * @return void
12       */
13      public function up()
14      {
15          Schema::create('clientes', function (Blueprint $table) {
16              $table->id();
17              $table->timestamps();
18              $table->string('nome', 60);
19              $table->string('endereco', 60);
20              $table->float('debito');
21          });
22      }
23
24      /**
25       * Reverse the migrations.
26       *
27       * @return void
28       */
29      public function down()
30      {
31          Schema::dropIfExists('clientes');
32      }
33  }
```

Model Cliente

```
app > Models > Cliente.php
1  <?php
2
3
4  namespace app\Models;
5
6  use Illuminate\Database\Eloquent\Factories\MasFactory;
7  use Illuminate\Database\Eloquent\Models;
8
9  class Cliente extends Models {
10
11      use MasFactory;
12      protected $table = "clientes";
13
14      protected $fillable = ['nome', 'endereco', 'debito'];
15  }
16  >
```

Controller: ClienteController

```
Cliente.php  ClienteController.php x  2021_10_05_000000_create_cliente_table.php  Fornecedor.php  FornecedorController.php  web.php  ...
app > Http > Controllers >  ClienteController.php
1  <?php
2
3  namespace app\Http\Controllers;
4
5  use Illuminate\Http\Request;
6  use app\Models\Cliente;
7
8  class ClienteController extends Controller
9  {
10     //
11     public function show()
12     {
13         $clientes = Cliente::all();
14         echo $clientes;
15     }
16 }
```

Arquivo web-Route

```
Cliente.php  ClienteController.php  2021_10_05_000000_create_cliente_table.php  Fornecedor.php  FornecedorController.php  web.php x  ...
routes >  web.php
1  <?php
2  use Illuminate\Facades\Route;
3  use app\Http\Controllers\ClienteController;
4
5  /*
6  |-----
7  | Web Routes
8  |-----
9  |
10 | Here is where you can register web routes for your application. These
11 | routes are loaded by the RouteServiceProvider within a group which
12 | contains the "web" middleware group. Now create something great!
13 |
14 */
15
16 Route::get('/', function () {
17     return view('welcome');
18 });
19 Route::get('/clientes', [ClienteController::class, 'show']);
20
21 /* Route::get('/fornecedor', [FornecedorController::class, 'show']); */
22
23
```