












Name:	COMPLETE VISE	
1	BASE	
2	COMPLETE JAW	
3	COMPLETE SCREW	
4	BRACKET	
5	PLATE	
6	SLEEVE	
7	SOCKET SCREW 10-24 x 5/8"	
8	SOCKET SCREW 10-24 x 1/2"	
9	LOCK SCREW 6-32 x 1/4"	
Mass:	1,890 Kg	









Name:	BASE	
Material:	Aluminum - 6061	
Mass:	0,647 Kg	
Tolerance:	ISO 2768 - mK	












Name:	FOUNDRY BASE	
Material:	Aluminum - 6061	
Mass:	0,940 Kg	




Name:	PLATE	
Material:	Cold rolled steel - 1018	
Mass:	0,169 Kg	
Tolerance:	ISO 2768 - mK	





Name:	SLEEVE	
Material:	Brass C36000	
Mass:	0,060 Kg	
Tolerance:	ISO 2768 - mK	






Name:	COMPLETE JAW	
1	JAW	
2	PLATE	
3	SLIDER	
4	RETENTION RING	
5	SOCKET SCREW 10-24 x 5/8"	
6	SOCKET SCREW 10-24 x 1"	
7	SOCKET SCREW 4-40 x 5/16"	
Mass:	0,428 Kg	






Name:	JAW	
Material:	Aluminum - 6061	
Mass:	0,158 Kg	
Tolerance:	ISO 2768 - mK	








Name:	SLIDER	
Material:	Aluminum - 6061	
Mass:	0,062 Kg	
Tolerance:	ISO 2768 - mK	


Max. 1/8"







Name:	RETENTION RING	
Material:	Cold rolled steel - 1018	
Mass:	0,018 Kg	
Tolerance:	ISO 2768 - mK	






Name:	COMPLETE SCREW	
1	SCREW	
2	SCREW CAP	
3	PUSH CAP	
4	ROD	
5	STOP CAP	
Mass:	0,230 Kg	
Tolerance:	ISO 13920 - BF	




Name:	SCREW	
Material:	Stainless steel - A2	
Tolerance:	ISO 2768 - mK	






Name:	SCREW CAP	
Material:	Cold rolled steel - 1018	
Mass:	0,051 Kg	
Tolerance:	ISO 2768 - mK	






Name:	PUSH CAP	
Material:	Cold rolled steel - 1018	
Mass:	0,022 Kg	
Tolerance:	ISO 2768 - mK	






Name:	ROD	
Material:	Cold rolled steel - 1018	
Mass:	0,052 Kg	
Tolerance:	ISO 2768 - mK	






Name:	STOP CAP	
Material:	Cold rolled steel - 1018	
Mass:	0,013 Kg	
Tolerance:	ISO 2768 - mK	



Name:	BRACKET	
1	ANGLE	
2	STIFFENER	
Mass:	0,174 Kg	
Tolerance:	ISO 13920 - BF	



Name:	ANGLE	
Material:	Structural steel	
Mass:	0,146 Kg	
Tolerance:	ISO 2768 - mK	



Name:	STIFFENER	
Material:	Cold rolled steel - 1018	
Mass:	0,006 Kg	
Tolerance:	ISO 2768 - mK	