

COMP4705 - Notes

Jared Wood

September 15, 2026

Contents

Useful Commands	2
Week 1	3
General Notes	3
Week 2	4
General Notes	4
Week 3	5
Placeholder	5
Week 4	6
Placeholder	6
Week 5	7
Placeholder	7
Week 6	8
Placeholder	8
Week 7	9
Placeholder	9
Week 8	10
Placeholder	10
Week 9	11
Placeholder	11
Week 10	12
Placeholder	12

Useful Commands

Code Snippet	Explanation
rustup update	Updates Rust (Updates are approx. done every 6 weeks)
cargo new (filename)	Creates a new Rust folder with (filename)
cargo run	Runs the Rust folder
cargo build --release	Ignores compile errors and runs the program
cargo test	Runs the tests for the Rust folder
(Some Variable).clone()	Deep copies variable

Week 1

General Notes

- Rust is a very safe language where generally every variable by default is non-mutable and must explicitly allow mutability. This also includes runtime panics where if variables are not used, then the program will panic
- Variable ownership is important and will cause a program to panic if it is not handled. Generally, passing a variable into a function will need to return this variable back out for original variable to be recreated.
- Pertaining to Rust's borrowing of variables and parameters:
 - C Approach:
 - *
 - Rust Approach:
 - *

Week 2

General Notes

-

Week 3

Placeholder

Week 4

Placeholder

Week 5

Placeholder

Week 6

Placeholder

Week 7

Placeholder

Week 8

Placeholder

Week 9

Placeholder

Week 10

Placeholder