



# Introduction to Data

Data Boot Camp  
Lesson 1.1





# WELCOME

# The Rise of Data



Why is data analytics such a  
hot skill these days?

# 1 Explosive Growth in Digitized Data (Creation)



# 2

## Explosive Growth in Analytic Tools (Synthesis)



## Best Restaurants in San Francisco, CA

Showing 1-20 of 7848

3

# Accelerating Search for Actionable Insight (Value)

## 2. Derm Restaurant

34 reviews

\$\$ · Thai

This restaurant takes reservations

This restaurant accepts pickup orders

Find a Table

Start Order

## 1. Aracy Cafe

113 reviews

\$\$ · American (New), Venues &amp; Event

This restaurant takes reservations


Get 7% Cash Back when you dine here

Find a Table

Enroll in Cash Back

I seriously hope all the hipster jerks from the city don't find this place and ruin it. I hesitate to post this... [read more](#)

## Laurel Heights

3226 Geary Blvd  
San Francisco, CA 94118  
(415) 379-4549

Ads by Google

salutemarinabay.com

**Salute E Vita - Italian Food - Waterfront Dinning**

Enjoy authentic Italian dishes with breathtaking views of San Francisco Bay.  
1900 Esplanade Dr, Richmond, CA




What does the term data science mean?

Perhaps you  
are picturing  
an Excel  
spreadsheet.



# Data Science Involves Spreadsheets and Formulas

---





Fundamentally, data science is about  
storytelling and truth-telling.

# Data as Storytelling

# Data as Storytelling


**U.S. Debt as Percentage of Gross Domestic Product, 1790–2011**

Year	Debt %	1835	0.0	1880	18.4	1925	21.6	1970	28.0	Reagan Tax Cuts
1790	29.6%	1835	0.0	1880	18.4	1925	21.6	1970	28.0	Reagan Tax Cuts
1791	29.2	1836	0.0	1881	16.8	1926	19.0	1971	28.1	Reagan Tax Cuts
1792	28.0	1837	0.2	1882	14.3	1927	18.0	1972	27.4	Reagan Tax Cuts
1793	24.4	1838	0.6	1883	13.5	1928	17.0	1973	26.0	Reagan Tax Cuts
1794	21.8	1839	0.2	1884	13.3	1929	14.9	1974	23.9	Reagan Tax Cuts
1795	18.7	1840	0.3	1885	13.2	1930	16.5	1975	25.3	Reagan Tax Cuts
1796	16.4	1841	0.8	1886	12.4	1931	22.3	1976	27.5	Reagan Tax Cuts
1797	16.5	1842	1.2	1887	11.2	1932	34.5	1977	27.8	Reagan Tax Cuts
1798	16.0	1843	1.5	1888	10.2	1933	39.1	1978	27.4	Reagan Tax Cuts
1799	15.8	1844	1.0	1889	8.6	1934	44.0	1979	25.6	Reagan Tax Cuts
1800	15.1	1845	0.7	1890	7.8	1935	42.9	1980	26.1	Reagan Tax Cuts
1801	13.3	1846	1.2	1891	7.0	1936	43.0	1981	25.8	Reagan Tax Cuts
1802	13.9	1847	1.7	1892	6.6	1937	40.1	1982	28.7	Reagan Tax Cuts
1803	14.1	1848	2.2	1893	6.8	1938	42.8	1983	33.1	Reagan Tax Cuts
1804	13.2	1849	2.5	1894	7.9	1939	43.0	1984	34.0	Reagan Tax Cuts
1805	10.9	1850	2.3	1895	7.9	1940	42.7	1985	26.4	Reagan Tax Cuts
1806	10.0	1851	2.4	1896	8.5	1941	43.3	1986	38.5	Reagan Tax Cuts


The Great Depression & World War II

# Data = Drama

## New Housing Construction: Making A Bottom, At Close To Recessional Levels



# Data as Truth-Telling



Data as Truth-Telling  
Unearthing Relationships



Data as Truth-Telling

---

Making Predictions

## Exposure to Extreme Drought Is Increasing




Image Source: [Exposure to Extreme Drought is Increasing](#)

Data as Truth-Telling

Stating Significance

# Course Overview

# Tools for Truths, Skills for Stories:

---

Our Goals:



Truth-telling  
Storytelling

Our Means:



Microsoft Excel

SQL

Python

MongoDB

pandas

HTML/CSS

Matplotlib/Seaborn

JavaScript

APIs

D3.js

Beautiful Soup

Leaflet.js/Google

Machine Learning

Maps

Tableau

Hadoop

# Course Overview

---

Each class will include the following:



Overview of Lesson Topics



Instructor Lecture



Instructor Demonstration



Class Discussions



In-Class Activities



Project Work

# **Weekly Breakdown by Subject**

# Weeks 1–2

Week 1

Week 2

Week 3

Week 4

Week 5

Week 6

Week 7

Week 8

Week 9

Week 10

Week 11

Week 12

Week 13

Week 14

Week 15

Week 16

Week 17

Week 18

Week 19

Week 20

Week 21

Week 22

Week 23

Week 24

**Intro to Data Analytics & Excel Masters:** Introduction to the high-level concepts of data analytics and real-world data crunching with Excel formulas, pivot tables, and conditional formatting.


**Python Data Analytics and Visualization:** Thorough crash course on Python programming, followed by multiple weeks of data processing using advanced libraries like NumPy, pandas, Matplotlib, Seaborn, and BeautifulSoup.

**Deep Dive into Databases:** Immersion into introductory and advanced work with SQL (PostgreSQL) and noSQL databases (MongoDB).

**Web-Based Data Visualization:** Introduction to the fundamental tools of web development (HTML, CSS, JavaScript) and advanced libraries that are useful for data visualization (D3.js, Leaflet.js), and R.

**Final Projects & Advanced Topics:** Introduction to Tableau and advanced topics like Hadoop and Machine Learning. Develop a real-world data visualization project.

# Weeks 3–8



**Intro to Data Analytics & Excel Masters:** Introduction to the high-level concepts of data analytics and real-world data crunching with Excel formulas, pivot tables, and conditional formatting.

**Python Data Analytics and Visualization:** Thorough crash course on Python programming, followed by multiple weeks of data processing using advanced libraries like NumPy, pandas, Matplotlib, Seaborn, and BeautifulSoup.

**Deep Dive into Databases:** Immersion into introductory and advanced work with SQL (PostgreSQL) and noSQL databases (MongoDB).

**Web-Based Data Visualization:** Introduction to the fundamental tools of web development (HTML, CSS, JavaScript) and advanced libraries that are useful for data visualization (D3.js, Leaflet.js), and R.

**Final Projects & Advanced Topics:** Introduction to Tableau and advanced topics like Hadoop and Machine Learning. Develop a real-world data visualization project.

# Weeks 9–13

Week 1

**Intro to Data Analytics & Excel Masters:** Introduction to the high-level concepts of data analytics and real-world data crunching with Excel formulas, pivot tables, and conditional formatting.

Week 2

Week 3

Week 4

Week 5

Week 6

Week 7

Week 8

Week 9

Week 10

Week 11

Week 12

Week 13

Week 14

Week 15

Week 16

Week 17

Week 18

Week 19

Week 20

Week 21

Week 22

Week 23

Week 24


**Python Data Analytics and Visualization:** Thorough crash course on Python programming, followed by multiple weeks of data processing using advanced libraries like NumPy, pandas, Matplotlib, Seaborn, and BeautifulSoup.

**Deep Dive into Databases:** Immersion into introductory and advanced work with SQL (PostgreSQL) and noSQL databases (MongoDB).

**Web-Based Data Visualization:** Introduction to the fundamental tools of web development (HTML, CSS, JavaScript) and advanced libraries that are useful for data visualization (D3.js, Leaflet.js), and R.

**Final Projects & Advanced Topics:** Introduction to Tableau and advanced topics like Hadoop and Machine Learning. Develop a real-world data visualization project.

# Weeks 14–17



# Weeks 18–24

Week 1

**Intro to Data Analytics & Excel Masters:** Introduction to the high-level concepts of data analytics and real-world data crunching with Excel formulas, pivot tables, and conditional formatting.

Week 2

Week 3

Week 4

Week 5

Week 6

Week 7

Week 8

Week 9

Week 10

Week 11

Week 12

Week 13

Week 14

Week 15

Week 16

Week 17

Week 18

Week 19

Week 20

Week 21

Week 22

Week 23

Week 24

**Python Data Analytics and Visualization:** Thorough crash course on Python programming, followed by multiple weeks of data processing using advanced libraries like NumPy, pandas, Matplotlib, Seaborn, and BeautifulSoup.

**Deep Dive into Databases:** Immersion into introductory and advanced work with SQL (PostgreSQL) and noSQL databases (MongoDB).

**Web-Based Data Visualization:** Introduction to the fundamental tools of web development (HTML, CSS, JavaScript) and advanced libraries that are useful for data visualization (D3.js, Leaflet.js), and R.

**Final Projects & Advanced Topics:** Introduction to Tableau and advanced topics like Hadoop and Machine Learning. Develop a real-world data visualization project.

# **Example Activity**



# Example Activity: Banking Deserts

In this activity, you will use a variety of public demographic data and APIs to explain many real-world social phenomena. Utilize data from sources like the U.S. Census, Google Maps, and more to find insights on poverty, discrimination, and the impact of changing economies.


Suggested Time:

---

20 minutes

# Projects

# Projects



**Project 1: Exploratory Data Analysis**

## Project Specialization Tracks

Tackle each project with a specialized track!

**Choose your focus:**

- Finance
- Healthcare
- Custom

**Project 2: Extract, Transform & Load**

**Project 3: Data Visualizations**


**Final Project: Machine Learning**

# Helpful Tips

A close-up photograph of a baby with light blue eyes and an open mouth, wearing a bright pink zip-up jacket. The baby's hands are resting on a dark, textured surface that appears to be covered in small water droplets or condensation. The lighting is soft, highlighting the baby's features and the texture of the jacket.

Embrace your  
inner toddler.

Brace yourself for  
**doubt, challenge,**  
and **confusion.**




There is no shortcut.  
You've got to **put in the hours!**



Form a community  
with your classmates.



Enjoy the **novice experience**  
and expect a lot of  
**lightbulb moments.**



A close-up photograph of a fluffy orange and white cat lying on its back on a light-colored, textured surface. The cat's eyes are closed, and it appears very relaxed. Its front paws are raised towards its head, and its pink paw pads are visible. The background is slightly blurred.

**Celebrate your successes!**

*Break*





# Group Activity: The Great Debate

Form groups again.

Together, ponder the following question.

Suggested Time:

---

20 minutes

# Group Activity: The Great Debate

---

Which food do Americans prefer:  
Italian or Mexican food?



# Group Activity: The Great Debate

---

With your group, develop a strategy for answering this question with as much confidence possible. Specifically, answer questions like:



What data will you attempt to gather?



What relationships will you be looking for?



How will you ensure your answer is most likely “true”?

## Assumptions:



You are given 5 hours and a budget of \$10 to accomplish this.



Your answer will be tested by randomly selecting 9 Americans who will each be asked the question—with 0 qualifiers.



You only have your team.

# The Great Debate (Analyzed)

# **Step 1: Decompose the “Ask”**

## Step 1: Decompose the “Ask”

---

Which food do **Americans** prefer:  
Italian or Mexican food?



## Step 1: Decompose the “Ask”

---

Which food do **Americans** prefer: Italian or Mexican food?



Who exactly is an **American**?



Are **Americans** just homeowners?



Do **Americans** just live in big cities?



Are **Americans** just millennials?



How can we get a representative sample of Americans?

## Step 1: Decompose the “Ask”

---

Which do Americans **prefer**:  
Italian or Mexican food?



# Step 1: Decompose the “Ask”

---

Which do Americans **prefer**: Italian or Mexican food?



How do we define “preference”?



Do people prefer the foods they eat most frequently?



Do people prefer the foods they wish they could eat if cost was not an issue?



How uniform is the preference? Is it regionalized? Is it different by demographic?



Inherently, preference is subjective. We are going to need to make it objective.

## Step 1: Decompose the “Ask”

---

Which do Americans prefer:  
**Italian or Mexican food?**





Italian and Mexican are broad categories to pursue. We will have to narrow the scope.

# Step 1: Decompose the “Ask”

---

Which food do Americans prefer: **Italian or Mexican food?**

01

How do we categorize foods? Is pizza Italian? Is Taco Bell Mexican?

02

How do we categorize food? Does making pasta at home constitute Italian? Or are we just talking about restaurants?

03

Are we just talking about “best experiences”? Or are we including poorer versions of these foods?

## **Step 2: Identify Data Sources**

## Step 2: Identify Data Sources


---

Why poll an audience when there are already enormous databases of information about Americans' food preferences—readily available online?



## Step 2: Identify Data Sources

As everyday consumers, we are **regularly** getting a pulse of everyday American food preferences to inform our own decisions. Perhaps we can make use of the same approach.



# Step 2a: Identify Data Sources

Web services like Yelp provide an almost-encyclopedic amount of information about the eating preferences of Americans.

The screenshot shows the Yelp website interface for the business "Mi Mariachi Taqueria". The top navigation bar includes a search bar with the query "Find tacos, cheap dinner, Max's Near Jersey City, NJ", a "Log In" button, and a "Sign Up" button. Below the search bar are category filters for Home Services, Restaurants, Auto Services, and More, along with a "Write a Review" button. The main content area displays the business profile for "Mi Mariachi Taqueria", which is unclaimed. It shows a 5-star rating based on 230 reviews. The business is categorized as Mexican and located at 213 Sip Ave, Jersey City, NJ 07306. It offers delivery and pickup options. A map shows the location on Sip Ave. There are three images: a photograph of the interior with tables and chairs, a close-up of a sandwich labeled "Chorizo & egg sandwich no cheese. Simply... by Franco B.", and another photograph of the interior. A testimonial at the bottom left reads: "Love their Al Pastor and carnitas tacos, shredded lamb, pork ribs with salsa verde and their tamales!" in 13 reviews. At the bottom right, there is a "Full menu" link and a price range indicator of "\$\$\$ Price range Under \$10".

# **Step 3: Define Strategy and Metrics**

# Step 3: Define Strategy and Metrics

---

Here, we created a blueprint for what we're targeting:

Americans	<ul style="list-style-type: none"><li>Ideally, we need thousands of records from Americans in hundreds of cities. (Large samples)</li></ul>
Preference	<ul style="list-style-type: none"><li>Number of Yelp reviews (More = Preference)</li><li>Average aggregated ratings (Higher = Preference)</li></ul>
Italian and Mexican Food	<ul style="list-style-type: none"><li>Top-20 Italian restaurants and top-20 Mexican restaurants in every city</li></ul>

# Step 3: Define Strategy and Metrics

The screenshot shows a Yelp search results page for "Best Italian Food Jersey City, NJ". The search bar at the top has "Near Jersey City, NJ" entered. Below the search bar, there are filters for Home Services, Restaurants, Auto Services, and More. A yellow arrow labeled "Food Type" points to the search term "Best Italian Food Jersey City, NJ". Another yellow arrow labeled "Review Count" points to the review count for "Lorad Nia's Family Pizzeria", which has 108 reviews. A third yellow arrow labeled "Rating" points to the rating for "Zero Otto Uno Cafe", which has a 4.5-star rating. To the right of the search results is a map of New York City and surrounding areas, with red pins numbered 1 through 22 indicating various locations. A yellow arrow labeled "Locations" points to the map.

Food Type

Review Count

Rating

Best Italian Food Jersey City, NJ

Near Jersey City, NJ

Showing 1-30 of 3356

\$ \$ \$ \$\$\$\$ Open Now Order Delivery Order Takeout Make a Reservation All Filters

Lorad Nia's Family Pizzeria (551) 247-0754 126 River Dr S Jersey City, NJ 108 reviews Italian Pizza Offers takeout and delivery Start Order

Zero Otto Uno Cafe (201) 683-5593 502 Washington St Hoboken, NJ 54 reviews Pizza, Italian Offers takeout and delivery Start Order

Mo' Map Redo search when map moved

New York

Locations



Lots of Data!

# Step 3: Define Strategy and Metrics

---

Repeat this analysis for as many cities as possible.

New York, NY	
Italian	Mexican
Restaurant	Restaurant
Restaurant	Restaurant
Restaurant	VS.
Restaurant	Restaurant
Restaurant	Restaurant
Restaurant	Restaurant

Tucson, AZ	
Italian	Mexican
Restaurant	Restaurant
Restaurant	Restaurant
Restaurant	VS.
Restaurant	Restaurant
Restaurant	Restaurant
Restaurant	Restaurant

Washington, D.C.	
Italian	Mexican
Restaurant	Restaurant
Restaurant	Restaurant
Restaurant	VS.
Restaurant	Restaurant
Restaurant	Restaurant
Restaurant	Restaurant

Omaha, NE	
Italian	Mexican
Restaurant	Restaurant
Restaurant	Restaurant
Restaurant	VS.
Restaurant	Restaurant
Restaurant	Restaurant
Restaurant	Restaurant

San Diego, CA	
Italian	Mexican
Restaurant	Restaurant
Restaurant	Restaurant
Restaurant	VS.
Restaurant	Restaurant
Restaurant	Restaurant
Restaurant	Restaurant

Atlanta, GA	
Italian	Mexican
Restaurant	Restaurant
Restaurant	Restaurant
Restaurant	VS.
Restaurant	Restaurant
Restaurant	Restaurant
Restaurant	Restaurant

# **Step 4: Build Data Retrieval Plan**

# Step 4: Build Data Retrieval Plan

---

We could retrieve this data by brute force, but it would be:

- Extremely time-consuming
- Skewed by our city familiarity
- Labor intensive

The image displays three separate instances of a red-themed Yelp search interface. Each instance includes the Yelp logo, a search bar with the text "Find Mexican", a location selector with "Near" followed by a city and state ("New York, NY", "Denver, CO", or "Oklahoma City, OK"), and a red search button with a magnifying glass icon.

# Thank You, Yelp!

Thankfully, we can take advantage of the **Yelp Fusion API** to programmatically run our queries. (#ThankGoodnessForProgramming)

The screenshot shows the Yelp Fusion API documentation page. The left sidebar has sections for General (Create App, Email / Notifications, Display Requirements, Terms of Use, FAQ), Yelp Fusion (Introduction, Business Endpoints, Business Search, Phone Search), and a navigation bar with Fusion, Fusion API, GraphQL, Manage App, and user icons.

**/businesses/search**

This endpoint returns up to 1000 businesses based on the provided search criteria. It has some basic information about the business. To get detailed information and reviews, please use the Business ID returned here and refer to [/businesses/{id}](#) and [/businesses/{id}/reviews](#) endpoints.

Note: at this time, the API does not return businesses without any reviews.

**Request**

```
GET https://api.yelp.com/v3/businesses/search
```

**Parameters**

These parameters should be in the query string.

Name	Type	Description
term	string	Optional. Search term, for example "food" or "restaurants". The term may also be business names, such as "Starbucks". If term is not included the endpoint will default to searching across businesses from a small number of popular categories.
location	string	Required if either latitude or longitude is not provided. This string indicates the geographic area to be used when searching for businesses. Examples: "New York City", "NYC", "350 5th Ave, New York, NY 10118". Businesses returned in the response may not be strictly within the specified location.

# Thank You, Yelp!

## Response Body

```
{  
  "total": 8228,  
  "businesses": [  
    {  
      "rating": 4,  
      "price": "$",  
      "phone": "+14152520800",  
      "id": "four-barrel-coffee-san-francisco",  
      "is_closed": false,  
      "categories": [  
        {  
          "alias": "coffee",  
          "title": "Coffee & Tea"  
        }  
      ],  
      "review_count": 1738,  
      "name": "Four Barrel Coffee",  
      "url": "https://www.yelp.com/biz/four-barrel-coffee-san-francisco",  
      "coordinates": {  
        "latitude": 37.7670169511878,  
        "longitude": -122.42184275  
      },  
      "image_url": "http://s3-media2.fl.yelpcdn.com/bphoto/MmgtASP3l_t4tPCL1iAsCg/o.jpg",  
      "location": {  
        "city": "San Francisco",  
        "country": "US",  
        "address2": "",  
        "address3": "",  
        "state": "CA",  
        "address1": "375 Valencia st",  
        "zip_code": "94103"  
      },  
      "distance": 1604.23,  
      "transactions": ["pickup", "delivery"]  
    },  
    // ...  
  ],  
  "region": {  
    "center": {  
      "latitude": 37.767413217936834,  
      "longitude": -122.42828739746094  
    }  
  }  
}
```



# Step 4: Build Data Retrieval Plan


We will build a Python script to randomly select over 700 zip codes from the U.S. Census, and then acquire review data from the top-20 Mexican and top-20 Italian restaurants for each zip code using the Yelp API.



11101		07360		20001	
Italian	Mexican	Italian	Mexican	Italian	Mexican
Restaurant	Restaurant	Restaurant	Restaurant	Restaurant	Restaurant
Restaurant	Restaurant	Restaurant	Restaurant	Restaurant	Restaurant
Restaurant	Restaurant	Restaurant	Restaurant	Restaurant	Restaurant
Restaurant	Restaurant	Restaurant	Restaurant	Restaurant	Restaurant
Restaurant	Restaurant	Restaurant	Restaurant	Restaurant	Restaurant


68007		22434		30301	
Italian	Mexican	Italian	Mexican	Italian	Mexican
Restaurant	Restaurant	Restaurant	Restaurant	Restaurant	Restaurant
Restaurant	Restaurant	Restaurant	Restaurant	Restaurant	Restaurant
Restaurant	Restaurant	Restaurant	Restaurant	Restaurant	Restaurant
Restaurant	Restaurant	Restaurant	Restaurant	Restaurant	Restaurant
Restaurant	Restaurant	Restaurant	Restaurant	Restaurant	Restaurant




# Step 5: Retrieve the Data

# Pulling with Python

---



pandas  
 $y_{it} = \beta' x_{it} + \mu_i + \epsilon_{it}$



# Pulling with Python

---

```
# Use Try-Except to handle errors
try:

    # Loop through all records to calculate the review count and weighted review value
    for business in yelp_reviews_italian["businesses"]:

        italian_review_count = italian_review_count + business["review_count"]
        italian_weighted_review = italian_weighted_review + business["review_count"] * business["rating"]

    for business in yelp_reviews_mexican["businesses"]:
        mexican_review_count = mexican_review_count + business["review_count"]
        mexican_weighted_review = mexican_weighted_review + business["review_count"] * business["rating"]

    # Append the data to the appropriate column of the data frames
    italian_data.set_value(index, "Zip Code", row["Zipcode"])
    italian_data.set_value(index, "Italian Review Count", italian_review_count)
    italian_data.set_value(index, "Italian Average Rating", italian_weighted_review / italian_review_count)
    italian_data.set_value(index, "Italian Weighted Rating", italian_weighted_review)

    mexican_data.set_value(index, "Zip Code", row["Zipcode"])
    mexican_data.set_value(index, "Mexican Review Count", mexican_review_count)
    mexican_data.set_value(index, "Mexican Average Rating", mexican_weighted_review / mexican_review_count)
    mexican_data.set_value(index, "Mexican Weighted Rating", mexican_weighted_review)

except:
    print("Uh oh")
```



This funky code...

# Pulling with Python

---

```
1 https://api.yelp.com/v3/businesses/search?term=Italian&location=76556  
https://api.yelp.com/v3/businesses/search?term=Mexican&location=76556  
2 https://api.yelp.com/v3/businesses/search?term=Italian&location=72039  
https://api.yelp.com/v3/businesses/search?term=Mexican&location=72039  
3 https://api.yelp.com/v3/businesses/search?term=Italian&location=61606  
https://api.yelp.com/v3/businesses/search?term=Mexican&location=61606  
4 https://api.yelp.com/v3/businesses/search?term=Italian&location=47232  
https://api.yelp.com/v3/businesses/search?term=Mexican&location=47232  
5 https://api.yelp.com/v3/businesses/search?term=Italian&location=60565  
https://api.yelp.com/v3/businesses/search?term=Mexican&location=60565  
6 https://api.yelp.com/v3/businesses/search?term=Italian&location=20634  
https://api.yelp.com/v3/businesses/search?term=Mexican&location=20634  
7 https://api.yelp.com/v3/businesses/search?term=Italian&location=71046  
https://api.yelp.com/v3/businesses/search?term=Mexican&location=71046
```



**...will make all of  
these URLs.**

# Pulling with Python

GET https://api.yelp.com/v3/businesses/search?term=Italian&location=37764... Params Send Save

Headers (1) Authorization Body Pre-request Script Tests Code

Key	Value	Description	...	Bulk Edit	Presets ▾
<input checked="" type="checkbox"/> Authorization	Bearer gl6k6JmewUhjMVbvoI2x4Bz_NRIEggSqiJGbTaejmzbvBJXg 36F...				
New key	Value	Description			

Body Cookies Headers (10) Tests Status: 200 OK Time: 665 ms

Pretty Raw Preview JSON

```
1 {  
2   "businesses": [  
3     {  
4       "id": "two-brothers-italian-pizza-kodak",  
5       "name": "Two Brothers Italian Pizza",  
6       "image_url": "https://s3-media3.fl.yelpcdn.com/bphoto/364BqQt0qtVH1f0t_xznA/o.jpg",  
7       "is_closed": false,  
8       "url": "https://www.yelp.com/biz/two-brothers-italian-pizza-kodak?adjust_creative=1Gw2yE0zIjSujpHtlMnodQ&utm_campaign=yelp_api_v3&utm_medium=api_v3_business_search&utm_source=1Gw2yE0zIjSujpHtlMnodQ",  
9       "review_count": 8,  
10      "categories": [  
11        {  
12          "alias": "pizza",  
13          "title": "Pizza"  
14        },  
15        {  
16          "alias": "italian",  
17          "title": "Italian"  
18        },  
19        {  
20          "alias": "pastashops",  
21          "title": "Pasta Shops"  
22        }  
23      ],  
24      "rating": 2,  
25      "coordinates":  
26        {  
27          "latitude": 35.9638662447754,  
28          "longitude": -83.5926620147413  
29        },  
30      "transactions": [],  
31      "location": {  
32        "address1": "1000 W Broad St",  
33        "address2": null,  
34        "city": "Columbus",  
35        "state": "OH",  
36        "zip_code": "43228",  
37        "country": "US",  
38        "cross_streets": "Highland Ave & Broad St",  
39        "display_address": ["1000 W Broad St", "Columbus, OH 43228"],  
40        "distance": 1000, "lat": 35.9638662447754, "lon": -83.5926620147413, "latlng": [35.9638662447754, -83.5926620147413],  
41        "neighborhood": "University District",  
42        "postcode": "43228",  
43        "region": "Columbus, OH",  
44        "regionality": "Columbus",  
45        "street": "1000 W Broad St",  
46        "unit": null  
47      }  
48    }  
49  ]  
50}  
51
```



Each of these URLs holds a piece of our answer.

# **Step 6: Assemble and Clean the Data**

# Cleaning with Pandas

---

No data comes out exactly the way you want it to.  
In our case, we needed multiple steps to aggregate the data along our channels of interest.

```
# Combine DataFrames into a single DataFrame  
combined_data = pd.merge(mexican_data, italian_data, on="Zip Code")  
combined_data.head()
```

	Zip Code	Mexican Review Count	Mexican Average Rating	Mexican Weighted Rating	Italian Review Count	Italian Average Rating	Italian Weighted Rating
0	76556	97	4.1134	399	63	3.78571	238.5
1	72039	256	4.11133	1052.2	266	3.81955	1016
2	61606	378	3.64286	1377	66	3.2197	212.5
3	47232	222	4.16892	925.5	420	3.77857	1587
4	60565	2842	3.94053	11199	2829	3.92824	11113

# Step 7: Analyze for Trends

# Analyze for Trends (Table)


It's close:

## Display Summary of Results

```
# Model 1: Head-to-Head Review Counts
italian_summary = pd.DataFrame({"Review Counts": italian_data["Italian Review Count"].sum(),
                                 "Rating Average": italian_data["Italian Average Rating"].mean(),
                                 "Review Count Wins": combined_data["Review Count Wins"].value_counts()["Italian"],
                                 "Rating Wins": combined_data["Rating Wins"].value_counts()["Italian"], index=["Italian"]}

mexican_summary = pd.DataFrame({"Review Counts": mexican_data["Mexican Review Count"].sum(),
                                 "Rating Average": mexican_data["Mexican Average Rating"].mean(),
                                 "Review Count Wins": combined_data["Review Count Wins"].value_counts()["Mexican"],
                                 "Rating Wins": combined_data["Rating Wins"].value_counts()["Mexican"], index=["Mexican"]}


final_summary = pd.concat([mexican_summary, italian_summary])
final_summary
```



	Rating Average	Rating Wins	Review Count Wins	Review Counts	
Mexican	3.826588	273	220	476889	
Italian	3.806869	245	298	573733	

# Analyze for Trends (Ratings)

Yelpers rate Italian and Mexican relatively **equally**.




=



# Analyze for Trends (Ratings)

Yelpers seem to **review significantly more Italian** restaurants.



# Analyze for Trends (Statistical Analysis)

---

We have an intuitive sense that the numbers are close, but to quantify our intuition, we use a Student's t-test. After performing the t-test, we can quantifiably state that the differences are not statistically significant

Metric	Italian	Mexican	p-value (t-test)
Average Rating	3.806	3.826	0.284
Review Counts	573k	476k	0.057





The difference in review count is **not statistically significant**.

# Analyze for Trends (Winner Take All)

Just for fun, let's throw in an analysis that aggregates the data from all cities using a winner-take-all approach.

**It's sort of a wash.**



# **Step 8: Acknowledge Limitations**

# Limitations of Analysis

Yelp demographics may not match the American demographic.



# Limitations of Analysis

---

Restaurant experiences do not equate to home-cooked meals.



# Limitations of Analysis

---

Fine-dining effect?



# **Step 9: Make the Call**

# Making the Call

---

## The “Proper” Conclusion:

Based on our analysis, it's clear that Americans' preferences for Italian and Mexican food are similar in nature. As a whole, Americans rate Mexican and Italian restaurants at statistically similar scores (avg. score: 3.8, p-value: 0.285). However, there is substantial evidence that Americans write more reviews of Italian restaurants than Mexican restaurants (+96k, p-value: 0.057).



This may indicate there is an increased interest in visiting Italian restaurants “for the experience.” Or it may merely suggest that Yelp users enjoy writing reviews of Italian restaurants more than Mexican restaurants.

# Making the Call

---


**The “Let’s Be Real” Conclusion:** Italian (but it’s going to be close).



# An Analytics Paradigm

# Analytics Paradigm

Regardless of type or industry, this paradigm provides a repeatable pathway for effective data problem-solving.





# Group Activity: Predicting Gentrification

Using the analytics paradigm as a framework, outline a strategy to identify which neighborhoods in our city are seeing signs of gentrification.

Suggested Time:

---

15 minutes

# Group Activity: Predicting Gentrification

---

Specifically, how would you answer these questions:

-  What observable signs can we detect to suggest gentrification is happening?
-  What means can we use to determine how long the trend has been happening?
-  What proxies might we use to identify gentrification in non-obvious ways?
-  How might you create a visualization of this data to best “tell the story”?

Pay special attention to details like:

-  What data will you use to build your model?
-  How will you retrieve the data?
-  What does your final “story” look like?



Time's Up! Let's Review.

# Prepare for Next Class

---

By next class:

01

Make certain that you have Microsoft Excel installed.

02

Make certain that you have Slack installed and your are actively checking it.

03

Figure out where the Git repository for our class is.

04

Figure out where class videos will be posted.

# Questions?

