DSY

LINKED LISTS - INSTET BEFORE

PRE-PEND

THE: HEAD CUMBENT

NODE

KD TRON (ND

0 -0 -0 -0


ROJ=1 While CULLENT & CUMP = CUMP - PS-01 POS tt. 1F(POS 727) ---- X = N. DEXT

LINKER LISTS IN CODE FOR REALZ

MIDDLEWARE

ABB. GCT ('/', X, Z, 2, (REQ, RES)) = 2 {

3); . N 6x1 ("-")



RECURSION? CALLING A FUNCTION FROM WITHIN SAME FUNCTION * REDUCE THE SET OF DATA

THING 204 ARE WHO ZON SAID YOU WIRE WHO ZON MUST BE TOKEN STIRING 10 KIJ ycc [22 HAND STAMP = = TUKEN Auntmosonon CHARS 541 LOGIN () DRWK? SUCAJARTUPS

FLOW DIAGRAM

(1) SIGNUP

ROUTER - POST W/ EUSERNAME, PASSWORD)

UTER - HASH PASSWORD

USER - SAUE WISWAME HHASH TO MONGO

USER - CERURATE TOKEN

ROUTER - RETURN HYDRATED USER OBJECT MI

2) SIGNIN
- POST
- M/P = = HEADER
- BORZ = NONC
- CONMARC W/PB

- REGEN TOKEN

- REGEN TOKEN

- RESIDENT

- RESIDENT

- RESIDENT

- RESIDENT

- RESIDENT

- RESIDENT

- REGEN TOKEN



/ SIGNUP / 216NIN 0082 Mark CURRICO PROPERMAL AUTH, CAN ("UIDATE"), (REQ, RIS) => E ACCESS

11 YOU CAN DO

CONTROL

WHAT WE SAY ZOU SAN'

LIST

CREATE MENICIPS

CONTINUATE

ADMIN


CREATE MENICIPS

GUEST: [READ] ED (TON : [ROAD, UI MATE] CW: [RDAD, CREATE-ARNCLE, WIPATE)

U/N: JOHN

P/w: DI---
ROLE: EDITOR AGNIN

ACCESS DENITED



SIGNUD	SERVER/ROWER		
2 -> Earan	POST / SIGNUP	NEW USOR () . SAUE ()	
			USUS nonel
	REG.USER		- ADDS VIRTUAL
SIGNIN Allan	POST/SIGNIN SR / U:PAIS MW	7 US SRS /	
	cut		+ Basi C