

jai nagpal

PLAG-2210991515_Dikshant_Jaryal

 REPORT ON AI

 Anoop Arya

 Panipat Institute of Engineering & Technology

Document Details

Submission ID

trn:oid::1:3544005147

Submission Date

Apr 20, 2026, 2:22 PM GMT+5:30

Download Date

Apr 21, 2026, 2:06 PM GMT+5:30

File Name

2210991515_Dikshant_Jaryal.docx

File Size

4.0 MB

6 Pages

1,794 Words

11,134 Characters

0% detected as AI

The percentage indicates the combined amount of likely AI-generated text as well as likely AI-generated text that was also likely AI-paraphrased.

Caution: Review required.

It is essential to understand the limitations of AI detection before making decisions about a student's work. We encourage you to learn more about Turnitin's AI detection capabilities before using the tool.

Detection Groups



0 AI-generated only 0%

Likely AI-generated text from a large-language model.



0 AI-generated text that was AI-paraphrased 0%

Likely AI-generated text that was likely revised using an AI-paraphrase tool or word spinner.

Disclaimer

Our AI writing assessment is designed to help educators identify text that might be prepared by a generative AI tool. Our AI writing assessment may not always be accurate (i.e., our AI models may produce either false positive results or false negative results), so it should not be used as the sole basis for adverse actions against a student. It takes further scrutiny and human judgment in conjunction with an organization's application of its specific academic policies to determine whether any academic misconduct has occurred.

Frequently Asked Questions

How should I interpret Turnitin's AI writing percentage and false positives?

The percentage shown in the AI writing report is the amount of qualifying text within the submission that Turnitin's AI writing detection model determines was either likely AI-generated text from a large-language model or likely AI-generated text that was likely revised using an AI paraphrase tool or word spinner.

False positives (incorrectly flagging human-written text as AI-generated) are a possibility in AI models.

AI detection scores under 20%, which we do not surface in new reports, have a higher likelihood of false positives. To reduce the likelihood of misinterpretation, no score or highlights are attributed and are indicated with an asterisk in the report (*%).

The AI writing percentage should not be the sole basis to determine whether misconduct has occurred. The reviewer/instructor should use the percentage as a means to start a formative conversation with their student and/or use it to examine the submitted assignment in accordance with their school's policies.

What does 'qualifying text' mean?

Our model only processes qualifying text in the form of long-form writing. Long-form writing means individual sentences contained in paragraphs that make up a longer piece of written work, such as an essay, a dissertation, or an article, etc. Qualifying text that has been determined to be likely AI-generated will be highlighted in cyan in the submission, and likely AI-generated and then likely AI-paraphrased will be highlighted purple.

Non-qualifying text, such as bullet points, annotated bibliographies, etc., will not be processed and can create disparity between the submission highlights and the percentage shown.



Adoption and Scalability of Hydroponic and Aeroponic Farming in India

Dikshant Jaryal

*B.E. (Computer Science Engineering), Chitkara University, Punjab, India
jaryaldikshant@gmail.com*

Abstract

Urbanization, space limitation for crop cultivation, water scarcity, and climatic changes are just some of the issues that are expected to affect traditional agriculture in India. Forms of soilless agriculture technologies include hydroponics and aeroponics, with advantages such as reduced water consumption, higher production, and constant cropping throughout the year. This article addresses the introduction and adoption of hydroponic and aeroponic agricultural methods with regard to technological, economic, environmental, and policy considerations. From secondary sources, cost considerations, energy requirements, technical knowledge, marketing opportunities, and government policies have been examined in relation to hydroponics and aeroponic agricultural methods. In conclusion, despite the fact that such farming methods are still in their infancy in India, they have started being adapted gradually through greenhouse agriculture, vertical agriculture, and urban agribusiness. Hydroponics is more prevalent than aeroponics due to lower cost implications and simpler technologies.

Keywords: Hydroponics, Aeroponics, Sustainable Agriculture, Soilless Farming

1. Introduction

Nevertheless, despite the fact that agriculture has been significant in promoting technological progress, it faces some challenges such as rising population, limited land availability, altered climate patterns, inconsistent rainfall, low-quality soil, and scarcity of water sources. Agriculture that depends on soil is increasingly difficult in urban and sub-urban settings. There is need for developing methods of crop production that ensure sustainability of the food supply and development among individuals. Much progress has been made in the realm of agriculture owing to the advent of soilless agricultural systems like hydroponics and aeroponics.^{[1][2][3]} Hydroponics is farming of plants using water that contains nutrients and not soil, whereas aeroponics refers to the process of spraying a fine mist on the plant roots for growth. India is among the leading nations when it comes to agriculture production, but they are facing issues like water shortage and scarcity of arable land. Some research findings about agriculture indicate that agricultural activities are responsible for up to 80% of the use of fresh water within the country. In such a case, it would be appropriate to consider hydroponics and aeroponics techniques as the most desirable since this is the scenario where the two techniques help save between 80 and 90% water compared to conventional farming methods. Besides, these methods do not have any soil pathogens, they lower fertilizer usage, and enable farming throughout the year. Hydroponics and aeroponics methods are gradually becoming popular in India due to the increasing use of the technology in urban settings.^{[4][5]} The adoption of such farming practices is primarily used in growing crops

with high monetary value, like leafy vegetables, medicinal plants, fruits like strawberries, tomatoes, and spices. However, these farming practices have some problems in their adoption when applied to food crops due to expensive technologies, lack of sufficient knowledge among farmers, excess energy requirement, absence of policies, and other factors. Some issues need to be identified prior to scaling up these farming practices. There are many economic, technological, institutional, marketing, and labor issues that need to be identified before adopting suitable approaches for scaling up these farming practices in the various agro-climatic zones of India.

2. Objectives of the Study

1. To identify the present state of adoption of hydroponics and aeroponics in India
2. To analyze the elements that help or hinder the process of adoption.
3. To assess the scalability of these methods in diverse settings within Indian agriculture.
4. To provide suggestions on policy initiatives for their adoption.

3. Literature Review

3.1 Worldwide Survey on Soilless Farming Methods

The paper by Chaudhary and Tyagi (2025) focuses on explaining the hydroponics and aeroponics techniques used in soil-less agriculture and how these have developed as solutions to problems such as soil pollution, scarcity of water, and climate change. Some of the key aspects considered in the paper are the design of these techniques and their benefits, including resource optimization and year-round crop cultivation, but at the same time, some drawbacks of these techniques include higher costs and technological difficulties.

3.2 Aeroponics Technique and Obstacles to Its Implementation

The research article by Garzón et al. (2023) undertakes a comprehensive literature survey to point out advancements in aeroponics and develop a technology adoption framework named TAISA for Technology Adoption and Integration in Sustainable Agriculture. The study highlights certain trends in the adoption of aeroponics and the benefits of sensor and automation technologies. However, some challenges were also identified.

3.3 Sustainability of Production through Hydroponics

In order to determine the sustainable nature of hydroponics, Anusree et al. (2024) studied this topic. Indian researchers highlighted the role of hydroponics in overcoming the consequences of climate change like deficiency of water and land resources. According to the findings of their research based on a review of the literature, it is possible to note that hydroponics has an opportunity to enhance efficiency and production as compared to traditional agriculture due to the deficiency of water.

3.4 Utilization of Water, Land, and Energy in Hydroponics

The differences between hydroponics and conventional agricultural practices in relation to water, land, and energy utilization were analyzed by Singh & Pandey (2024). Researchers observed that hydroponics utilizes much lower quantity of water up to 90%. Moreover, it also requires less land for cultivation and possesses higher productivity levels as compared to conventional agriculture.

3.5 Technical Aspects of Hydroponics and Its Commercialization

According to Lakkireddy et al., in their article, the use of hydroponics and aeroponics as regards the commercial aspect of agriculture without soil lies in the provision of proper airflow and nutrient supply through equipment such as spray or misting equipment. This leads to quick turnover cycles as well as high productivity rates.

4. Research Methodology

The research methodology used in the present study is a combination approach including:

- Synthesis of secondary data including governmental documents, scholarly articles, and business magazines.
- Conducting preliminary qualitative interviews of hydroponics/aeroponics cultivators, agritech innovators, and government officials in selected Indian states (Punjab).
- Cost-benefit comparison between hydroponics/aeroponics farming and conventional agriculture

5. Results and Discussion

5.1 Adoption Status in India

Hydroponic/aeroponic agriculture is extensively employed in India, notably in the following areas:

- **Urban and peri-urban** agriculture wherein fresh produce are sold to marketplaces and hotels.
- **Small-scale commercial** production using agricultural innovations, such as the technology-based farms in Bangalore, Pune
- **Greenhouse cultivation** of high-value crops commercially

Nonetheless, implementation of the method encounters the following issues:

- The expense involved in **developing necessary infrastructure** (nutrients, lighting, climate control)
- **Limited understanding** of small farmers
- Expenses incurred in providing energy to operate the pumps and lights, especially in instances where the electricity supply is inconsistent

5.2 Financial Feasibility

Based on the comparison, we obtain the following:

- Double to triple yields is generated by cultivating leafy vegetables hydroponically than when using soil cultivation.
- More rapid development with reduced water usage via aeroponics, albeit the need for advanced technology in aeroponics.

Table 1. Comparative Analysis:

Component	Hydroponics	Aeroponics	Traditional Soil
Water Use	−80%	−90%	Baseline
Yield	+200%	+220%	Baseline
Energy Cost	Moderate	High	Low
Labor Skill	High	Very High	Medium
Setup Cost	Medium	High	Low

5.3 Environmental and Social Consequences

Environmental Advantages:

- **Conserve water** because there are drought-prone areas.
- **Prevents soil-born diseases**, hence less use of pesticides.
- **Ability to be incorporated** into urban spaces, thus cutting down on carbon

Social & Economic Considerations:

- Provides scope for young entrepreneurs and women.
- Necessitates **training programs** to empower farmers.

6. Limitations for Scaling Up

The limitations identified include the following:

- **Capital Intensive:** Start-up cost may not be attractive to small scale farmers.
- **Lack of Technical Knowledge:** Technicians required to control the nutrient solution and climate conditions.
- **Supply Chain Disorganization:** Lack of linkage to market place
- **Energy Intensive:** Excess energy usage caused by pumping mechanism and lighting system.

7. Upgrading Approaches

7.1 Policies

Policies that involve subsidies for greenhouses, low-interest lending, and educational training can help expedite the process; Promotion incentives of PPP can contribute to innovation ecosystems.

7.2 Incorporation of Renewable Energy Sources

Aeroponics/hydroponics based on solar energy can lead to decreased production

costs and meet the country's renewable energy policy.

7.3 Education and learning opportunities

Creating learning centers and incorporating soilless agriculture in the university curriculum would increase the human resource base in India.

8. Conclusion

Hydroponics and aeroponics technologies have a lot of opportunities that can radically change conventional agriculture in India. These innovations bring creative solutions to a range of issues that exist in the field of farming and include, but are not limited to lack of cultivable space, droughts, unpredictable climate change and soil degradation. This type of agriculture allows growing plants without the soil, consuming a much smaller amount of water and thus contributing to sustainability and increased yield. In addition, with this approach farmers can grow crops throughout the whole year, even in urban settings and stacked multiple layers, which is especially helpful in densely populated areas with unfavorable climatic conditions. Farmers can easily regulate the process of growth because they can strictly control the nutrients received by plants. However, for these technologies to be applied on a wider scale in India, there are certain concerns which require attention. First, the cost to establish such technologies is rather high; the farmers are not familiar with them, and the necessary support mechanisms do not exist. Moreover, stable electricity supply and necessary measuring devices must be provided. Additionally, the farmers and businessmen should receive education concerning these technologies; the support of government and its financial assistance would greatly contribute to the process of adaptation to hydroponic and aeroponics in India. In other words, despite the potential of these technologies in terms of providing new approaches in agriculture in India, their success depends on the efforts of both the government authorities, farmers and scientists.

9. Recommendations

- **Financial Incentives:** Infrastructure subsidies and incentives, tax breaks, and credits.
- **Capacity Building:** Farmer and technician training programs.
- **Technology Transfer:** Collaboration between research centres and industries.
- **Integrated Value Chains:** Enhancement of marketing channels and distribution channels.

References

1. Anusree, K., Nair, R. S., & Joseph, M. (2024). Hydroponics as a sustainable technique under climate stress conditions in India. *Journal of Sustainable Agriculture and Environmental Research*, 12(2), 145–158.
2. Chaudhary, P., & Tyagi, S. (2025). Hydroponic and aeroponic systems for sustainable food production: A comprehensive review. *International Journal of Agricultural Innovation and Technology*, 18(1), 1–15.
3. Garzón, M., Sánchez, J., Pérez, L., & Rodríguez, A. (2023). Technological innovations and adoption barriers in aeroponic agriculture: A systematic review.

Journal of Cleaner Production, 385, 135672.

<https://doi.org/10.1016/j.jclepro.2022.135672>

4. Lakkireddy, K. K., Kasturi, K., & Kumar, P. S. (2025). Application of hydroponics and aeroponics in a commercial soil-free food cultivation system. *Horticultural Science and Technology*, 43(1), 22–34.

5. Singh, R., & Pandey, V. (2024). Comparative analysis of resource use efficiency in hydroponic and conventional farming systems. *Agricultural Systems*, 223, 103456. <https://doi.org/10.1016/j.agry.2023.103456>