



DEPARTMENT OF EDUCATION SCHOOLS DIVISION OF NEGROS ORIENTAL REGION VII



Kagawasan Ave., Daro, Dumaguete City, Negros Oriental

TLE-IA-CARPENTRY

Quarter 2 – Module 1: PREPARE TOOLS, EQUIPMENT AND MATERIALS FOR FABRICATING FORMWORKS **ACCORDING TO JOB REQUIREMENTS**





GOVERNMENT PROPERTY FOR SALE

TLE-IA-CARPENTRY-Grades 9/10

Alternative Delivery Mode

Quarter 2 – Module 1: Prepare Tools, Equipment and Materials for Fabricating Formworks According to Job Requirements

First Edition, 2020

Republic Act 8293, section 176 states that: No copyright shall subsist in any work of the Government of the Philippines. However, prior approval of the government agency or office wherein the work is created shall be necessary for exploitation of such work for profit. Such agency or office may, among other things, impose as a condition the payment of royalties.

Borrowed materials (i.e., songs, stories, poems, pictures, photos, brand names, trademarks, etc.) included in this module are owned by their respective copyright holders. Every effort has been exerted to locate and seek permission to use these materials from their respective copyright owners. The publisher and authors do not represent nor claim ownership over them.

Published by the Department of Education

Secretary: Leonor Magtolis Briones

Undersecretary: Diosdado M. San Antonio

Development Team of the Module

Writer: Marvin B. Ybañez Editor: Gemuel C. Ibero

Reviewers: Dennis S. Calinao, Gemuel C. Ibero, Howel Jay M. Caluyo, Alden B. Deguit

Typesetter: Alden B. Deguit

Layout Artist: Alden B. Deguit

Management Team: Senen Priscillo P. Paulin, CESO V Rosela R. Abiera

Fay C. Luarez, TM, Ed.D., Ph.D. Maricel S. Rasid Adolf P. Aguilar, Ed.D., TM Elmar L. Cabrera

Nilita R. Ragay, Ed.D.

Antonio B. Baguio Jr., Ed.D.

Printed in the Philippines b	у

Department of Education - Region VII Schools Division of Negros Oriental

Office Address: Kagawasan, Ave., Daro, Dumaguete City, Negros Oriental

Tele #: (035) 225 2376 / 541 1117 E-mail Address: negros.oriental@deped.gov.ph

9/10

TLE-IA-CARPENTRY

Quarter 2 – Module 1:
PREPARE TOOLS, EQUIPMENT
AND MATERIALS FOR
FABRICATING FORMWORKS
ACCORDING TO
JOB REQUIREMENTS





The module has one lesson:

Lesson 1 - Different Formwork Materials

At the end of the module, you should be able to:

- 1. Identify types of formwork materials.
- 2. Differentiate materials used in formwork.
- 3. Recognize the advantages and disadvantages of different types of formwork materials.



Directions: Identify the following terms being described.

- 1. It is not directly used for formwork and is used with the combination of oxygen atoms which forms magnesium oxide, usually called magnesia or MgO
- 2. The most commonly used material for formwork.
- 3. Used often for pre-fabricated formworks.
- 5. Type of formwork material which is used for small concrete structures or for complex portions of the structure.
- 6. Also called as traditional formwork.
- 7. It can be mold into any required shapes which makes it more famous formwork for architectural purposes.
- 8. GRP means what?
- 9. It is a manufactured product of timber is also used for formworks
- 10. It is very costly but it can be used for more number of times than others

Lesson **1**

Different Formwork Materials

In this module, you will learn different formwork materials for a specific job in Carpentry. With this, it is necessary that you learn the different materials and tools needed in Carpentry.



What's In

This portion of the module is about some topics for you to review. As a TLE student, you are recommended to review your topics. Reviewing will help you a lot to gain better understanding on the concepts presented throughout your journey in learning Carpentry.



Notes to the Teacher

Teacher is recommended to design an activity to recognize prior learning of the students or you may have some motivational activities to incorporate at the start of this module.



Directions:

Enumerate the advantages of plywood as formwork material in carpentry. Copy and answer this in your activity notebook.



Different Formwork Materials

A formwork is a temporary structure used as mold for the original structure. There are different materials available to construct the formwork. Formwork Material is selected depending upon many factors like cost, requirement, type of structure etc.

Different Formwork Materials

Different formwork materials and their advantages and disadvantages are discussed below.

Timber is the most commonly used material for formwork. Timber logs, lumber etc. are used as bracing members from ancient times. So, the Timber formwork is also called as traditional formwork. It is most economical material used for formwork. This is used in sites as formwork material for number of years so, the method of constructing timber framework is well known to the workers.

Advantages

- Timber is light in weight and it can be handled easily.
- Timber has good thermal resistance which prevents the damage of concrete in colder regions.
- It is easy to understand the construction method of timber formwork hence, skilled workers are not necessary.
- It is easy to replace the damaged parts of timber forms.
- Timber formwork can be easily dismantled.

- Dry timber may absorb water from wet concrete which result in the reduction of strength in concrete structure.
- Wet timber having high moisture content compress the wet concrete and

forms cracks in the structure and grout may leaked through joints when shrinking occurs.

• Timber forms have limited usage. So, they cannot be useful for more times.



2. Plywood as Formwork Material

Plywood which is a manufactured product of timber is also used for formworks. It consists number of veneer sheets or plies in layers. Now a days, the use of plywood formwork increases especially for facing panels. The reason behind it is that the plywood formwork provides smooth finish when compared to normal timber formwork. Hence, finishing cost may reduce by the use of plywood.

For formwork, special type of plywood called exterior plywood is used. The veneer sheets of exterior plywood are bonded with strong adhesive to make it watertight. The plywood boards are available in thicknesses from 7mm to 32mm.

In general, plywood of size 1220 x 2440 and 18mm thick boards are sufficient for most of the works. For curved structures, special types of plywood with sufficient thickness are also available.

Advantages

- Plywood can also be cut into required size easily.
- Plywood Strong, durable and light in weight.
- Provides smooth finish on the surface.
- Very Large size plywood sheets are available which makes the construction of formwork quicker and easier.
- Curved formworks can also be prepared using plywood.

Disadvantages

- When compared to timber it is costly.
- Thin plywood sheets cannot sustain the weight of concrete they may bow out if proper thickness is not provided.



3. Steel as Formwork Material

Steel can also be used as formwork material. It is very costly but it can be used for more number of times than others. They provides excellent finish to the concrete surfaces. For mass strictures like dams, bridges, etc. steel from work is so strong and safe.

Advantages

- Steel forms are durable and stronger.
- Provides uniform and smooth surface finish to the structure.
- Great reusability.
- Easy to fix the formwork and also easy to dismantle.

- Cost is very much higher.
- It is heavy in weight and requires lifting equipment for large structure formworks.
- The size and shapes of forms available are limited.



4. Aluminum as Formwork Material

Aluminum formwork is used often for pre-fabricated formworks. It is getting more popular because of its light weight and good strength. It requires fewer supports and ties.

Advantages

- Easy to fix and easy to dismantle.
- It can be handled easily because of its light weight.
- It can be re-used for many times.
- The walls and slabs of structures can be casted simultaneously.
- Monolithic crack free structures can be built using aluminum formwork.

Disadvantages

• When the load reaches its maximum limit, the lighter sections may deflect.



5. Plastics as Formwork Material

Plastic is another type of formwork material which is used for small concrete structures or for complex portions of the structure. It is light in weight and durable for long periods. For complicated concrete structures, Glass reinforced plastics (GRP) and vacuum formed plastics are used.

Advantages

- Plastic is light in weight and can be easily handled.
- Formwork for complex shaped structures can be prepared easily.
- Good resistant against water.
- The damaged plastic sheets can be recycled and useful to make new sheets.
- Good quality plastic has great re-usability.

- Plastic is weak against heat.
- It does not take much load when compared with others.



6.Magnesium as Formwork Material

Magnesium is another metal element which is used for formwork. Magnesium is not directly used for formwork and is used with the combination of oxygen atoms which forms magnesium oxide, usually called magnesia or MgO.

Magnesium oxide boards or MgO boards are famous in some countries because of their multiple applications. MgO boards are available in required sizes and grades.

Advantages

- Mgo boards are light in weight and easy to handle.
- They are fire proof and waterproof.
- Bio friendly boards cause no harm to the environment.
- They are strong to resist heavy loads.

- Skilled supervision is required for installation.
- MgO boards cannot sustain in humid conditions. They absorb moisture easily from atmosphere so, they are called as crying boards.



7. Fabric as Formwork Material

Fabric formwork is the modern technology in construction sector. Fabric can be mold into any required shapes which makes it more famous formwork for architectural purposes.

Advantages

- It weighs very less when compared to any other formwork material.
- It is economical.
- Any complex shape can be constructed using fabric formwork.
- It is waterproof.
- Doesn't affect the concrete properties.
- Easy to removal after the hardening of concrete.

Disadvantages



Directions: Answer the following question.

1. What are the advantages of timber as Formwork Material?



What I Have Learned

Formwork is a temporary structure that supports part or the whole of a permanent structure until it is self-supporting. Once assembled, the components form the temporary structure. There are different materials that can be used depending on the budget and availability of material. Each material has its advantages and disadvantages.



What I Can Do

Direction: Answer the following questions.

1. What are the advantages and disadvantages of steel as formwork material?



Assessment

Instruction: Choose the correct answer from the given options. Write your answers in your notebook.

1.		_	al used with the cominate all used with the cominate all with the cominate all used in the cominate all used with the cominate all used wit		
		•	c. fabric	_	
2.	What is most comm			0	
		3	c. plywood	d. aluminum	
3.	What formwork material often used for pre-fabricated formworks.				
	a. Timber	b. plastic	c. plywood	d. aluminum	
4.	What do you call	a temporary struc	cture used as mold	l for the original	
	structure.				
	a. Reinforced	b. plywood	c. formwork	d. scaffolding	
5.	Type of formwork n	naterial which is use	ed for small concrete	e structures or for	
complex portions of the structure.					
	a. Plastic	b. steel	c. timber	d. magnesium	
			c. aluminum d. pla		
7.			napes which makes	it more famous	
	formwork for architectural purposes.				
	a. Plywood	b. steel	c. fabric	d. timber	

- 8. GRP means what?
 - a. Glue reinforced plastic
- c. glass reinforce plastic
- b. Global reinforce plastic
- d. grass reinforce plastic
- 9. It is a manufactured product of timber is also used for formworks.
 - a. Timber
- b. plywood
- c. steel
- d. plastic
- 10. It is very costly but it can be used for more number of times than others
 - a. Timber
- b. aluminum
- c. plywood
- d. steel



Additional Activities

Direction: Answer the following question. Write the correct answer to your activity notebook.

1. What are the different formwork materials?

Answer Key

I Can Do		I Know	-
ntages durable and stronger	-	Magnesium	
uniform and smooth surface		Timber	
Great reusability		munimulA	
Easy to fix		Formwork	
- co con-		Plastics	_
High cost		Timber Timber	
Heavy weight	-	Fabric	
noisorro	_	Glass reinforced plastics	
size and shapes are limited	.₽	Plywood	
zwent		Steel	IC
	.1		
	.2	What's New	
	.£	Plywood can also be cut	•т
	.4 2	into required size easily. Plywood Strong, durable	C
A A		and light in weight.	• • •
	.7	Provides smooth finish on	.ε
	.8	the surface.	
	.6	Very Large size plywood	.4
	10	sheets are available which	
		makes the construction of	
ional Activities	itibbA	iormwork quicker and	
Timber		easier.	_
Plywood	.2	Curved formworks can also	·G
Steel	.ξ	be prepared using plywood. When composed to timber	9
munimulA	.₽	When compared to timber, it gives more number of	.0
Plastics	.ς	regives more number of relations.	
Magnesium	.9	tacana	
Pabric	More 7. Fabric		What
		Can be can to any size	
		Light in weight	2.
		Good thermal resistance	.ε
			4.
		construction method	-
		Easy to replace	_
		easily dismantled	·o

References

References for Images and Content:

- https://theconstructor.org/building/materials-formwork-advantages-disadvantages/6188/
- https://www.bygging-uddemann.se/formwork-material-types-requirements/

For inquiries or feedback, please write or call:

Department of Education – Schools Division of Negros Oriental Kagawasan, Avenue, Daro, Dumaguete City, Negros Oriental

Tel #: (035) 225 2376 / 541 1117

Email Address: negros.oriental@deped.gov.ph

Website: Irmds.depednodis.net

