

←↻🔒https://www.geeksforgeeks.org/problems/search-pattern0205/1



Courses ▾Tutorials ▾Practice ▾Jobs ▾

    Chat ▾

≡

Problem

Editorial

Submissions

Comments

⛶

Output Window

Compilation Results

Custom Input

Y.O.G.I. (AI Bot)

Problem Solved Successfully 

[Suggest Feedback](#)

Test Cases Passed

1111 / 1111

Attempts : Correct / Total

1 / 1

Accuracy : 100%

Points Scored 

8 / 8

Your Total Score: 8 

Time Taken

0.69

Java (21)

Start Timer

```
1 class Solution {
2     ArrayList<Integer> search(String pat, String txt) {
3
4         ArrayList<Integer> result = new ArrayList<>();
5
6         int n = txt.length();
7         int m = pat.length();
8
9         // build LPS array
10        int[] lps = new int[m];
11        int len = 0;
12        int i = 1;
13
14        while (i < m) {
15            if (pat.charAt(i) == pat.charAt(len)) {
16                len++;
17                lps[i] = len;
18                i++;
19            } else {
20                if (len != 0) {
21                    len = lps[len - 1];
22                } else {
23                    lps[i] = 0;
24                    i++;
25                }
26            }
27        }
28
29        // KMP search
30        i = 0;
31        j = 0;
32
33        while (i < n) {
34
35            if (txt.charAt(i) == pat.charAt(j)) {
36                i++;
37                j++;
```



Custom Input

Compile & Run

Submit

Problem List

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted 50 / 50 testcases passed

zOnSVi7Utl submitted at Sep 06, 2026 14:27

Analysis

Solution

583.25ms

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

1 ms | Beats 76.64%

Memory

43.47 MB | Beats 90.87%

Runtime (ms)	Beats (%)
1ms	76.64%
2ms	
3ms	
4ms	

Code | Java

1 import java.util.*;

Code

Java

Auto

```
9 if (matches(word, pattern)) {
10     result.add(word);
11 }
12 }
13
14 return result;
15 }
16
17 private boolean matches(String word, String pattern) {
18
19     HashMap<Character, Character> map1 = new HashMap<>();
20     HashMap<Character, Character> map2 = new HashMap<>();
```

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Input

words =

["abc", "deq", "mee", "aqq", "dkd", "ccc"]

pattern =

"abb"

Output

←↻🔗https://leetcode.com/problems/longest-substring-without-repeating-characters/submissions/2132653471/🔖🌟👤⋮🗨️ Chat

🏠📄 Problem List⏪⏩🚩🎮📄 Submit📄🌟

DescriptionAccepted ×EditorialSolutionsSubmissions

←All Submissions🔗

Accepted1036 / 1036 testcases passed

👤 zOnSV7Utl submitted at Sep 06, 2026 14:26


📊 Analysis📄 Solution

🏆 ₹583.25/mo (Save over 98%)

👑 Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan. →

🕒 Runtime
65 msBeats 36.04%

💾 Memory
47.87 MBBeats 37.67%



30%
20%
10%
0%
2ms22ms43ms64ms85ms105ms126ms147ms

Code | Java

1 class Solution {

Code

Java🔒 Auto

```
13
14
15         set.add(s.charAt(right));
16
17         max = Math.max(max, right - left + 1);
18     }
19
20     return max;
21 }
22 }
```

SavedLn 22, Col 2

📄 Testcase>📄 Test Result

AcceptedRuntime: 0 ms

✅ Case 1

✅ Case 2

✅ Case 3

Input

s =
"abcabcbb"

Output

3

Expected

```
34     }  
35  
36     br.close();  
37 }  
38  
39
```

Line: 38 Col: 2

 Upload Code as File ☐ Test against custom input

Run Code Submit Code



You have earned 20.00 points!
You are now 5 points away from the 3rd star for your problem solving badge.

95% 195/200

Congratulations

You solved this challenge. Would you like to challenge your friends?  

Next Challenge

✔ Test case 0

Compiler Message

Accepted

1096 / 1096 testcases passed

zOnSVI7Utl submitted at Sep 06, 2026 14:23

Analysis

Solution

583.25ms

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editors — all in one plan.

Runtime

1 ms | Beats 100.00%

Memory

42.92 MB | Beats 99.79%

Code | Java

1 class Solution {

Code

Java

Auto

37
38
39 result = result * 10 + digit;
40 i++;
41 }
42
43 return result * sign;
44 }
45 }
46

Saved

Ln 46, Col 1

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1 Case 2 Case 3 Case 4 Case 5

Input

s =
"42"

Output

42

Expected

https://leetcode.com/problems/maximum-sum-circular-subarray/submissions/2132650252/

Problem List Submit Solutions Submissions

Description Accepted Editorial Solutions Submissions

All Submissions

Accepted 112 / 112 testcases passed
zOnSVi7Utl submitted at Sep 06, 2026 14:22

Analysis Solution

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime: 8 ms | Beats 25.98%
Memory: 50.95 MB | Beats 79.40%

Bar chart showing runtime performance across different test cases (1ms to 8ms).

Code | Java

```
1 class Solution {
```

Code Editor (Java):

```
26     if (maxSum < 0) {  
27         return maxSum;  
28     }  
29  
30     // Circular maximum = total - minimum subarray  
31     int circularSum = total - minSum;  
32  
33     return Math.max(maxSum, circularSum);  
34 }  
35 }
```

Testcase Test Result

Accepted Runtime: 0 ms

Case 1 Case 2 Case 3

Input

nums =
[1, -2, 3, -2]

Output

3

Expected

Line: 66 Col: 2

Upload Code as File

☐ Test against custom input

Run Code

Submit Code

 You have earned 50.00 points!
You are now 25 points away from the 3rd star for your problem solving badge.

75%

175/200

Congratulations

You solved this challenge. Would you like to challenge your friends?



Next Challenge

Test case 0

Test case 1

Test case 2

Compiler Message

Success

Hidden Test Case

By clicking "Accept All Cookies", you agree to the storing of cookies on your device to enhance site navigation, analyze site usage, and assist in our marketing efforts. For more information please view our [Privacy Policy](#) [Privacy Policy](#).

Cookies Settings

Accept All Cookies

Line: 52 Col: 2

📄 Upload Code as File

☐ Test against custom input

Run Code

Submit Code



You have earned 10.00 points!

You are now 75 points away from the 3rd star for your problem solving badge.

25%

125/200

Congratulations

You solved this challenge. Would you like to challenge your friends? [🐦](#) [in](#)

Next Challenge

✔️ Test case 0

✔️ Test case 1

✔️ Test case 2

Compiler Message

Success

Input (stdin)

1 5

Download

https://leetcode.com/problems/maximum-subarray/submissions/2132645602/

Problem List

Submit

Premium

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

210 / 210 testcases passed

Analysis

Solution

zOnSV7Utl

submitted at Sep 06, 2026 14:16

583.25

Unlock the Full LeetCode Experience

Company problems. Ask Leet, and expert editorials — all in one plan.

Runtime

1 ms | Beats 99.94%

Memory

80.78 MB | Beats 5.79%

Runtime (ms)	Percentage
1ms	~100%
2ms	0%
3ms	0%
4ms	0%

Code

Java

Auto

```
1 class Solution {
2     public int maxSubArray(int[] nums) {
3         int currentSum = nums[0];
4         int maxSum = nums[0];
5
6         for (int i = 1; i < nums.length; i++) {
7             currentSum = Math.max(nums[i], currentSum + nums[i]);
8             maxSum = Math.max(maxSum, currentSum);
9         }
10
11     return maxSum;
12 }
```

Saved

Ln 1, Col 1

Testcase

Test Result

You must run your code first

←↻🔗https://leetcode.com/problems/sort-the-people/submissions/2132628933/🔖🌟👤⋮🗨️Chat

🏠📄Problem List<>🔍Submit📄🔗

🔗DescriptionAccepted x📄Editorial👤Solutions📄Submissions


←All Submissions🔍

Accepted68 / 68 testcases passed🔗Analysis📄Solution

👤zOnSVi7Utl submitted at Sep 06, 2026 13:53

🏆₹583.25 (med)Save over 60%👑Unlock the Full LeetCode ExperienceCompany problems, Ask Leet, and expert editorials — all in one plan.→

🕒Runtime8 ms | Beats 95.49%📊Memory47.20 MB | Beats 65.18%

📊

Code | Java

1 import java.util.*;

<>CodeJava📄Auto

17
18String[] result = new String[names.length];
19
20for (int i = 0; i < names.length; i++) {
21 result[i] = names[index[i]];
22}
23
24return result;
25
26}

SavedLn 26, Col 2

📄Testcase>📄Test Result

AcceptedRuntime: 0 ms

✅Case 1✅Case 2

Input

names =
["Mary", "John", "Emma"]

heights =
[180, 165, 170]

Output