

←

✓

Difficulty: 1159

⚙

Expand

🔖

←

Prev Problem

Next Problem

→

StatementHintsSubmissionsSolutionHelp

Constraints:

- $1 \leq T \leq 100$
- $2 \leq |S| \leq 1000$ , where  $|S|$  denotes the length of  $S$

Sample 1:

| Input  | Output |
|--------|--------|
| 6      | YES    |
| gaga   | NO     |
| abcde  | YES    |
| rotor  | YES    |
| xyzxy  | NO     |
| abbaab | NO     |
| ababc  |        |

Did you like the problem statement?

134 users found this helpful

👍🗨💬

More Info

Time limit

↑

secs

Java

```
19         System.out.println("NO");
20     }
21 }
22     sc.close();
23 }
24 public static boolean isPalindrome(String s) {
```

Test against Custom Input

6  
gaga  
abcde  
rotor

✓ Correct Answer

Submission ID: [1339819992](#)

| Sub-Task           | Task # | Result (time)    |
|--------------------|--------|------------------|
| 1                  | 0      | Correct (0.08)   |
| Subtask Score: 20% |        | Result - Correct |
| 2                  | 1      | Correct (0.08)   |

👁 Visualize Code

▶ Run

Submit

Description Editorial Solutions Submissions

### 1704. Determine if String Halves Are Alike

Easy Topics Companies Hint

You are given a string `s` of even length. Split this string into two halves of equal lengths, and let `a` be the first half and `b` be the second half.

Two strings are **alike** if they have the same number of vowels ( 'a', 'e', 'i', 'o', 'u', 'A', 'E', 'I', 'O', 'U' ). Notice that `s` contains uppercase and lowercase letters.

Return true if a and b are **alike**. Otherwise, return false.

**Example 1:**

**Input:** `s = "book"`

**Output:** true

**Explanation:** a = "bo" and b = "ok". a has 1 vowel and b has 1 vowel. Therefore, they are alike.

**Example 2:**

**Input:**  $s = \text{"textbook"}$

**Output:** false

**Explanation:** a = "text" and b = "book". a has 1 vowel whereas b has 2. Therefore, they are not alike.

Notice that the vowel o is counted twice.

2.3K 108

15 Online

## Code

Java   Auto

```
1 class Solution {
2     public boolean halvesAreAlike(String s) {
3         int n = s.length();
4         int mid = n / 2;
5
6         // Define a lookup string containing all uppercase and lowercase vowels
7         String vowels = "aeiouAEIOU";
8         int countA = 0;
9         int countB = 0;
10    }
```

Ln: 1, Col: 1

Testcase | **Test Result**

Accepted

Runtime: 0 ms

"book"

### Output

true

```
31 List<Integer> b = new ArrayList<>();
32 for (int i = 0; i < 3; i++) {
33     b.add(scanner.nextInt());
34 }
35
36 List<Integer> result = compareTriplets(a, b);
37
38 System.out.println(result.get(0) + " " + result.get(1));
39
40 scanner.close();
```

Line: 43 Col: 1

Upload Code as File

☐ Test against custom input

Run Code

Submit Code

## Congratulations

You solved this challenge. Would you like to challenge your friends? [f](#) [t](#) [in](#)

Next Challenge

Test case 0

Test case 1

Test case 2

Compiler Message

Success

Input (stdin)

5 6 7

Download

leetcode.com/problems/contains-duplicate/

SchoolAction required

Problem List

Submit

0

Premium

DescriptionEditorialSolutionsSubmissions

1 <= nums.length <= 10<sup>5</sup>  
-10<sup>9</sup> <= nums[i] <= 10<sup>9</sup>

Seen this question in a real interview before? 1/5  
YesNo

Accepted 6,816,949/10.5M Acceptance Rate 64.6%

TopicsCompaniesSimilar QuestionsDiscussion (466)

Copyright © 2026 LeetCode. All rights reserved.  
14.2K466282 Online

Code

JavaAuto

12  
13  
14  
15  
16  
17  
18  
19  
20  
21

}  
// Otherwise, add it to our tracking set  
seen.add(num);  
}  
  
// Every element was distinct  
return false;  
}

SavedLn 21, Col 1

TestcaseTest Result

AcceptedRuntime: 0 ms

Case 1Case 2Case 3

Input  
nums =  
[1,2,3,1]

Output  
true

```
38
39     String result = timeConversion(s);
40     System.out.println(result);
41
42     scanner.close();
43 }
44 }
45
46
47
```

Line: 45 Col: 1

Upload Code as File

☐ Test against custom input

Run Code

Submit Code



You have earned 15.00 points!  
You are now 5 points away from the 1st star for your problem solving badge.

83%

25/30

## Congratulations

You solved this challenge. Would you like to challenge your friends?



Next Challenge

Test case 0

Compiler Message

leetcode.com/problems/move-zeroes/description/

Problem List

Submit

School

Action required

Description

Editorial

Solutions

Submissions

Output: [0]

Constraints:

- $1 \leq \text{nums.length} \leq 10^4$
- $-2^{31} \leq \text{nums}[i] \leq 2^{31} - 1$

Follow up:

Could you minimize the total number of operations done?

Discover more

Computer Education

Android Apps

Seen this question in a real interview before?

1/6

Yes

No

Accepted

5,509,608 / 8.6M

Acceptance Rate

64.2%

Topics

Companies

19.8K

443

271 Online

Code

Java

Auto

```
42     if (i < nums.length - 1) {
43         System.out.print(" ");
44     }
45 }
46 System.out.println();
47
48 scanner.close();
49 }
50 }
51
```

Saved

Ln 51, Col 1

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Input

nums =  
[0, 1, 0, 3, 12]

Output

[1, 3, 12, 0, 0]

Line: 43 Col: 1

 Upload Code as File

☐ Test against custom input

Run Code

Submit Code



You have earned 10.00 points!  
You are now 65 points away from the 2nd star for your problem solving badge.



### Congratulations

You solved this challenge. Would you like to challenge your friends? [f](#) [t](#) [in](#)

Next Challenge

✔ Test case 0

✔ Test case 1 

✔ Test case 2 

✔ Test case 3 

Compiler Message

Success

Input (stdin)

|   |        |
|---|--------|
| 1 | 3      |
| 2 | 11 2 4 |
| - | - - -  |

Download

leetcode.com/problems/transpose-matrix/

Problem List

Submit

Run

Ctrl

Star

Share

School

Action required

Editorial

Solutions

Submissions

•  $1 \leq m \leq n \leq 10^5$

•  $-10^9 \leq \text{matrix}[i][j] \leq 10^9$

Seen this question in a real interview before? 1/6

Yes

No

Accepted 648,646/842.2K    Acceptance Rate 77.0%

Topics

Companies

Hint 1

Discussion (133)

Copyright © 2026 LeetCode. All rights reserved.

4.2K   133   ☆   33 Online

Code

Java

Auto

45   System.out.println();

46   }

47   }

48   scanner.close();

49   }

50   }

51   }

Saved

Ln 51, Co

Testcase   Test Result

Accepted   Runtime: 0 ms

Case 1

Case 2

Input

matrix =

[[1,2,3],[4,5,6],[7,8,9]]

Output

[[1,4,7],[2,5,8],[3,6,9]]



Problem List

Submit

0

Premium

Description

Editorial

Solutions

Submissions

Input: `mat = [[1,2,3],[4,5,6],[7,8,9]]`, `k = 1`  
Output: `[[12,21,16],[27,45,33],[24,39,28]]`

Example 2:  
Input: `mat = [[1,2,3],[4,5,6],[7,8,9]]`, `k = 2`  
Output: `[[45,45,45],[45,45,45],[45,45,45]]`

Constraints:

- `n == mat.length`
- `n == mat[i].length`
- `1 <= m, n, k <= 100`
- `1 <= mat[i][j] <= 100`

Seen this question in a real interview before? 1/6

Accepted 117,899 / 153,4K    Acceptance Rate 76.8%

2.5K   51   18 Online

Code

Java   Auto

```
33  
34  
35  
36  
37  
38  
39  
40  
41  
42
```

```
- prefixSum[r1][c2 + 1]  
- prefixSum[r2 + 1][c1]  
+ prefixSum[r1][c1];  
  
}  
  
return answer;
```

Saved

Ln 42, Co

Testcase

Test Result

Accepted   Runtime: 0 ms

Case 1   Case 2

Input

mat =  
[[1,2,3],[4,5,6],[7,8,9]]

k =  
1

Output



You have earned 80.00 points!  
You are now 85 points away from the 3rd star for your problem solving badge.

15%

115/200

## Congratulations

You solved this challenge. Would you like to challenge your friends? [f](#) [t](#) [in](#)

Next Challenge

Test case

Test case 1

Test case 2

Test case 3

Test case 4

Test case 5

Test case 6

Test case 7

Compiler Message

Success

Input (stdin)

```
1 4 4 1
2 1 2 3 4
3 5 6 7 8
4 9 10 11 12
5 13 14 15 16
```

Download

Expected Output

```
1 2 3 4 8
```

Download