

JA-SIG Conferences : Groups Management

This page last changed on May 27, 2006 by susan.bramhall@yale.edu.

PAGS example

uPortal comes with a PAGS example commented out. To try it out:

Uncomment the PAGS definition in **compositeGroupServices.xml** which looks like this:

```
<service>
  <name>pags</name>
  <service_factory>org.jasig.portal.groups.ReferenceIndividualGroupServiceFactory</service_factory>
  <entity_store_factory>org.jasig.portal.groups.pags.PersonAttributesEntityStoreFactory</entity_store_factory>
  <group_store_factory>org.jasig.portal.groups.pags.PersonAttributesGroupStoreFactory</group_store_factory>
  <entity_searcher_factory>org.jasig.portal.groups.pags.PersonAttributesEntitySearcherFactory</entity_searcher_factory>
  <internally_managed>false</internally_managed>
  <caching_enabled>true</caching_enabled>
</service>
```

Look at PAGSGroupStoreConfig.xml. You will see definitions for

- PAGS Root
 - Users
- - Short First Names
 - Ds and Students

Deploy the portal again with the new group configuration.

Login as Admin. In the **Groups Manager Channel**, Add the group "PAGS Root" to everyone. You will see the whole hierarchy but not the members.

Search for a Person whose name contains demo and look at the group information. Demo is now a member of Users, Short First Names, Developers, Ds and Students.