ManyBabies Merged Data Dictionary

Variable	Format	Value example(s)	Description
EXPERIMENTAL			
project_id	[categorical]	MB1 / MB3 / MB4	Project identifier
lab_id	[string]	babylablangessex / babylablmu	Unique lab identifier as chosen by the lab
unique_subject_identifier	[string]	MB1_ethosrennes_ae536 / MB3_babylab_leiden_17_L	A non-identifying, unique code created by combining the Project ID + lab ID + original participant ID
method	[categorical]	eye tracking / hpp / single screen central fixation	Which experimental method was used for respective participants to derive looking times. hpp = head turn preference paradigm *Note:* all labs automatically code eye tracking data. While most labs employ online coding for single-screen central fixation and HPP, some employ offline coding
age_days	[integer]	89 / … / 653	Infant participant's chronological age in days at the time of testing

age_group_new	[categorical]	3-6 months / … / 15-18 months	Infant participant's chronological age in months at the time of testing
participant_sex	[categorical]	F / M / NA	Infant participant's sex as reported by the family respondent
stimulus_type	[categorical]	audiovisual	Type of stimulus participant was exposed to
trial_type	[categorical]	TRAIN / consistent / …	Type of trial participant underwent in their respective project (habituation or testing). MB1: infant directed speech (IDS) vs adult directed speech (ADS) MB3: consistent vs inconsistent MB4: social vs nonsocial
trial_number	[integer]	-2 / … / 16	Trial number of participant; training trials are denoted by -2, -1, 0. Testing trials are denoted by positive values
stimulus_id	[integer]	MB1_TRAIN_-1 / MB4_social_square_first_right...	Stimulus identifier for type of stimulus presented, coded as a combination of project ID + trial type + stimulus_num (MB1)/ stimulus_filename (MB3)/pushup_identity, pushup_order, pushup_side (MB4);

			Clearly identifiable for MB3 and MB4 but not MB1 (only coded as stimulus_num in original dataset)
habituation	[logical]	true / false	Trials that are relevant for habituation modelling. Familiarization/training trials are coded as false; trials belonging to the habituation phase and to the testing-condition trials are coded as true
looking_time	[numeric]	0.162 / 18	Time spent looking at fixation object during each trial (in seconds) Minimum and maximum LTs recorded: MB1: 2s – 18s MB3: 2s – 15s MB4: no global min/max range specified. Trial terminated if infant looked away for 2s or 30s elapsed
DEMOGRAPHIC			
household_size	[integer]	0 / … / 8	Number of kids and adults in the household, including the infant participant. Note that in the original MB1 dataset some values are “0” or “1”, therefore, they are not changed in this dataset.
parent1_education	[integer]	5 / … / 29 (MB1) Masters Degree (MB3)	Total years of education completed by the first parent OR Highest degree obtained by first parent

parent2_education	[integer]	4 / … / 29 (MB1) Masters Degree (MB3)	Total years of education completed by the second parent OR Highest degree obtained by second parent
participant_place_of_birth	[string]	Preston, England / Amsterdam, NL / …	Infant participant's place of birth
race	[string]	aboriginal / Asian, Caucasian / …	Infant participant's racial identity (-ies) as reported by the family respondent
primarycaregiver_gender	[categorical]	F /M / NA / OTHER	First parent's gender identity as reported by the family respondent
language_group	[categorical]	bilingual / monolingual / NA / other	Language group of respective participants indicates whether they are exposed to a singular or multiple languages
primary_language	[string]	Bulgarian / english + japanese / …	Language (-s) the infant participant is most exposed to
primary_language_exposure	[numeric]	0 / … / 100	Percentage of primary langage exposure in daily life of the infant participant
caregiver_seat	[categorical]	caregiver_lap_only / changed_throughout / seat_alone_only / NA	Whether the infant participant was tested seated in a caregiver's lap, on a seat, or changed positions during the session

second_session	[logical]	FALSE / TRUE	Whether a study was the second session an infant participated in during the lab visit
lookingtime_freezeframe	[numeric]	0 / 0.027666 / …	Looking time after video stopped (in seconds), including max 30 seconds of frozen end frame. Backup variable