
3

```
bal= 2000:1000:15000;
newbal=zeros(size(bal));
format bank

for i=1:length(bal)

    if bal(i)< 5000
        rate= 0.09;
    elseif bal(i)< 10000
        rate= 0.12;
    else
        rate= 0.15;
    end

    newbal(i)= bal(i)+ rate* bal(i);
    disp('Balance:')
    disp(bal(i))
    disp('New balance is:')
    disp(newbal(i))
end
```

```
Balance:
    2000.00
```

```
New balance is:
    2180.00
```

```
Balance:
    3000.00
```

```
New balance is:
    3270.00
```

```
Balance:
    4000.00
```

```
New balance is:
    4360.00
```

```
Balance:
    5000.00
```

```
New balance is:
    5600.00
```

```
Balance:
    6000.00
```

```
New balance is:
    6720.00
```

Balance:
7000.00

New balance is:
7840.00

Balance:
8000.00

New balance is:
8960.00

Balance:
9000.00

New balance is:
10080.00

Balance:
10000.00

New balance is:
11500.00

Balance:
11000.00

New balance is:
12650.00

Balance:
12000.00

New balance is:
13800.00

Balance:
13000.00

New balance is:
14950.00

Balance:
14000.00

New balance is:
16100.00

Balance:
15000.00

New balance is:

17250.00

4

```
x=1;  
a=1;  
t=1;  
c= log(x+x^2+a^2)  
d=(exp(3*t)+t^2*sin(4*t))*(cos(3*t))^2
```

c =

1.10

d =

18.94

Published with MATLAB® R2025b