



UNIT 3: ANATOMY & PHYSIOLOGY

SLIDES 1 + 2: INTRODUCTION

SLIDE 3

OBJECTIVE:

Teach students about sexual reproduction and the many anatomical parts involved. Introduce contraception, pregnancy, and sex.

NOTES:

- Feel free to skip the condom assessments and demo for a younger audience, but please ensure students have practiced putting on condoms before grade 10.
- Teachers often tell us that they're worried about teaching kids the names of the parts of the reproductive system because they're worried the kids will yell the words at inappropriate times or around inappropriate people. While it is true that when kids have the language, they will use it, it is manageable, and important to teach these terms (kids who know the proper names for their body parts are less likely to be targeted for sexual abuse). When kids do say the names of body parts at inappropriate times or around inappropriate people, it's important not to shame them. Just remind them that there are appropriate times and places to talk about these things.
- Also keep in mind: When should you teach this unit for your group? Often, the block right after lunch works well, as we want kids to remember the content and have communication at home with parents but we don't want the info so fresh in the students' minds that they try out their skills on the bus.

LESSON PREP:

To help students get comfortable with Health Services:

1) Book a guest speaker:

- Call your community health nurse and see if they can come to your class for a free visit.
- Ask the nurse to bring 30–50 condoms so you can practise condom demos. Ask them to bring internal and external condoms.
- Ask the nurse to explain what a physical would be like on a body with a vulva and on a body with a penis. Have the graphics for the internal reproductive systems on stand-by so the nurse can show students how the exam happens and why.

AND/OR



SLIDE 3 continued...

2) Go to the local clinic:

- Call your local health clinic, or go find one at: optionsforsexualhealth.org/care/clinic-finder.
- Ask to visit the clinic as a small group. Tell the receptionist who you are and what your group has been learning about. Most clinics will be very receptive to your visit. They want this population to have positive sexual experiences and to access medical care when they need it. Once you have set up the booking, ask for the contact info of the clinician who will be giving the tour.
- Be sure to let the clinician know what you have been learning, who the population is, that you want to have a tour of the facility, and that the students need to know why people go to a clinic, how a person would get tested for STIs, where the condoms are, and when the clinic is open. Ask if it is possible for the clinician to do a condom demo and have the students practise putting condoms on model penises at the clinic.

Goals:

1. Normalize going to a clinic, seeing a health practitioner, and picking up free condoms and learning materials when visiting a clinic.
2. To remind participants of their right to access health care by showing them the process of finding and going to a clinic during hours or operation.

Assessment note:

Make sure the condom demo pre-assessment is administered before the nurse visit or clinic fieldtrip.

Preview the videos:

Pregnancy and Reproduction Explained Video by Amaze:

<https://amaze.org/video/pregnancy-reproduction-explained/>

Where Do Babies Come From? Video by Amaze:

<https://amaze.org/video/where-do-babies-come-from/>

Get to Know Your Vulva & Vagina Anatomy: Planned Parenthood Video

<https://www.youtube.com/watch?v=SiOE7DsCJIM>

Erection and Ejaculation - 3D Medical Animation Video by Animated Biomedical:

<https://www.youtube.com/watch?v=YOVHKSxxuYw>

How to Talk About Safer Sex: Planned Parenthood Video:

<https://www.youtube.com/watch?v=GTFixZ2Ic9Q>



SLIDE 3 continued...

UNIT MATERIALS:

- Computer, projector, and screen for showing the PowerPoint
- Internet connection for watching videos
- Unit 3: Anatomy & Physiology Pre-Lesson Assessments: Anatomy, one per student (4 pages)
- Unit 3: Anatomy & Physiology Post-Lesson Assessments: Anatomy, one per student (4 pages)
- Unit 3: Anatomy & Physiology Pre-Lesson Assessments: Condom Demo sheet, one per student
- Unit 3: Anatomy & Physiology Post-Lesson Assessments: Condom Demo sheet, one per student
- External (penis) condoms, 50–100 (you can order them, possibly for free, via the BC Harm Reduction Order Form in the Supporting Documents folder)
- Japanese cucumbers, one per student and one for the teaching demo, purchased the day before the lesson
- Anatomy Colouring Page: Female Reproductive System Internal View
- Anatomy Colouring Page: Female Genitals External View
- Anatomy Colouring Page: Male Reproductive System Internal View
- Anatomy Colouring Page: Male Genitals External View
- Felts and/or pencil crayons for colouring
- Pencils for labelling
- Erasers
- Shift Education Cards teacher set, specifically “uncircumcised penis” and “circumcised penis” cards
- Shift Education Cards, one full student set per student
- Lubrication (order individual packets for students via the BC Harm Reduction Order Form in the Supporting Documents folder)
- Tissue box
- Garbage can
- Dental dam, one for a demo (order via the BC Harm Reduction Order Form in the Supporting Documents folder)
- Internal (vagina) condom, one for a demo order via the BC Harm Reduction Order Form in the Supporting Documents folder)

SLIDE 4

Read this:

Today, we'll be talking about sexual reproduction and the many parts of the body involved. But first, we'll check in to see what you already know.



SLIDE 5

ANATOMY PRE-ASSESSMENT

MATERIALS:

- Unit 3: Anatomy & Physiology Pre-Lesson Assessments: Anatomy, one per student (4 pages)
- Writing utensils

Assessment:

Please hand out the Anatomy pre-assessment for Unit 3: Anatomy & Physiology. **Hand out each page individually, not all four all at once.** Explain what you want the students to do.

Assessment instructions:

Look at the picture and label each body part. Take your time. (It's okay if you don't know the names of these body parts – that's what we're going to learn next!)

CONDOM USE PRE-ASSESSMENT

MATERIALS:

- Unit 3: Anatomy & Physiology Pre-Lesson Assessments: Condom Demo sheet, one per student
- External condoms for pre-assessment condom demo
- Japanese cucumbers for pre-assessment condom demo

Assessment:

Please hand out the Condom Demo pre-assessment for Unit 3: Anatomy & Physiology and explain what you want the students to do.

Each student will be assessed individually with one facilitator watching the process and recording on the assessment page how they do.

Present the student with a packaged condom and a penis model (Japanese cucumber) and tell them to put the condom on the "penis." If the individual does the step correctly, circle "Yes." If the individual does the step incorrectly, circle "No." Do not provide any assistance. If they stop at a certain step, record "No" for all the following steps.

The post-assessment will be given at the end of the unit.

Make sure the condom demo pre-assessment is administered before the nurse visit or clinic fieldtrip.



SLIDE 6

Read this:

The human body is amazing. It is made up of many complex systems to keep the body healthy and alive.

In this picture you see the torso; and inside the torso is the heart (*point to the heart*), which pumps blood and oxygen around our bodies; and the ribs (*point to them*), which protect our organs.

Take your hand and feel your own ribs along your side. Those are made of bone. Bones hold our bodies together, like a coat hanger holds up a coat. Feel the bones in your forearm, in your hands.

In the picture, you can also see skin. We have skin covering our entire body, keeping germs out, helping to regulate temperature, and helping us sense the world around us through touch. When our skin is touched, a message is sent to our brain through our nerves to tell us if we like the sensation or if we don't like the sensation of that touch. Our job is to listen to the feelings we have. This keeps us safe.

For example, if we get cut, our brain sends us a pain message through our nervous system. (*Mime getting a cut on the arm, the pain running up the arm all the way up to the brain and back to the cut area.*) Our body tells us, "You are hurt. Look at the spot where you hurt yourself and assess if you are okay."

SLIDE 7

Read this:

We have blood that runs through our entire body, delivering oxygen to the body (*mime breathing in*), giving our body life and energy to move. Our blood also removes the de-oxygenated blood or carbon dioxide and brings it to the lungs so we can breathe it out (*mime breathing out*).

SLIDE 8

Read this:

Here are two bodies: a body with breasts and a vulva (*point to the first body*), and a body with a penis (*point to the second body*). We have many systems in our bodies, and this unit will focus on our reproductive system, which is located in here and here (*point to location on both bodies*).



SLIDE 9

Read this:

Today, we'll be talking about the anatomy of the reproductive system, and, throughout this Anatomy & Physiology unit, you'll learn all of the names of the parts you see here. Here we are looking at the internal view of what we call "male" and "female" reproductive systems (*do air quotes for "male" and "female"*). In this unit, when we say "male" and "female," we're talking about what's called "biological sex," which is different from gender. So the person with this body (*point to male genitals*) is someone who we'd say has a biologically male body, and this person (*point to female genitals*) is someone who we'd say has a biologically female body. So that's biological sex.

But *gender* is how someone feels on the inside, not necessarily what their body looks like.

So can someone have "male" genitals (a penis and testicles) and actually feel like a girl and be a girl? *Yes!*

And can someone have "female" genitals (a vulva and vagina) and feel like a boy and be a boy? *Yup!*

We know with gender that there aren't just two genders, boys and girls – there can also be non-binary people and trans people and agender people and gender fluid people, etc. There also aren't just two biological sexes, male and female – there's also something called "intersex."

Intersex means that, for example, some people can be born with a penis (*point to the penis on the male illustration*) and they can also have ovaries (*point to the ovaries on the female illustration*), which are most often in the "female" body. Or people can have any number of combinations of the parts you see here on these pictures, and also different variations in the chromosomes that you can't see here but they make up people's DNA. And these variations of bodies are very common and totally okay.

KEYWORDS:

(Definitions from <http://www.transstudent.org/definitions>)

Intersex: Describing a person with a less common combination of hormones, chromosomes, and anatomy that are used to assign sex at birth. There are many examples such as Klinefelter Syndrome, Androgen Insensitivity Syndrome, and Congenital Adrenal Hyperplasia. Parents and medical professionals usually coercively assign intersex infants a sex and have, in the past, been medically permitted to perform surgical operations to conform the infant's genitalia to that assignment. This practice has become increasingly controversial as intersex adults speak out against the practice. The term *intersex* is not interchangeable with or a synonym for *transgender* (although some intersex people do identify as transgender).



SLIDE 9 continued...

Non-binary: Preferred umbrella term for all genders other than female/male or woman/man, used as an adjective (e.g. Jesse is a non-binary person). Not all non-binary people identify as trans and not all trans people identify as non-binary. Sometimes (and increasingly), non-binary can be used to describe the aesthetic/presentation/expression of a cisgender or transgender person.

Transgender/Trans: An umbrella term for people whose gender identity differs from the sex they were assigned at birth. The term transgender is not indicative of gender expression, sexual orientation, hormonal makeup, physical anatomy, or how one is perceived in daily life. Note that transgender does not have an “ed” at the end.

Agender: An umbrella term encompassing many different genders of people who commonly do not have a gender and/or have a gender that they describe as neutral. Many agender people are trans. As a new and quickly-evolving term, it is best you ask how someone defines agender for themselves.

Gender fluid: a changing or “fluid” gender identity

Gender identity: One’s internal sense of being male, female, neither of these, both, or other gender(s). *Everyone has a gender identity, including you.* For transgender people, their sex assigned at birth and their gender identity are not necessarily the same.

Gender expression/presentation: The physical manifestation of one’s gender identity through clothing, hairstyle, voice, body shape, etc. (typically referred to as masculine or feminine). Many transgender people seek to make their gender expression (how they look) match their gender identity (who they are), rather than their sex assigned at birth. Someone with a gender nonconforming gender expression may or may not be transgender.

Sex assigned at birth: The assignment and classification of people as male, female, intersex, or another sex assigned at birth often based on physical anatomy at birth and/or karyotyping.

SLIDE 10

Read this:

Let’s discuss intersex bodies in a little more detail.

We are very familiar with two body types but there is actually an entire spectrum of body types, the same way there are entire spectrums of colours of flowers in the wild. While it’s not commonly talked about, an estimated 1.7% of the population falls within this range (86,000 people in the province of B.C.)

Exactly how medical professionals distinguish male and female bodies, all biological sex is determined by external genitalia, reproductive organs, and sexual characteristics. Diversity within these categories results in an array of different bodies.



SLIDE 10 continued...

This variation can be more obvious or more subtle depending on the combination of hormones and/chromosomes in the body. Ranging from amounts of body hair to underdeveloped genitalia, intersex bodies can show up in many different ways. The term “intersex” is a wide term used to describe all the variations between the typical representation of male and female bodies. Intersex bodies are totally normal and more common than you think!

Definition (again):

Intersex: Describing a person with a less common combination of hormones, chromosomes, and anatomy that are used to assign sex at birth. There are many examples such as Klinefelter Syndrome, Androgen Insensitivity Syndrome, and Congenital Adrenal Hyperplasia. Parents and medical professionals usually coercively assign intersex infants a sex and have, in the past, been medically permitted to perform surgical operations to conform the infant’s genitalia to that assignment. This practice has become increasingly controversial as intersex adults speak out against the practice. The term *intersex* is not interchangeable with or a synonym for *transgender* (although some intersex people do identify as transgender).

Reference image: <https://agentsofishq.com/post/intersex>

SLIDE 11

MATERIALS:

- Anatomy Colouring Page: Female Reproductive System Internal View
- Felts and/or pencil crayons
- Pencils
- Erasers

Read this:

This is a picture of the internal female reproductive system.

Go through each part of the body saying the name out loud. Then ask students:

Repeat after me: ovaries, cervix, anus, vagina, urethra, bladder, uterus, fallopian tubes.

Go through each part of the body again, pointing to it and naming what the function of the body part is:

This is the **bladder**. This is where pee collects. The scientific word for pee is *urine*. Repeat after me: urine.

This is the **urethra**. This is where the urine comes out of the body.



SLIDE 11 continued...

This is the **vagina**. This is where a period or menstrual blood comes out. Sometimes people have vaginal sex. This means that a penis or a sex toy, like a dildo, with a condom on it can go into the vagina.

Of course, this kind of sex in the vagina can only happen if...

Ask:

What are the rules around consent and touch?

- Both people, the person with the vagina, and the person they are with, have to be close in age to each other. (Someone who's 18 or older is an adult. It is against the law for an adult to touch a child in a sexual way. Adults and children never have romantic relationships. That's against the law!) *(For more on ages of consent, see Unit 8: Sex & the Law.)*
- They have to be safe and feel comfortable to bring their bodies together in this way.
- If there is a penis, before the penis goes into another person's body, to protect both people from Sexually Transmitted Infections and/or pregnancy, the penis must have a condom on it before it goes into the other person's body (mouth, vagina, or anus).
- If at any point either person wants to stop, or slow down, they must say out loud, "Stop! Slow down!"

What else could they say if they needed to take a break?

What could they do if they were scared?

This is the **uterus**. This is where a baby would develop if two adults wanted to have a baby. When the baby is fully developed, the baby and the person with the baby in their uterus (who we'd usually call the "mother") work hard to push the baby out of the vagina. This process of giving birth to a baby is called labour.

This is the **cervix**. The cervix is shaped like a doughnut and is a very flexible and strong muscle at the bottom of the uterus. It can open and close during menstruation, and if a person was going to have a baby, the baby would move through the cervix into the vaginal canal.

Many people do not want children and use condoms and birth control to be sure they don't get pregnant.

If a penis goes inside a vagina, the penis must be wearing a condom first. If a penis goes in a vagina without a condom, the person with the uterus can get pregnant and both people can get a Sexually Transmitted Infection.



SLIDE 11 continued...

Watch Condom Demo Video by University of California, Santa Cruz:

<https://www.youtube.com/watch?v=ki1LxAeRxIY>

Note: *There will be more info about condoms later in this unit and in Unit 9: Safer Sex – repetition is good!*

Read this:

This is the **anus**. This is where poop comes out. The scientific word for poop is *stool*.

Repeat after me: stool.

Sometimes people have anal sex. This means that a penis or a sex toy, like a dildo, with a condom on it can go into the anus.

Of course, this kind of sex in the anus can only happen if:

Ask:

What are the rules around consent and touch?

- Both people, the person receiving the penis or toy in the anus (*mime using your hands, finger going into the opening hole*) and the person they are with, have to be close in age to each other.
- They have to be safe and feel comfortable to bring their bodies together in this way.
- If there is a penis or a toy, the penis must have a condom on it – the penis must be covered with a condom.
- If at any point, either person wants to stop, or slow down, they must say out loud, “Stop! Slow Down!”

These are the **ovaries**. This is where the eggs or ova are. Repeat after me: ova. An egg is half of the ingredients needed to make a baby.

The egg travels through the **fallopian tube**.

If the egg meets up with a sperm, a pregnancy can occur.

Watch Pregnancy and Reproduction Explained Video by Amaze:

<https://amaze.org/video/pregnancy-reproduction-explained/>

Another video, Where Do Babies Come From? Video by Amaze:

<https://amaze.org/video/where-do-babies-come-from/>



SLIDE 11 continued...

If you're projecting the PowerPoint onto a board that you can write on, project the Internal Female image onto the board and then draw the egg developing in the ovary and travelling down the fallopian tube. Draw a penis going into the vagina: Without a condom, sperm enter the uterus and fallopian tubes – meet with the egg, makes a baby. With a condom, show how the sperm get trapped.

Ask the group:

Any questions?

Spend the rest of the time colouring and saying the names of the body parts in the internal female system.

Once each student has said the body parts out loud, have them colour the body part, and repeat out loud, the name of the body part. For example, "This is the uterus. I am colouring the uterus."

SLIDE 12

MATERIALS:

- Anatomy Colouring Page: Female Genitals External View
- Felts and/or pencil crayons
- Pencils
- Erasers

Optional Video (adorable, featuring cats):

Get to Know Your Vulva & Vagina Anatomy: Planned Parenthood Video

<https://www.youtube.com/watch?v=SiOE7DsCJIM>

Read this:

Take a look at the external female anatomy.

Go through each part of the body saying the name out loud, then ask students:

Repeat after me: vulva, clitoris, urethra, vagina, anus.

The **vulva** is the whole section of skin that covers the clitoris to the vagina. (*Point to all the parts: clitoris, urethra, and vagina.*) The vulva often gets confused with the vagina. Vulva is the only correct term to use when describing this external section of skin.

Only touch the vulva with clean hands. It is challenging to see this part of the body because it is tucked underneath. If you want to see what your vulva looks like, you can look with a hand mirror in a private place. Your body is not private from you.



SLIDE 12 continued...

The **clitoris** is a very sensitive organ that feels really ticklish to touch. This is the part of the body that a vulva owner would rub or touch to get to an orgasm. When vulva owners self-pleasure or masturbate, they usually rub or touch this part of the body.

Masturbating or touching your clitoris and vulva is a healthy activity that one can do alone in a private place (your bedroom with the door closed and the blinds or curtains closed). One can also share this activity with a Romantic Star Person in private, masturbating together or touching each other's genitals with hands in a safe, consensual way. Some people like to touch their body in this way; some people do not. You get to decide because you are the boss of your own body.

This is the **vagina**. This is where a period or menstrual blood comes out. Sometimes people have vaginal sex. This means that a penis or a sex toy, like a dildo, with a condom on it can go into the vagina.

This is the **urethra**. This is where the urine comes out of the body.

This is the **anus**. This is where the stool comes out of the body.

Spend the rest of the time colouring and saying the names of the body parts in the internal female system.

Once each student has said the body parts out loud, have them colour the body part, and repeat out loud, the name of the body part. For example, "This is the vulva. I am colouring the vulva."

SLIDE 13

MATERIALS:

- Anatomy Colouring Page: Male Reproductive System Internal View
- Felts and/or pencil crayons
- Pencils
- Erasers

Read this:

This is a picture of the internal male reproductive system.

Go through each part of the body saying the name out loud, then ask students:

Repeat after me: bladder, penis, testicles, urethra, scrotum, anus, prostate.



SLIDE 13 continued...

As you go through each part of the body, point to it again and name what the function of the body part is:

This is the **bladder**. This is where pee collects. The scientific word for pee is *urine*. Repeat after me: urine.

This is the **urethra**. This is where the urine comes out of the body.

This is the **anus**. This is where the stool comes from when one has a bowel movement.

These are the **testicles**. There are two testicles. Sperm live in the testicles. If a sperm and an egg from the ovaries come together inside the vagina and fallopian tube, a pregnancy can occur.

This is the **scrotum**. The scrotum is a bag of loose skin that holds the testicles.

This is the **prostate**. This part of the body helps create fluid for the sperm.

This is the **penis**. The penis is comprised of erectile tissue, which means it can grow bigger and smaller and has the ability to go up and down. When the penis goes up, it's called an "erection." When the penis is down, it's called "flaccid" or "soft." When the penis grows bigger, the erectile cells are filling up with blood from the surrounding reproductive area. When it goes down and becomes flaccid, the blood leaves the erectile cells and returns to the reproductive area. When the penis is flaccid, it cannot go into someone else's body. It has to be erect before it can go into another person's body (with a condom on, and with their consent!).

All penises look different. Penises can typically be five to six inches long when erect and can be smaller or bigger.

Penises are very sensitive to touch because they are filled with 4000 nerve endings. Remember: you can touch your penis alone in your bedroom at home with the door closed and the blinds and curtains closed – this is private.

If two people wanted to make a baby, they'd need an egg and a sperm. Sperm come from the testicles and are delivered outside the body through the urethra, which is this tube inside the penis (*point to the urethra*). Most of the time when people have sex, they aren't trying to make a baby – they are showing love and affection for each other. To prevent pregnancy, people use condoms. Condoms are a latex or neoprene barrier that fits on top of the penis and traps the white liquid that comes out of the penis, which is called semen (sperm + seminal fluid). The sperm are trapped in the condom and cannot get to the egg, so there is no baby.



SLIDE 13 continued...

Watch Erection and Ejaculation - 3D Medical Animation Video by Animated Biomedical of a penis becoming erect then ejaculating:

<https://www.youtube.com/watch?v=YOvHKSxxuYw>

Pause the video when the penis becomes erect.

Read this:

The penis first becomes erect.

(Press play.) Then millions of sperm travel from the testicles up this tube. *(Pause video and point to the maroon tube coming out of the testicles.)*

Then they pick up seminal fluid from the seminal vesicles and prostate, and travel out of the penis as a white or cream-coloured fluid. *(Press play and finish the video.)*

That fluid can have an infection in it, and the sperm can get someone pregnant if it goes inside the vagina or on the outside of the vagina. This is why wearing condoms is essential every time. Condoms keep the fluids apart.

Watch How to Talk About Safer Sex: Planned Parenthood Video:

<https://www.youtube.com/watch?v=GTFixZ2Ic9Q>

Stop the video after each couple.

After the first couple, review how condoms help keep the sperm and egg apart to prevent pregnancy.

After the second couple, review how dental dams keep skin and fluids apart to help prevent the spread of STIs.

After the third couple, review how condoms help people practise safer sex, again, by keeping skin and fluids apart.

Spend the rest of the time colouring and saying the names of the body parts in the internal male system.

Once each student has said the body parts out loud, have them colour the body part, and repeat out loud, the name of the body part. For example, "This is the testicle. I am colouring the testicles."



SLIDE 14

MATERIALS:

- Shift Education Cards teacher set, specifically “uncircumcised penis” and “circumcised penis”
- Anatomy Colouring Page: Male Genitals External View
- Felts and/or pencil crayons
- Pencils
- Erasers

Read this:

This is a picture of the external male reproductive system.

Go through each part of the body saying the name out loud, then ask students:

Repeat after me: bladder, urethra, penis, testicles, anus, scrotum.

As you go through each part of the body and point to it, name what the function of the body part is:

This is the **urethra**. This is the opening where urine comes out of the body.

This is the **anus**. This is where the stool comes from when one has a bowel movement.

These are the **testicles**. There are two testicles. Sperm live in the testicles. If a sperm from the testicles and an egg from the ovaries come together inside the vagina and fallopian tubes, a pregnancy can occur.

This is the **scrotum**. The scrotum holds the testicles together and in place.

In the drawing here (*point to the slide*), this person’s **penis** is circumcised. Let me show you a picture of a circumcised penis and an uncircumcised penis (*hold up Shift Education Cards “circumcised penis” and “uncircumcised penis”*), and let’s remember, these are just pictures and don’t necessarily look like everyone’s body – everybody’s body is different. Bodies come in all colours, shapes, and sizes – and thank goodness for that!

On the slide (*point to the penis*) and in this drawing here (*hold up circumcised penis card*), this person’s penis is circumcised, which means, when this person was a baby, they went to the doctor and had a minor surgery on the head of the penis, removing extra skin from the tip. Once the penis healed, the head of the penis that was covered before now remains exposed at all times.



SLIDE 14 continued...

An uncircumcised penis like this one (*hold up uncircumcised penis card*) has all of the skin on the penis that that person was born with. And when this penis becomes erect, the penis owner will pull back the foreskin, exposing the head of the penis, which can feel very sensitive – that's a private activity. They will also need to pull back the foreskin to urinate (pee), and to clean the head of the penis in the bath or shower.

Both circumcised and uncircumcised are normal - one is not better or worse than the other. Some parents may choose to circumcise their baby for religious or other personal reasons.

I also want to mention that in these two pictures, I notice that these are adult bodies. How can you tell that they're adult bodies? (*Point to the pubic hair.*)

Use condoms every time two people have sex to stop the sperm and fluid from the penis from getting inside another person's body during sex. Remember: All sex should be safer sex. Using a condom is essential. No glove, no love.

Notes:

Whenever needed, use these internal/external graphics to support learning, to show the learners how the sperm comes out, where the semen is stored, etc.

There will be a safer sex unit coming up in unit 9. This unit covers safer sex with more depth.

Spend the rest of the time colouring and saying the names of the body parts in the external male system.

Once each student has said the body parts out loud, have them colour the body part, and repeat out loud, the name of the body part. For example, "This is the penis. I am colouring the penis."

SLIDE 15

MATERIALS:

- Japanese cucumbers, one per student
- External (penis) condoms
- Lubrication, one individual packet per student
- Tissue box
- Garbage can
- Dental dam
- Internal (vagina) condom



SLIDE 15 continued...

Instructions:

Get all your materials ready and sit close enough to the students so that they can see the demonstration. Go slow and explain each step. Ask students to follow along each step with you.

EXTERNAL CONDOM DEMO

Read this:

This is an external condom. I'll now show you how to put a condom onto a penis, which you should always do before putting a penis into someone else's body.

We're using cucumbers as model condoms because they are approximately the size of a penis. Don't actually put a cucumber inside your vagina or anus. It's unsafe for a cucumber to go inside a vagina or an anus because it could introduce bacteria and/or leave cucumber fragments inside your body.

- 1) Check the expiry date. *(Show the small numbers on the back and teach them how to read this.)*
- 2) Check that there is air in the package. Place the package by your ear and lightly pinch the condom and listen for air coming out.
- 3) Tear the condom package at the corner. It's best to use your hands to tear the package, if you can. That reduces the risk of the condom accidentally ripping while you open the package. But if you have limited use of your hands and need to use scissors, push the condom all the way to the side of the package so that you don't accidentally cut the condom while opening the package.
- 4) Take the condom out of the package.
- 5) Check which way the condom rolls. Note: If you do start putting a condom on and realize it won't roll down, don't just flip that condom over and use it. If there were any infections on the tip of that penis or sex toy, now those infections are on the condom, so you need to throw away the first condom and get a new condom.
- [5.5) If the penis has a foreskin, pull back the foreskin.]
- 6) Place the condom on the top of the penis or sex toy.
- 7) Pinch the top segment of the condom with one hand.
- 8) Roll the condom right down to the base of the penis or sex toy with the other hand.
- [8.5) Adjust the foreskin, if necessary.]
- 9) Put lubrication on the condom to increase pleasure and safety. (Condoms that are well lubricated are less likely to rip.)
- 10) Enjoy!
- 11) After the sex is over, hold the base of the condom while removing the penis or sex toy from the other person's body.
- 12) Roll the condom down the penis or sex toy, being careful not to spill any of the liquid out of the condom.
- 13) Wrap the condom in a tissue and throw the tissue in a garbage can.



SLIDE 15 continued...

*Go around helping the students to get comfortable with this exercise. Show students how to put on lubrication. Each student can try as many condom demos as they want. **This is one of the most important skills to learn in the entire curriculum in terms of reducing the spread of infection and increasing health and quality of life as a result.***

INTERNAL CONDOM DEMO

Read this:

An internal condom is often called a “female condom” because it often goes inside a vagina to help prevent pregnancy and the spread of Sexually Transmitted Infections. But we all know that not everyone with a vagina is a woman, right? (They might be a trans man, a non-binary person, agender, etc.) So let’s use inclusive language and call them “internal condoms”! They can also go inside an anus before anal sex.

Demo using an internal condom.

To use an internal condom:

- 1) Check the expiration date to make sure it’s not expired.
- 2) Carefully open the package so you don’t rip the condom.
- 3) Pull the condom all the way out, so that it’s as long as it goes.
- 4) To insert the condom into a vagina, pinch the ring at the tip of the condom.
- 5) Slide the condom up into the vagina until only the outside ring is left outside the body. *(Demo this by making your thumb and forefinger into an “ok” sign and pushing the condom through the opening.)*
- 6) Insert the penis or sex toy **into the condom**. The most common mistake people make when using an internal condom is that they accidentally put the penis *beside* the condom, which means the condom is not protecting against pregnancy or STIs.
- 7) After the sex, pull the penis or toy out of the vagina and twist the outside ring a couple times.
- 8) Pull the condom out of the vagina, wrap it in a tissue, and throw it in the garbage.

To use the internal condom inside an anus, remove the inner plastic ring before inserting the tip of it into the anus. The rest of the condom will go into the anus as the penis or sex toy are inserted into the anus. When the sex is over, remove the penis or sex toy from the anus, twist the condom, pull it out, wrap it in a tissue, and throw it in the garbage.

Pass around the internal condom for students to touch and feel.



SLIDE 15 continued...

DENTAL DAM DEMO

A dental dam is another safer sex method that people can use to prevent the spread of sexually transmitted infections. A dental dam is used during oral sex on a vulva or anus, when someone puts their mouth on someone else's vulva and vagina or anus.

You take it out of the package and then cover someone's vulva and vagina or anus with the dental dam. Then your mouth would touch the dental dam and wouldn't have any direct contact with the other person's vulva and vagina or anus. The dental dam provides a barrier between the two bodies so that infections aren't passed from one person to another.

Open the dental dam package and demo spreading it open. Pass it around so students can touch and feel it.

SLIDE 16

ANATOMY POST-ASSESSMENT

MATERIALS:

- Unit 3: Anatomy & Physiology Post-Lesson Assessments: Anatomy, one per student (4 pages)
- Writing utensils
- Shift Education Cards, one full student set per student

Instructions:

Present each student with one worksheet at a time. Start with the internal female anatomy. Make sure worksheet is labelled with the student's name. Ask each student to label as many body parts as they can. If the student cannot write, have the student verbally name every part they can and have an EA write down their answers. If more assistance is needed, match body parts from Shift Education Cards with anatomy worksheets.

Repeat with all of the worksheets, in the order that they were learned:

- 1) Internal Female Anatomy
- 2) External Female Anatomy
- 3) Internal Male Anatomy
- 4) External Male Anatomy

CONDOM USE POST-ASSESSMENT

MATERIALS:



- Unit 3: Anatomy & Physiology Post-Lesson Assessments: Condom Demo sheet, one per student
- Japanese cucumbers, one per student
- External (penis) condoms

Instructions:

Present each individual with a packaged condom and a penis model (Japanese cucumber) and tell them to put the condom on the “penis.” If the individual does each step correctly, circle “Yes.” If the individual does the step incorrectly, circle “No.” Do not provide any assistance. If they stop at a certain step, record “No” for all the following steps.

When you’re done the assessments, record the students’ results in the HRC Assessment Tracking document.