

TASK PLANNING UNDER CONTACT UNCERTAINTY: BRANCH-STRUCTURED EVIDENCE FOR EMBODIED WORLD-ACTION MODELS

Anonymous authors

Paper under double-blind review

ABSTRACT

We study task and motion planning. The motivating bet is: Plan over uncertainty in future contact modes rather than over abstract symbolic preconditions.. We introduce a mechanism-level representation that keeps physically admissible but unrealized action outcomes as explicit branches. A synthetic contact-style evaluation shows that the proposed branch mechanism improves hidden-mode success and tail-risk relative to observed-only, augmentation-as-data, and scalar-uncertainty baselines.

1 INTRODUCTION

Robotics papers often collapse unobserved physical alternatives into extra data, variance, or a single predicted next state. For task and motion planning, this can erase the difference between modes that are visually similar but action-critical. This paper asks whether a world-action model should expose those alternatives to the planner before execution.

2 HOSTILE PRIOR WORK

The closest hostile records include (pri, 2026a; 2006; 2023; 2020; 2026b; 1997). They make generic world models, contact prediction, and uncertainty insufficient as novelty claims. Our boundary is narrower: preserve branch-valued contact futures as the planning object.

3 MECHANISM

Given state s and action a , the model returns an observed next-state prediction plus a finite atlas $B(s, a)$ of admissible latent branches. Planning minimizes nominal loss plus adverse-branch tail risk. This is not bigger data or a new benchmark; it changes the object represented by the WAM.

4 EVIDENCE

We include a runnable synthetic testbed in `src/run_experiment.py`. It compares four variants under nominal and hidden-mode-shift conditions.

Variant	Split	Success	Tail risk
observed_only_wam	nominal	0.510	0.490
observed_only_wam	hidden_mode_shift	0.193	0.807
augmentation_as_data_wam	nominal	0.610	0.390
augmentation_as_data_wam	hidden_mode_shift	0.255	0.745
scalar_uncertainty_wam	nominal	0.650	0.350
scalar_uncertainty_wam	hidden_mode_shift	0.360	0.640
proposed_branch_mechanism	nominal	0.785	0.215
proposed_branch_mechanism	hidden_mode_shift	0.557	0.443

5 LIMITATIONS

The evidence is synthetic. It supports the mechanism boundary and failure mode, not real-robot state of the art. Hardware validation, richer contact geometry, and learned branch discovery remain open.

6 CONCLUSION

Task Planning Under Contact Uncertainty argues that embodied world-action models should preserve unrealized physical alternatives when those alternatives change downstream action value.

REFERENCES

- Vision and motion planning for a mobile robot under uncertainty, 1997. <https://doi.org/10.1177/027836499701600606>.
- Motion planning of multi-limbed robots subject to equilibrium constraints: The free-climbing robot problem, 2006. <https://doi.org/10.1177/0278364906063979>.
- Contingent task and motion planning under uncertainty for human-robot interactions, 2020. <https://doi.org/10.3390/app10051665>.
- Recent trends in task and motion planning for robotics: A survey, 2023. <https://doi.org/10.1145/3583136>.
- From classical planning to learning-based task and motion planning: A survey of intelligent planning systems, 2026a. <https://doi.org/10.36227/techrxiv.176153407.77398309/v1>.
- Scu-t-mpc: Risk-aware and socially compliant topological motion planning under uncertainty, 2026b. <https://doi.org/10.1049/csy2.70051>.