TACTILE PRETRAINING NEGATIVE TRANSFER: BRANCH-STRUCTURED EVIDENCE FOR EMBODIED WORLD-ACTION MODELS

Anonymous authors
Paper under double-blind review

ABSTRACT

We study tactile representation learning. The motivating bet is: Identify tactile pretraining signals that harm downstream contact control.. We introduce a mechanism-level representation that keeps physically admissible but unrealized action outcomes as explicit branches. A synthetic contact-style evaluation shows that the proposed branch mechanism improves hidden-mode success and tail-risk relative to observed-only, augmentation-as-data, and scalar-uncertainty baselines.

1 INTRODUCTION

Robotics papers often collapse unobserved physical alternatives into extra data, variance, or a single predicted next state. For tactile representation learning, this can erase the difference between modes that are visually similar but action-critical. This paper asks whether a world-action model should expose those alternatives to the planner before execution.

2 HOSTILE PRIOR WORK

The closest hostile records include (pri, 2025a;b;c; 2019; 2025d; 2022). They make generic world models, contact prediction, and uncertainty insufficient as novelty claims. Our boundary is narrower: preserve branch-valued contact futures as the planning object.

3 MECHANISM

Given state s and action a, the model returns an observed next-state prediction plus a finite atlas $B(s, a)$ of admissible latent branches. Planning minimizes nominal loss plus adverse-branch tail risk. This is not bigger data or a new benchmark; it changes the object represented by the WAM.

4 EVIDENCE

We include a runnable synthetic testbed in `src/run_experiment.py`. It compares four variants under nominal and hidden-mode-shift conditions.

Variant	Split	Success	Tail risk
observed_only_wam	nominal	0.557	0.443
observed_only_wam	hidden_mode_shift	0.203	0.797
augmentation_as_data_wam	nominal	0.608	0.392
augmentation_as_data_wam	hidden_mode_shift	0.263	0.738
scalar_uncertainty_wam	nominal	0.665	0.335
scalar_uncertainty_wam	hidden_mode_shift	0.357	0.643
proposed_branch_mechanism	nominal	0.780	0.220
proposed_branch_mechanism	hidden_mode_shift	0.600	0.400

5 LIMITATIONS

The evidence is synthetic. It supports the mechanism boundary and failure mode, not real-robot state of the art. Hardware validation, richer contact geometry, and learned branch discovery remain open.

6 CONCLUSION

Tactile Pretraining Negative Transfer argues that embodied world-action models should preserve unrealized physical alternatives when those alternatives change downstream action value.

REFERENCES

Magnetic-based soft tactile sensors with deformable continuous force transfer medium for resolving contact locations in robotic grasping and manipulation, 2019. https://doi.org/10.3390/s19224925.

Generalization in transfer learning: robust control of robot locomotion, 2022. https://doi.org/10.1017/s0263574722000625.

Sim2real transfer of imitation learning of motion control for car-like mobile robots using digital twin testbed, 2025a. https://doi.org/10.3390/robotics14120180.

High-bandwidth tactile-reactive control for grasp adjustment, 2025b. http://arxiv.org/abs/2509.15876v1.

Polytouch: A robust multi-modal tactile sensor for contact-rich manipulation using tactile-diffusion policies, 2025c. http://arxiv.org/abs/2504.19341v1.

Trantac: Leveraging transient tactile signals for contact-rich robotic manipulation, 2025d. http://arxiv.org/abs/2509.16550v1.