

CAUSAL ROBOT DATA SELECTION: ICLR MAIN-CONFERENCE GATE ARCHIVE

Anonymous authors

Paper under double-blind review

ABSTRACT

This document is not an ICLR main-conference submission. It is the v3 main-conference gate for a generated robotics draft about robot data selection. The original research bet was: Select training data that separates causal mechanisms rather than balances labels. After a stricter hostile review, the honest terminal decision is **KILL/ARCHIVE**. Submission-hardening version: v3.

1 GATE DECISION

The v2 paper was workshop-only. Under the active ICLR-main standard, that is insufficient. The local artifacts contain synthetic multi-seed diagnostics, but no real-robot validation, high-fidelity simulator benchmark, trained world-action model, implemented real baselines, or manual full-paper related-work synthesis. These missing items are not recoverable by editing text or rerunning the synthetic script.

2 FATAL ICLR-MAIN BLOCKERS

- Evidence is synthetic and generated from a shared batch template.
- Baselines are diagnostic probability models, not implemented competing robot systems.
- Ablations do not correspond to a trained model checkpoint.
- No hardware, high-fidelity benchmark, qualitative rollouts, or failure videos are available.
- Related work is based on pool slices and hostile metadata, not a manual full-paper synthesis.
- Claims would be misleading if framed as ICLR-main empirical robotics evidence.

3 HOSTILE PRIOR-WORK PRESSURE

The closest local hostile records include:

- Systematic evaluation of single-cell foundation model interpretability reveals attention captures co-expression rather than unique regulatory signal (n.d.)
- Domain-Generalizable Emotion Recognition across Social Media, Sitcom Dialogues, and Online Video Transcripts via Large Language Model-Guided Invariant Emotion Explanations (n.d.)
- Adaptive Client Selection in Resource Constrained Federated Learning Systems: A Deep Reinforcement Learning Approach (2021)
- Images Speak Louder than Words: Understanding and Mitigating Bias in Vision-Language Model from a Causal Mediation Perspective (2024)
- SmolVLA: A Vision-Language-Action Model for Affordable and Efficient Robotics (2025)

These works make generic world models, uncertainty, model-based planning, and robot policy robustness crowded. Without real empirical evidence, the remaining novelty boundary is too weak for ICLR main.

4 WHAT REMAINS USEFUL

The archive is still useful as an idea seed and reproducibility scaffold. The synthetic code, stress-test CSVs, reviewer attacks, and novelty-boundary docs can inform a future project. The correct next step is not more paper polishing; it is new evidence: implemented models, real baselines, manual related work, and robot or high-fidelity simulator validation.

5 TERMINAL ACTION

Decision: **KILL/ARCHIVE for ICLR main**. Do not submit this paper to ICLR main in the current form. Revival requires a substantially new empirical project.