

HUMANOID CONTACT BUDGETING: BRANCH-STRUCTURED EVIDENCE FOR EMBODIED WORLD-ACTION MODELS

Anonymous authors

Paper under double-blind review

ABSTRACT

We study humanoid contact planning. The motivating bet is: Budget contacts as scarce commitments across balance, manipulation, and recovery.. We introduce a mechanism-level representation that keeps physically admissible but unrealized action outcomes as explicit branches. A synthetic contact-style evaluation shows that the proposed branch mechanism improves hidden-mode success and tail-risk relative to observed-only, augmentation-as-data, and scalar-uncertainty baselines.

1 INTRODUCTION

Robotics papers often collapse unobserved physical alternatives into extra data, variance, or a single predicted next state. For humanoid contact planning, this can erase the difference between modes that are visually similar but action-critical. This paper asks whether a world-action model should expose those alternatives to the planner before execution.

2 HOSTILE PRIOR WORK

The closest hostile records include (pri, 2025a;b;c; 2024; 2014; 2022). They make generic world models, contact prediction, and uncertainty insufficient as novelty claims. Our boundary is narrower: preserve branch-valued contact futures as the planning object.

3 MECHANISM

Given state s and action a , the model returns an observed next-state prediction plus a finite atlas $B(s, a)$ of admissible latent branches. Planning minimizes nominal loss plus adverse-branch tail risk. This is not bigger data or a new benchmark; it changes the object represented by the WAM.

4 EVIDENCE

We include a runnable synthetic testbed in `src/run_experiment.py`. It compares four variants under nominal and hidden-mode-shift conditions.

Variant	Split	Success	Tail risk
observed_only_wam	nominal	0.540	0.460
observed_only_wam	hidden_mode_shift	0.188	0.812
augmentation_as_data_wam	nominal	0.605	0.395
augmentation_as_data_wam	hidden_mode_shift	0.270	0.730
scalar_uncertainty_wam	nominal	0.652	0.348
scalar_uncertainty_wam	hidden_mode_shift	0.312	0.688
proposed_branch_mechanism	nominal	0.805	0.195
proposed_branch_mechanism	hidden_mode_shift	0.593	0.407

5 LIMITATIONS

The evidence is synthetic. It supports the mechanism boundary and failure mode, not real-robot state of the art. Hardware validation, richer contact geometry, and learned branch discovery remain open.

6 CONCLUSION

Humanoid Contact Budgeting argues that embodied world-action models should preserve unrealized physical alternatives when those alternatives change downstream action value.

REFERENCES

- Posture and balance control for humanoid robots in multi-contact scenarios based on model predictive control, 2014. <https://doi.org/10.1109/iros.2014.6943014>.
- Balance motion planning for humanoid robot based on 3d inverted pendulum model, 2022. <https://doi.org/10.46242/jstih.v36i03.4078>.
- Distilling contact planning for fast trajectory optimization in robot air hockey, 2024. <http://arxiv.org/abs/2407.03705v2>.
- Hierarchical vision-language planning for multi-step humanoid manipulation, 2025a. <http://arxiv.org/abs/2506.22827v3>.
- Humanoid locomotion and manipulation: Current progress and challenges in control, planning, and learning, 2025b. <http://arxiv.org/abs/2501.02116v2>.
- Scaling cross-environment failure reasoning data for vision-language robotic manipulation, 2025c. <http://arxiv.org/abs/2512.01946v3>.