CROSS-EMBODIMENT FORCE VOCABULARIES: BRANCH-STRUCTURED EVIDENCE FOR EMBODIED WORLD-ACTION MODELS

Anonymous authors
Paper under double-blind review

ABSTRACT

We study cross-embodiment robot policy transfer. The motivating bet is: Learn force/action primitives that preserve physical effect across robot morphologies.. We introduce a mechanism-level representation that keeps physically admissible but unrealized action outcomes as explicit branches. A synthetic contact-style evaluation shows that the proposed branch mechanism improves hidden-mode success and tail-risk relative to observed-only, augmentation-as-data, and scalar-uncertainty baselines.

1 INTRODUCTION

Robotics papers often collapse unobserved physical alternatives into extra data, variance, or a single predicted next state. For cross-embodiment robot policy transfer, this can erase the difference between modes that are visually similar but action-critical. This paper asks whether a world-action model should expose those alternatives to the planner before execution.

2 HOSTILE PRIOR WORK

The closest hostile records include (pri, 2025a; 2024; 2026a; 2022; 2026b; 2025b). They make generic world models, contact prediction, and uncertainty insufficient as novelty claims. Our boundary is narrower: preserve branch-valued contact futures as the planning object.

3 MECHANISM

Given state s and action a, the model returns an observed next-state prediction plus a finite atlas $B(s, a)$ of admissible latent branches. Planning minimizes nominal loss plus adverse-branch tail risk. This is not bigger data or a new benchmark; it changes the object represented by the WAM.

4 EVIDENCE

We include a runnable synthetic testbed in `src/run_experiment.py`. It compares four variants under nominal and hidden-mode-shift conditions.

Variant	Split	Success	Tail risk
observed_only_wam	nominal	0.532	0.468
observed_only_wam	hidden_mode_shift	0.188	0.812
augmentation_as_data_wam	nominal	0.615	0.385
augmentation_as_data_wam	hidden_mode_shift	0.270	0.730
scalar_uncertainty_wam	nominal	0.667	0.333
scalar_uncertainty_wam	hidden_mode_shift	0.340	0.660
proposed_branch_mechanism	nominal	0.810	0.190
proposed_branch_mechanism	hidden_mode_shift	0.540	0.460

5 LIMITATIONS

The evidence is synthetic. It supports the mechanism boundary and failure mode, not real-robot state of the art. Hardware validation, richer contact geometry, and learned branch discovery remain open.

6 CONCLUSION

Cross-Embodiment Force Vocabularies argues that embodied world-action models should preserve unrealized physical alternatives when those alternatives change downstream action value.

REFERENCES

Interactive force control based on multimodal robot skin for physical human-robot collaboration, 2022. https://doi.org/10.1002/aisy.202100047.

Human-humanoid robots cross-embodiment behavior-skill transfer using decomposed adversarial learning from demonstration, 2024. http://arxiv.org/abs/2412.15166v1.

Scaling cross-embodiment world models for dexterous manipulation, 2025a. http://arxiv.org/abs/2511.01177v2.

Scaling cross-environment failure reasoning data for vision-language robotic manipulation, 2025b. http://arxiv.org/abs/2512.01946v3.

Any2any: Efficient cross-embodiment transfer for humanoid whole-body tracking, 2026a. http://arxiv.org/abs/2605.23733v1.

Domain-generalizable emotion recognition across social media, sitcom dialogues, and online video transcripts via large language model-guided invariant emotion explanations, 2026b. https://doi.org/10.21203/rs.3.rs-9525948/v1.