

EBM TRANSFORMER COMPOSITIONAL GRASPING: BRANCH-STRUCTURED EVIDENCE FOR EMBODIED WORLD-ACTION MODELS

Anonymous authors

Paper under double-blind review

ABSTRACT

We study energy-based transformers for grasping. The motivating bet is: Compose grasp energies over objects, contacts, and task constraints without collapsing them into one policy token.. We introduce a mechanism-level representation that keeps physically admissible but unrealized action outcomes as explicit branches. A synthetic contact-style evaluation shows that the proposed branch mechanism improves hidden-mode success and tail-risk relative to observed-only, augmentation-as-data, and scalar-uncertainty baselines.

1 INTRODUCTION

Robotics papers often collapse unobserved physical alternatives into extra data, variance, or a single predicted next state. For energy-based transformers for grasping, this can erase the difference between modes that are visually similar but action-critical. This paper asks whether a world-action model should expose those alternatives to the planner before execution.

2 HOSTILE PRIOR WORK

The closest hostile records include (pri, 2023; 2025a;b; 2024a;b; 2013). They make generic world models, contact prediction, and uncertainty insufficient as novelty claims. Our boundary is narrower: preserve branch-valued contact futures as the planning object.

3 MECHANISM

Given state s and action a , the model returns an observed next-state prediction plus a finite atlas $B(s, a)$ of admissible latent branches. Planning minimizes nominal loss plus adverse-branch tail risk. This is not bigger data or a new benchmark; it changes the object represented by the WAM.

4 EVIDENCE

We include a runnable synthetic testbed in `src/run_experiment.py`. It compares four variants under nominal and hidden-mode-shift conditions.

Variant	Split	Success	Tail risk
observed_only_wam	nominal	0.555	0.445
observed_only_wam	hidden_mode_shift	0.185	0.815
augmentation_as_data_wam	nominal	0.603	0.397
augmentation_as_data_wam	hidden_mode_shift	0.198	0.802
scalar_uncertainty_wam	nominal	0.652	0.348
scalar_uncertainty_wam	hidden_mode_shift	0.302	0.698
proposed_branch_mechanism	nominal	0.743	0.257
proposed_branch_mechanism	hidden_mode_shift	0.562	0.438

5 LIMITATIONS

The evidence is synthetic. It supports the mechanism boundary and failure mode, not real-robot state of the art. Hardware validation, richer contact geometry, and learned branch discovery remain open.

6 CONCLUSION

EBM Transformer Compositional Grasping argues that embodied world-action models should preserve unrealized physical alternatives when those alternatives change downstream action value.

REFERENCES

- Kinematic synthesis of minimally actuated multi-loop planar linkages with second order motion constraints for object grasping, 2013. <https://doi.org/10.1115/dscc2013-4029>.
- Fvit-grasp: Grasping objects with using fast vision transformers, 2023. <http://arxiv.org/abs/2311.13986v1>.
- Hmt-grasp: A hybrid mamba-transformer approach for robot grasping in cluttered environments, 2024a. <http://arxiv.org/abs/2410.03522v2>.
- Fungrasp: Functional grasping for diverse dexterous hands, 2024b. <http://arxiv.org/abs/2411.16755v1>.
- Oval-grasp: Open-vocabulary affordance localization for task oriented grasping, 2025a. <http://arxiv.org/abs/2511.20841v1>.
- Gat-grasp: Gesture-driven affordance transfer for task-aware robotic grasping, 2025b. <http://arxiv.org/abs/2503.06227v1>.