

ENERGY GUIDANCE AND MISSING DIFFUSION-POLICY SUPPORT UNDER HOSTILE TRAJECTORY-OPTIMIZATION BASELINES

Anonymous authors

Paper under double-blind review

ABSTRACT

Paper 78 asks whether energy guidance during reverse diffusion can create new safe robot behavior when the necessary homotopy is absent from the policy prior. The expanded v5 rebuild uses eight seeds, five support-gap splits, thirteen methods, strong trajectory-optimization and graph-search baselines, component ablations, stress sweeps, fixed-risk budgets, curated negative cases, and seed-level appendices. The terminal recommendation is **KILL_ARCHIVE**. On the decisive off-support corridor, bridge-v5 reaches 1.000 ± 0.000 success, reranking reaches 0.000 ± 0.000 , and CEM reaches 1.000 ± 0.000 . We report the result exactly rather than optimizing for a pretty story.

1 DECISION AND PROTOCOL

This manuscript is generated only from frozen CSV artifacts. The terminal recommendation is **KILL_ARCHIVE**. The summary reason is: *support_aware_energy_bridge_v5 does not honestly clear the frozen local gates: off_support=1.000 versus rerank=0.000, strong_guided=0.062, best_non_oracle=mode_diverse_diffusion:1.000; paired diff vs rerank=1.00000+/-0.00000; aggregate hard-regime=1.000 versus mode_diverse_diffusion:1.000; max-stress=1.000 versus mode_diverse_diffusion:1.000; fixed-risk checks: budget 0.00: v5=0.000, best=energy_rerank_unguided:0.000; budget 0.02: v5=1.000, best=mode_diverse_diffusion:1.000; budget 0.05: v5=1.000, best=mode_diverse_diffusion:1.000; budget 0.10: v5=1.000, best=mode_diverse_diffusion:1.000; best ablation=no_support_awareness:1.000; failed gates: ablation_necessity.*

The protocol is intentionally hostile. It compares diffusion variants against reranking, safety-projected guidance, mode-diverse diffusion, CEM, CHOMP-like optimization, graph search, and an oracle. The local benchmark follows planning and trajectory-optimization concerns from classical motion planning and optimization (LaValle, 2006; Ratliff et al., 2009; Rubinstein, 1999) as well as modern diffusion-policy motivation (Ho et al., 2020; Janner et al., 2022; Chi et al., 2023). Safety diagnostics are reported separately from success because safe control barriers and constraints matter in robot deployment (Ames et al., 2017).

2 THEORY SKETCH

Let $p_\theta(\tau \mid D)$ be a trajectory prior induced by demonstrations D , and let $E(\tau)$ be a differentiable task energy. If all demonstrations lie in a blocked homotopy class H_b and the safe class H_s is absent, then a reverse diffusion update of the form $\tau_{k+1} = \tau_k + \alpha s_\theta(\tau_k) - \eta \nabla E(\tau_k)$ is locally trapped unless the energy gradient crosses the separating collision barrier. If η is small, the score term pulls back toward H_b ; if η is large, the update can leave support but has no guarantee of satisfying collision or dynamics constraints. This yields a safety-support tradeoff: guidance can increase mode escape and collision at the same time. The v5 bridge method tests whether an explicit support-aware topology proposal can alter the reachable homotopy while preserving safety.

Table 1: Decisive off-support corridor

Method	Success	Collision	Risk	Support	Escape
BC-nearest	0.000 ± 0.000	1.000	1.000	0.000	0.000
unguided	0.000 ± 0.000	1.000	1.000	0.005	0.000
rerank	0.000 ± 0.000	1.000	1.000	0.005	0.000
guided	0.000 ± 0.000	1.000	1.000	0.055	0.000
strong-guided	0.062 ± 0.051	0.042	0.940	0.078	0.000
projected	0.042 ± 0.031	0.042	0.960	0.079	0.000
mode-diverse	1.000 ± 0.000	0.000	0.003	0.613	1.000
diff-CEM	1.000 ± 0.000	0.000	0.003	0.607	1.000
CHOMP-like	1.000 ± 0.000	0.000	0.003	0.603	1.000
CEM	1.000 ± 0.000	0.000	0.003	0.614	1.000
graph-search	1.000 ± 0.000	0.000	0.003	0.613	1.000
bridge-v5	1.000 ± 0.000	0.000	0.003	0.610	1.000
oracle	1.000 ± 0.000	0.000	0.003	0.613	1.000




Figure 1: Off-support success under diffusion, optimizer, graph-search, and oracle methods.

3 MAIN RESULTS

The hard-regime aggregate success of bridge-v5 is 1.000 ± 0.000 . This aggregate pools rare-mode recovery, absent support, and deceptive energy basins, so it is harder to game than a single split.




Figure 2: Selected-trajectory support distance. Larger distance can indicate genuine support escape or unsafe optimizer behavior, so it is interpreted with risk and collision metrics.

Table 2: Aggregate hard-regime metrics

Method	Success	Collision	Risk	Support	Escape
BC-nearest	0.667 ± 0.000	0.333	0.333	0.000	0.333
unguided	0.299 ± 0.027	0.701	0.701	0.005	0.021
rerank	0.403 ± 0.029	0.597	0.597	0.005	0.069
guided	0.406 ± 0.025	0.590	0.594	0.035	0.076
strong-guided	0.441 ± 0.043	0.021	0.560	0.047	0.076
projected	0.455 ± 0.031	0.014	0.546	0.045	0.101
mode-diverse	1.000 ± 0.000	0.000	0.001	0.209	0.667
diff-CEM	1.000 ± 0.000	0.000	0.001	0.208	0.667
CHOMP-like	1.000 ± 0.000	0.000	0.001	0.208	0.667
CEM	1.000 ± 0.000	0.000	0.001	0.208	0.667
graph-search	1.000 ± 0.000	0.000	0.001	0.208	0.667
bridge-v5	1.000 ± 0.000	0.000	0.001	0.208	0.667
oracle	1.000 ± 0.000	0.000	0.001	0.208	0.667

Table 3: Pairwise v5-reference comparisons

split	comparison	paired_success.diff	ci95_success.diff	paired_collision_reduction	paired_risk_reduction	reference_better_seeds
deceptive_energy_basin	behavior_clone_nearest	0.00000	0.00000	0.00000	0.00000	0
deceptive_energy_basin	unguided_diffusion_prior	0.16667	0.05346	0.16667	0.16667	8
deceptive_energy_basin	energy_rerank_unguided	0.00000	0.00000	0.00000	0.00000	0
deceptive_energy_basin	energy_guided_diffusion	0.00000	0.00000	0.00000	0.00000	0
deceptive_energy_basin	strong_guided_diffusion	0.00000	0.00000	0.00000	0.00000	0
deceptive_energy_basin	support_projected_guidance	0.00000	0.00000	0.00000	0.00000	0
deceptive_energy_basin	mode_diverse_diffusion	0.00000	0.00000	0.00000	0.00000	0
deceptive_energy_basin	diffusion_cem_hybrid	0.00000	0.00000	0.00000	0.00000	0
deceptive_energy_basin	chomp_like_optimizer	0.00000	0.00000	0.00000	0.00000	0
deceptive_energy_basin	cem_trajectory_optimizer	0.00000	0.00000	0.00000	0.00000	0
deceptive_energy_basin	graph_search_planner	0.00000	0.00000	0.00000	0.00000	0
deceptive_energy_basin	grid_oracle	0.00000	0.00000	0.00000	0.00000	0
off_support_corridor	behavior_clone_nearest	1.00000	0.00000	1.00000	0.99686	8
off_support_corridor	unguided_diffusion_prior	1.00000	0.00000	1.00000	0.99686	8
off_support_corridor	energy_rerank_unguided	1.00000	0.00000	1.00000	0.99686	8
off_support_corridor	energy_guided_diffusion	1.00000	0.00000	1.00000	0.99703	8
off_support_corridor	strong_guided_diffusion	0.93750	0.05119	0.04167	0.93732	8
off_support_corridor	support_projected_guidance	0.95833	0.03087	0.04167	0.95687	8
off_support_corridor	mode_diverse_diffusion	0.00000	0.00000	0.00000	0.00012	0
off_support_corridor	diffusion_cem_hybrid	0.00000	0.00000	0.00000	-0.00011	0
off_support_corridor	chomp_like_optimizer	0.00000	0.00000	0.00000	-0.00025	0
off_support_corridor	cem_trajectory_optimizer	0.00000	0.00000	0.00000	0.00014	0
off_support_corridor	graph_search_planner	0.00000	0.00000	0.00000	0.00011	0
off_support_corridor	grid_oracle	0.00000	0.00000	0.00000	0.00012	0

Table 4: Component ablations

split	ablation	success	ci95	collision	support_distance	mode_escape
rare_mode_recovery	support_aware_v5_full	1.00000	0.00000	0.00000	0.00767	1.00000
off_support_corridor	support_aware_v5_full	1.00000	0.00000	0.00000	0.60934	1.00000
rare_mode_recovery	no_bridge_proposals	0.26250	0.09026	0.01250	0.05567	0.25000
off_support_corridor	no_bridge_proposals	0.02500	0.03208	0.07500	0.07867	0.00000
rare_mode_recovery	no_support_awareness	1.00000	0.00000	0.00000	0.00715	1.00000
off_support_corridor	no_support_awareness	1.00000	0.00000	0.00000	0.61270	1.00000
rare_mode_recovery	no_safety_projection	0.22500	0.14700	0.77500	0.04421	0.22500
off_support_corridor	no_safety_projection	0.00000	0.00000	1.00000	0.05804	0.00000
rare_mode_recovery	no_mode_diversity	0.21250	0.09398	0.01250	0.06003	0.18750
off_support_corridor	no_mode_diversity	0.05000	0.07408	0.03750	0.07912	0.00000
rare_mode_recovery	no_energy_gradient	1.00000	0.00000	0.00000	0.00687	1.00000
off_support_corridor	no_energy_gradient	1.00000	0.00000	0.00000	0.61290	1.00000
rare_mode_recovery	no_prior_score	1.00000	0.00000	0.00000	0.01075	1.00000
off_support_corridor	no_prior_score	1.00000	0.00000	0.00000	0.60496	1.00000
rare_mode_recovery	rerank_only	0.26250	0.09756	0.73750	0.00480	0.26250
off_support_corridor	rerank_only	0.00000	0.00000	1.00000	0.00477	0.00000
rare_mode_recovery	sample_count_only	0.40000	0.09073	0.02500	0.04766	0.37500
off_support_corridor	sample_count_only	0.01250	0.02450	0.05000	0.08101	0.00000
rare_mode_recovery	optimizer_handoff	1.00000	0.00000	0.00000	0.00926	1.00000
off_support_corridor	optimizer_handoff	1.00000	0.00000	0.00000	0.60666	1.00000




Figure 3: Off-support ablations for the v5 mechanism.

Table 5: Support-gap stress sweep

stress_level	support_frequency	method	success	ci95	collision	risk_proxy	mode_escape
0.00	0.500	energy_rerank_unguided	0.98438	0.03062	0.01562	0.01562	0.00000
0.00	0.500	energy_guided_diffusion	1.00000	0.00000	0.00000	0.00000	0.00000
0.00	0.500	strong_guided_diffusion	0.98438	0.03062	0.00000	0.01562	0.00000
0.00	0.500	support_projected_guidance	0.98438	0.03062	0.00000	0.01562	0.00000
0.00	0.500	mode_diverse_diffusion	1.00000	0.00000	0.00000	0.00000	0.00000
0.00	0.500	diffusion_cem_hybrid	1.00000	0.00000	0.00000	0.00000	0.00000
0.00	0.500	chomp_like_optimizer	1.00000	0.00000	0.00000	0.00000	0.00000
0.00	0.500	cem_trajectory_optimizer	1.00000	0.00000	0.00000	0.00000	0.00000
0.00	0.500	graph_search_planner	1.00000	0.00000	0.00000	0.00000	0.00000
0.00	0.500	support_aware_energy_bridge_v5	1.00000	0.00000	0.00000	0.00000	0.00000
0.20	0.400	energy_rerank_unguided	0.95312	0.04483	0.04688	0.04688	0.00000
0.20	0.400	energy_guided_diffusion	0.96875	0.04010	0.03125	0.03125	0.00000
0.20	0.400	strong_guided_diffusion	0.98438	0.03062	0.00000	0.01562	0.00000
0.20	0.400	support_projected_guidance	0.98438	0.03062	0.00000	0.01562	0.00000
0.20	0.400	mode_diverse_diffusion	1.00000	0.00000	0.00000	0.00000	0.00000
0.20	0.400	diffusion_cem_hybrid	1.00000	0.00000	0.00000	0.00000	0.00000
0.20	0.400	chomp_like_optimizer	1.00000	0.00000	0.00000	0.00000	0.00000
0.20	0.400	cem_trajectory_optimizer	1.00000	0.00000	0.00000	0.00000	0.00000
0.20	0.400	graph_search_planner	1.00000	0.00000	0.00000	0.00000	0.00000
0.20	0.400	support_aware_energy_bridge_v5	1.00000	0.00000	0.00000	0.00000	0.00000
0.40	0.300	energy_rerank_unguided	0.89062	0.08584	0.10938	0.10938	0.00000
0.40	0.300	energy_guided_diffusion	0.85938	0.09753	0.14062	0.14083	0.00000
0.40	0.300	strong_guided_diffusion	0.93750	0.04630	0.00000	0.06250	0.00000
0.40	0.300	support_projected_guidance	0.92188	0.10288	0.00000	0.07875	0.00000
0.40	0.300	mode_diverse_diffusion	1.00000	0.00000	0.00000	0.00000	0.00000
0.40	0.300	diffusion_cem_hybrid	1.00000	0.00000	0.00000	0.00000	0.00000
0.40	0.300	chomp_like_optimizer	1.00000	0.00000	0.00000	0.00000	0.00000
0.40	0.300	cem_trajectory_optimizer	1.00000	0.00000	0.00000	0.00000	0.00000
0.40	0.300	graph_search_planner	1.00000	0.00000	0.00000	0.00000	0.00000
0.40	0.300	support_aware_energy_bridge_v5	1.00000	0.00000	0.00000	0.00000	0.00000
0.60	0.200	energy_rerank_unguided	0.75000	0.08020	0.25000	0.25000	0.00000
0.60	0.200	energy_guided_diffusion	0.78125	0.10091	0.21875	0.21875	0.00000
0.60	0.200	strong_guided_diffusion	0.79688	0.07936	0.03125	0.20312	0.00000
0.60	0.200	support_projected_guidance	0.84375	0.08966	0.00000	0.15625	0.00000




Figure 4: Success as the target homotopy becomes rare or absent.

Table 6: Fixed-risk metric rows

risk_budget	method	metric	mean	ci95
0.00	energy_rerank_unguided	success	0.00000	0.00000
0.00	energy_rerank_unguided	fixed_risk_success	0.00000	0.00000
0.00	energy_rerank_unguided	collision	1.00000	0.00000
0.00	energy_rerank_unguided	dynamic_violation	0.00000	0.00000
0.00	energy_rerank_unguided	risk_proxy	1.00000	0.00000
0.00	energy_rerank_unguided	mode_escape	0.00000	0.00000
0.00	energy_guided_diffusion	success	0.00000	0.00000
0.00	energy_guided_diffusion	fixed_risk_success	0.00000	0.00000
0.00	energy_guided_diffusion	collision	1.00000	0.00000
0.00	energy_guided_diffusion	dynamic_violation	1.00000	0.00000
0.00	energy_guided_diffusion	risk_proxy	1.00000	0.00000
0.00	energy_guided_diffusion	mode_escape	0.00000	0.00000
0.00	strong_guided_diffusion	success	0.00000	0.00000
0.00	strong_guided_diffusion	fixed_risk_success	0.00000	0.00000
0.00	strong_guided_diffusion	collision	0.01562	0.03062
0.00	strong_guided_diffusion	dynamic_violation	1.00000	0.00000
0.00	strong_guided_diffusion	risk_proxy	1.00000	0.00000
0.00	strong_guided_diffusion	mode_escape	0.00000	0.00000
0.00	support_projected_guidance	success	0.04688	0.04483
0.00	support_projected_guidance	fixed_risk_success	0.00000	0.00000
0.00	support_projected_guidance	collision	0.03125	0.04010
0.00	support_projected_guidance	dynamic_violation	0.95312	0.04483
0.00	support_projected_guidance	risk_proxy	0.95544	0.04263
0.00	support_projected_guidance	mode_escape	0.00000	0.00000
0.00	mode_diverse_diffusion	success	1.00000	0.00000
0.00	mode_diverse_diffusion	fixed_risk_success	0.00000	0.00000
0.00	mode_diverse_diffusion	collision	0.00000	0.00000
0.00	mode_diverse_diffusion	dynamic_violation	0.00000	0.00000
0.00	mode_diverse_diffusion	risk_proxy	0.00326	0.00003
0.00	mode_diverse_diffusion	mode_escape	1.00000	0.00000
0.00	diffusion_cem_hybrid	success	1.00000	0.00000
0.00	diffusion_cem_hybrid	fixed_risk_success	0.00000	0.00000
0.00	diffusion_cem_hybrid	collision	0.00000	0.00000
0.00	diffusion_cem_hybrid	dynamic_violation	0.00000	0.00000
0.00	diffusion_cem_hybrid	risk_proxy	0.00304	0.00002
0.00	diffusion_cem_hybrid	mode_escape	1.00000	0.00000
0.00	cem_trajectory_optimizer	success	1.00000	0.00000
0.00	cem_trajectory_optimizer	fixed_risk_success	0.00000	0.00000
0.00	cem_trajectory_optimizer	collision	0.00000	0.00000
0.00	cem_trajectory_optimizer	dynamic_violation	0.00000	0.00000
0.00	cem_trajectory_optimizer	risk_proxy	0.00329	0.00003
0.00	cem_trajectory_optimizer	mode_escape	1.00000	0.00000




Figure 5: Fixed-risk off-support success under predefined collision/dynamics budgets.

Table 7: Curated negative cases

split	seed	task_id	method	failure_label	collision	dynamic_violation	support_distance	lesson
off_support_corridor	0	0	energy_guided_diffusion	collision_shortcut_from_guidance	1	1	0.05490	task-energy gradients stayed inside the blocked demonstration corridor instead of creating a new safe homotopy
off_support_corridor	0	0	energy_rerank_unguided	collision_shortcut_from_guidance	1	0	0.00535	task-energy gradients stayed inside the blocked demonstration corridor instead of creating a new safe homotopy
off_support_corridor	0	0	strong_guided_diffusion	dynamic_violation	0	1	0.08185	aggressive guidance violates trajectory smoothness or velocity constraints
off_support_corridor	0	0	support_projected_guidance	dynamic_violation	0	1	0.08151	aggressive guidance violates trajectory smoothness or velocity constraints
off_support_corridor	0	0	unguided_diffusion_prior	collision_shortcut_from_guidance	1	0	0.00542	task-energy gradients stayed inside the blocked demonstration corridor instead of creating a new safe homotopy
off_support_corridor	2	2	support_projected_guidance	collision_shortcut_from_guidance	1	1	0.13160	task-energy gradients stayed inside the blocked demonstration corridor instead of creating a new safe homotopy
off_support_corridor	3	9	strong_guided_diffusion	collision_shortcut_from_guidance	1	1	0.09003	task-energy gradients stayed inside the blocked demonstration corridor instead of creating a new safe homotopy
rare_mode_recovery	0	0	energy_guided_diffusion	collision_shortcut_from_guidance	1	1	0.04437	task-energy gradients stayed inside the blocked demonstration corridor instead of creating a new safe homotopy
rare_mode_recovery	0	0	energy_rerank_unguided	collision_shortcut_from_guidance	1	0	0.00467	task-energy gradients stayed inside the blocked demonstration corridor instead of creating a new safe homotopy
rare_mode_recovery	0	0	strong_guided_diffusion	dynamic_violation	0	1	0.05320	aggressive guidance violates trajectory smoothness or velocity constraints
rare_mode_recovery	0	0	support_projected_guidance	dynamic_violation	0	1	0.05289	aggressive guidance violates trajectory smoothness or velocity constraints
rare_mode_recovery	0	0	unguided_diffusion_prior	collision_shortcut_from_guidance	1	0	0.00449	task-energy gradients stayed inside the blocked demonstration corridor instead of creating a new safe homotopy

4 AGGREGATE HARD-REGIME EVIDENCE

5 PAIRWISE STATISTICS

6 ABLATIONS

7 STRESS SWEEP

8 FIXED-RISK BUDGETS

9 NEGATIVE CASES

10 LIMITATIONS

This is a local diagnostic benchmark. There is no real robot validation, no recognized external robotics benchmark, and no trained large-scale diffusion policy checkpoint. The result can justify a negative archive or at best a strong-revise local claim, not an ICLR-main-ready robotics claim by itself.

11 CONCLUSION

The useful question is not whether the plots are flattering. It is whether guided diffusion survives hostile support-gap baselines. The frozen v5 evidence gives the terminal recommendation printed above.

Table 8: Training/support diagnostics continued (1-38)

split	seed	task_id	target_mode	target_support_frequency	demo_mode_counts	obstacles
supported_single_mode	0	0	upper	1.0000	upper:48	1
supported_single_mode	0	1	lower	1.0000	lower:48	1
supported_single_mode	0	2	upper	1.0000	upper:48	1
supported_single_mode	0	3	lower	1.0000	lower:48	1
supported_single_mode	0	4	upper	1.0000	upper:48	1
supported_single_mode	0	5	lower	1.0000	lower:48	1
supported_single_mode	0	6	upper	1.0000	upper:48	1
supported_single_mode	0	7	lower	1.0000	lower:48	1
supported_single_mode	0	8	upper	1.0000	upper:48	1
supported_single_mode	0	9	lower	1.0000	lower:48	1
supported_single_mode	0	10	upper	1.0000	upper:48	1
supported_single_mode	0	11	lower	1.0000	lower:48	1
supported_single_mode	1	0	upper	1.0000	upper:48	1
supported_single_mode	1	1	lower	1.0000	lower:48	1
supported_single_mode	1	2	upper	1.0000	upper:48	1
supported_single_mode	1	3	lower	1.0000	lower:48	1
supported_single_mode	1	4	upper	1.0000	upper:48	1
supported_single_mode	1	5	lower	1.0000	lower:48	1
supported_single_mode	1	6	upper	1.0000	upper:48	1
supported_single_mode	1	7	lower	1.0000	lower:48	1
supported_single_mode	1	8	upper	1.0000	upper:48	1
supported_single_mode	1	9	lower	1.0000	lower:48	1
supported_single_mode	1	10	upper	1.0000	upper:48	1
supported_single_mode	1	11	lower	1.0000	lower:48	1
supported_single_mode	2	0	upper	1.0000	upper:48	1
supported_single_mode	2	1	lower	1.0000	lower:48	1
supported_single_mode	2	2	upper	1.0000	upper:48	1
supported_single_mode	2	3	lower	1.0000	lower:48	1
supported_single_mode	2	4	upper	1.0000	upper:48	1
supported_single_mode	2	5	lower	1.0000	lower:48	1
supported_single_mode	2	6	upper	1.0000	upper:48	1
supported_single_mode	2	7	lower	1.0000	lower:48	1
supported_single_mode	2	8	upper	1.0000	upper:48	1
supported_single_mode	2	9	lower	1.0000	lower:48	1
supported_single_mode	2	10	upper	1.0000	upper:48	1
supported_single_mode	2	11	lower	1.0000	lower:48	1
supported_single_mode	3	0	upper	1.0000	upper:48	1
supported_single_mode	3	1	lower	1.0000	lower:48	1

A TRAINING AND SUPPORT DIAGNOSTICS

Table 9: Training/support diagnostics continued (39-76)

split	seed	task_id	target_mode	target_support_frequency	demo_mode_counts	obstacles
supported_single_mode	3	2	upper	1.0000	upper:48	1
supported_single_mode	3	3	lower	1.0000	lower:48	1
supported_single_mode	3	4	upper	1.0000	upper:48	1
supported_single_mode	3	5	lower	1.0000	lower:48	1
supported_single_mode	3	6	upper	1.0000	upper:48	1
supported_single_mode	3	7	lower	1.0000	lower:48	1
supported_single_mode	3	8	upper	1.0000	upper:48	1
supported_single_mode	3	9	lower	1.0000	lower:48	1
supported_single_mode	3	10	upper	1.0000	upper:48	1
supported_single_mode	3	11	lower	1.0000	lower:48	1
supported_single_mode	4	0	upper	1.0000	upper:48	1
supported_single_mode	4	1	lower	1.0000	lower:48	1
supported_single_mode	4	2	upper	1.0000	upper:48	1
supported_single_mode	4	3	lower	1.0000	lower:48	1
supported_single_mode	4	4	upper	1.0000	upper:48	1
supported_single_mode	4	5	lower	1.0000	lower:48	1
supported_single_mode	4	6	upper	1.0000	upper:48	1
supported_single_mode	4	7	lower	1.0000	lower:48	1
supported_single_mode	4	8	upper	1.0000	upper:48	1
supported_single_mode	4	9	lower	1.0000	lower:48	1
supported_single_mode	4	10	upper	1.0000	upper:48	1
supported_single_mode	4	11	lower	1.0000	lower:48	1
supported_single_mode	5	0	upper	1.0000	upper:48	1
supported_single_mode	5	1	lower	1.0000	lower:48	1
supported_single_mode	5	2	upper	1.0000	upper:48	1
supported_single_mode	5	3	lower	1.0000	lower:48	1
supported_single_mode	5	4	upper	1.0000	upper:48	1
supported_single_mode	5	5	lower	1.0000	lower:48	1
supported_single_mode	5	6	upper	1.0000	upper:48	1
supported_single_mode	5	7	lower	1.0000	lower:48	1
supported_single_mode	5	8	upper	1.0000	upper:48	1
supported_single_mode	5	9	lower	1.0000	lower:48	1
supported_single_mode	5	10	upper	1.0000	upper:48	1
supported_single_mode	5	11	lower	1.0000	lower:48	1
supported_single_mode	6	0	upper	1.0000	upper:48	1
supported_single_mode	6	1	lower	1.0000	lower:48	1
supported_single_mode	6	2	upper	1.0000	upper:48	1
supported_single_mode	6	3	lower	1.0000	lower:48	1

Table 10: Training/support diagnostics continued (77-114)

split	seed	task_id	target_mode	target_support_frequency	demo_mode_counts	obstacles
supported_single_mode	6	4	upper	1.0000	upper:48	1
supported_single_mode	6	5	lower	1.0000	lower:48	1
supported_single_mode	6	6	upper	1.0000	upper:48	1
supported_single_mode	6	7	lower	1.0000	lower:48	1
supported_single_mode	6	8	upper	1.0000	upper:48	1
supported_single_mode	6	9	lower	1.0000	lower:48	1
supported_single_mode	6	10	upper	1.0000	upper:48	1
supported_single_mode	6	11	lower	1.0000	lower:48	1
supported_single_mode	7	0	upper	1.0000	upper:48	1
supported_single_mode	7	1	lower	1.0000	lower:48	1
supported_single_mode	7	2	upper	1.0000	upper:48	1
supported_single_mode	7	3	lower	1.0000	lower:48	1
supported_single_mode	7	4	upper	1.0000	upper:48	1
supported_single_mode	7	5	lower	1.0000	lower:48	1
supported_single_mode	7	6	upper	1.0000	upper:48	1
supported_single_mode	7	7	lower	1.0000	lower:48	1
supported_single_mode	7	8	upper	1.0000	upper:48	1
supported_single_mode	7	9	lower	1.0000	lower:48	1
supported_single_mode	7	10	upper	1.0000	upper:48	1
supported_single_mode	7	11	lower	1.0000	lower:48	1
supported_multimodal_shift	0	0	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	0	1	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	0	2	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	0	3	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	0	4	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	0	5	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	0	6	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	0	7	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	0	8	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	0	9	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	0	10	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	0	11	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	1	0	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	1	1	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	1	2	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	1	3	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	1	4	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	1	5	lower	0.5000	lower:24;upper:24	1

Table 11: Training/support diagnostics continued (115-152)

split	seed	task_id	target_mode	target_support_frequency	demo_mode_counts	obstacles
supported_multimodal_shift	1	6	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	1	7	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	1	8	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	1	9	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	1	10	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	1	11	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	2	0	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	2	1	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	2	2	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	2	3	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	2	4	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	2	5	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	2	6	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	2	7	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	2	8	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	2	9	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	2	10	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	2	11	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	3	0	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	3	1	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	3	2	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	3	3	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	3	4	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	3	5	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	3	6	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	3	7	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	3	8	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	3	9	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	3	10	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	3	11	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	4	0	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	4	1	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	4	2	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	4	3	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	4	4	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	4	5	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	4	6	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	4	7	upper	0.5000	lower:24;upper:24	1

Table 12: Training/support diagnostics continued (153-190)

split	seed	task_id	target_mode	target_support_frequency	demo_mode_counts	obstacles
supported_multimodal_shift	4	8	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	4	9	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	4	10	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	4	11	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	5	0	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	5	1	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	5	2	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	5	3	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	5	4	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	5	5	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	5	6	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	5	7	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	5	8	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	5	9	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	5	10	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	5	11	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	6	0	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	6	1	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	6	2	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	6	3	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	6	4	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	6	5	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	6	6	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	6	7	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	6	8	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	6	9	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	6	10	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	6	11	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	7	0	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	7	1	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	7	2	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	7	3	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	7	4	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	7	5	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	7	6	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	7	7	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	7	8	lower	0.5000	lower:24;upper:24	1
supported_multimodal_shift	7	9	lower	0.5000	lower:24;upper:24	1

Table 13: Training/support diagnostics continued (191-228)

split	seed	task_id	target_mode	target_support_frequency	demo_mode_counts	obstacles
supported_multimodal_shift	7	10	upper	0.5000	lower:24;upper:24	1
supported_multimodal_shift	7	11	upper	0.5000	lower:24;upper:24	1
rare_mode_recovery	0	0	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	0	1	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	0	2	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	0	3	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	0	4	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	0	5	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	0	6	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	0	7	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	0	8	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	0	9	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	0	10	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	0	11	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	1	0	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	1	1	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	1	2	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	1	3	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	1	4	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	1	5	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	1	6	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	1	7	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	1	8	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	1	9	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	1	10	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	1	11	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	2	0	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	2	1	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	2	2	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	2	3	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	2	4	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	2	5	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	2	6	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	2	7	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	2	8	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	2	9	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	2	10	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	2	11	upper	0.0417	lower:46;upper:2	2

Table 14: Training/support diagnostics continued (229-266)

split	seed	task_id	target_mode	target_support_frequency	demo_mode_counts	obstacles
rare_mode_recovery	3	0	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	3	1	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	3	2	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	3	3	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	3	4	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	3	5	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	3	6	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	3	7	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	3	8	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	3	9	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	3	10	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	3	11	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	4	0	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	4	1	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	4	2	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	4	3	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	4	4	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	4	5	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	4	6	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	4	7	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	4	8	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	4	9	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	4	10	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	4	11	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	5	0	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	5	1	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	5	2	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	5	3	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	5	4	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	5	5	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	5	6	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	5	7	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	5	8	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	5	9	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	5	10	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	5	11	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	6	0	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	6	1	upper	0.0417	lower:46;upper:2	2

Table 15: Training/support diagnostics continued (267-304)

split	seed	task_id	target_mode	target_support_frequency	demo_mode_counts	obstacles
rare_mode_recovery	6	2	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	6	3	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	6	4	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	6	5	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	6	6	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	6	7	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	6	8	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	6	9	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	6	10	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	6	11	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	7	0	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	7	1	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	7	2	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	7	3	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	7	4	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	7	5	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	7	6	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	7	7	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	7	8	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	7	9	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	7	10	upper	0.0417	lower:46;upper:2	2
rare_mode_recovery	7	11	upper	0.0417	lower:46;upper:2	2
off_support_corridor	0	0	upper	0.0000	lower:48	2
off_support_corridor	0	1	upper	0.0000	lower:48	2
off_support_corridor	0	2	upper	0.0000	lower:48	2
off_support_corridor	0	3	upper	0.0000	lower:48	2
off_support_corridor	0	4	upper	0.0000	lower:48	2
off_support_corridor	0	5	upper	0.0000	lower:48	2
off_support_corridor	0	6	upper	0.0000	lower:48	2
off_support_corridor	0	7	upper	0.0000	lower:48	2
off_support_corridor	0	8	upper	0.0000	lower:48	2
off_support_corridor	0	9	upper	0.0000	lower:48	2
off_support_corridor	0	10	upper	0.0000	lower:48	2
off_support_corridor	0	11	upper	0.0000	lower:48	2
off_support_corridor	1	0	upper	0.0000	lower:48	2
off_support_corridor	1	1	upper	0.0000	lower:48	2
off_support_corridor	1	2	upper	0.0000	lower:48	2
off_support_corridor	1	3	upper	0.0000	lower:48	2

Table 16: Training/support diagnostics continued (305-342)

split	seed	task_id	target_mode	target_support_frequency	demo_mode_counts	obstacles
off_support_corridor	1	4	upper	0.0000	lower:48	2
off_support_corridor	1	5	upper	0.0000	lower:48	2
off_support_corridor	1	6	upper	0.0000	lower:48	2
off_support_corridor	1	7	upper	0.0000	lower:48	2
off_support_corridor	1	8	upper	0.0000	lower:48	2
off_support_corridor	1	9	upper	0.0000	lower:48	2
off_support_corridor	1	10	upper	0.0000	lower:48	2
off_support_corridor	1	11	upper	0.0000	lower:48	2
off_support_corridor	2	0	upper	0.0000	lower:48	2
off_support_corridor	2	1	upper	0.0000	lower:48	2
off_support_corridor	2	2	upper	0.0000	lower:48	2
off_support_corridor	2	3	upper	0.0000	lower:48	2
off_support_corridor	2	4	upper	0.0000	lower:48	2
off_support_corridor	2	5	upper	0.0000	lower:48	2
off_support_corridor	2	6	upper	0.0000	lower:48	2
off_support_corridor	2	7	upper	0.0000	lower:48	2
off_support_corridor	2	8	upper	0.0000	lower:48	2
off_support_corridor	2	9	upper	0.0000	lower:48	2
off_support_corridor	2	10	upper	0.0000	lower:48	2
off_support_corridor	2	11	upper	0.0000	lower:48	2
off_support_corridor	3	0	upper	0.0000	lower:48	2
off_support_corridor	3	1	upper	0.0000	lower:48	2
off_support_corridor	3	2	upper	0.0000	lower:48	2
off_support_corridor	3	3	upper	0.0000	lower:48	2
off_support_corridor	3	4	upper	0.0000	lower:48	2
off_support_corridor	3	5	upper	0.0000	lower:48	2
off_support_corridor	3	6	upper	0.0000	lower:48	2
off_support_corridor	3	7	upper	0.0000	lower:48	2
off_support_corridor	3	8	upper	0.0000	lower:48	2
off_support_corridor	3	9	upper	0.0000	lower:48	2
off_support_corridor	3	10	upper	0.0000	lower:48	2
off_support_corridor	3	11	upper	0.0000	lower:48	2
off_support_corridor	4	0	upper	0.0000	lower:48	2
off_support_corridor	4	1	upper	0.0000	lower:48	2
off_support_corridor	4	2	upper	0.0000	lower:48	2
off_support_corridor	4	3	upper	0.0000	lower:48	2
off_support_corridor	4	4	upper	0.0000	lower:48	2
off_support_corridor	4	5	upper	0.0000	lower:48	2

Table 17: Training/support diagnostics continued (343-380)

split	seed	task_id	target_mode	target_support_frequency	demo_mode_counts	obstacles
off_support_corridor	4	6	upper	0.0000	lower:48	2
off_support_corridor	4	7	upper	0.0000	lower:48	2
off_support_corridor	4	8	upper	0.0000	lower:48	2
off_support_corridor	4	9	upper	0.0000	lower:48	2
off_support_corridor	4	10	upper	0.0000	lower:48	2
off_support_corridor	4	11	upper	0.0000	lower:48	2
off_support_corridor	5	0	upper	0.0000	lower:48	2
off_support_corridor	5	1	upper	0.0000	lower:48	2
off_support_corridor	5	2	upper	0.0000	lower:48	2
off_support_corridor	5	3	upper	0.0000	lower:48	2
off_support_corridor	5	4	upper	0.0000	lower:48	2
off_support_corridor	5	5	upper	0.0000	lower:48	2
off_support_corridor	5	6	upper	0.0000	lower:48	2
off_support_corridor	5	7	upper	0.0000	lower:48	2
off_support_corridor	5	8	upper	0.0000	lower:48	2
off_support_corridor	5	9	upper	0.0000	lower:48	2
off_support_corridor	5	10	upper	0.0000	lower:48	2
off_support_corridor	5	11	upper	0.0000	lower:48	2
off_support_corridor	6	0	upper	0.0000	lower:48	2
off_support_corridor	6	1	upper	0.0000	lower:48	2
off_support_corridor	6	2	upper	0.0000	lower:48	2
off_support_corridor	6	3	upper	0.0000	lower:48	2
off_support_corridor	6	4	upper	0.0000	lower:48	2
off_support_corridor	6	5	upper	0.0000	lower:48	2
off_support_corridor	6	6	upper	0.0000	lower:48	2
off_support_corridor	6	7	upper	0.0000	lower:48	2
off_support_corridor	6	8	upper	0.0000	lower:48	2
off_support_corridor	6	9	upper	0.0000	lower:48	2
off_support_corridor	6	10	upper	0.0000	lower:48	2
off_support_corridor	6	11	upper	0.0000	lower:48	2
off_support_corridor	7	0	upper	0.0000	lower:48	2
off_support_corridor	7	1	upper	0.0000	lower:48	2
off_support_corridor	7	2	upper	0.0000	lower:48	2
off_support_corridor	7	3	upper	0.0000	lower:48	2
off_support_corridor	7	4	upper	0.0000	lower:48	2
off_support_corridor	7	5	upper	0.0000	lower:48	2
off_support_corridor	7	6	upper	0.0000	lower:48	2
off_support_corridor	7	7	upper	0.0000	lower:48	2

Table 18: Training/support diagnostics continued (381-418)

split	seed	task_id	target_mode	target_support_frequency	demo_mode_counts	obstacles
off_support_corridor	7	8	upper	0.0000	lower:48	2
off_support_corridor	7	9	upper	0.0000	lower:48	2
off_support_corridor	7	10	upper	0.0000	lower:48	2
off_support_corridor	7	11	upper	0.0000	lower:48	2
deceptive_energy_basin	0	0	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	0	1	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	0	2	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	0	3	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	0	4	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	0	5	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	0	6	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	0	7	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	0	8	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	0	9	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	0	10	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	0	11	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	1	0	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	1	1	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	1	2	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	1	3	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	1	4	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	1	5	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	1	6	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	1	7	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	1	8	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	1	9	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	1	10	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	1	11	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	2	0	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	2	1	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	2	2	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	2	3	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	2	4	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	2	5	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	2	6	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	2	7	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	2	8	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	2	9	lower	0.4000	lower:16;straight:8;upper:16	1

Table 19: Training/support diagnostics continued (419-456)

split	seed	task_id	target_mode	target_support_frequency	demo_mode_counts	obstacles
deceptive_energy_basin	2	10	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	2	11	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	3	0	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	3	1	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	3	2	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	3	3	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	3	4	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	3	5	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	3	6	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	3	7	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	3	8	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	3	9	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	3	10	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	3	11	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	4	0	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	4	1	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	4	2	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	4	3	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	4	4	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	4	5	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	4	6	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	4	7	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	4	8	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	4	9	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	4	10	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	4	11	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	5	0	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	5	1	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	5	2	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	5	3	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	5	4	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	5	5	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	5	6	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	5	7	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	5	8	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	5	9	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	5	10	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	5	11	lower	0.4000	lower:16;straight:8;upper:16	1

Table 20: Training/support diagnostics continued (457-480)

split	seed	task_id	target_mode	target_support_frequency	demo_mode_counts	obstacles
deceptive_energy_basin	6	0	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	6	1	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	6	2	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	6	3	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	6	4	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	6	5	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	6	6	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	6	7	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	6	8	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	6	9	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	6	10	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	6	11	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	7	0	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	7	1	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	7	2	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	7	3	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	7	4	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	7	5	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	7	6	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	7	7	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	7	8	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	7	9	lower	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	7	10	upper	0.4000	lower:16;straight:8;upper:16	1
deceptive_energy_basin	7	11	lower	0.4000	lower:16;straight:8;upper:16	1

Table 21: Seed-level main metrics continued (1-34)

split	method	seed	tasks	success	collision	dynamic_violation	support_distance	risk_proxy	mode_escape
deceptive_energy_basin	behavior_clone_nearest	0	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
deceptive_energy_basin	behavior_clone_nearest	1	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
deceptive_energy_basin	behavior_clone_nearest	2	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
deceptive_energy_basin	behavior_clone_nearest	3	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
deceptive_energy_basin	behavior_clone_nearest	4	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
deceptive_energy_basin	behavior_clone_nearest	5	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
deceptive_energy_basin	behavior_clone_nearest	6	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
deceptive_energy_basin	behavior_clone_nearest	7	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
deceptive_energy_basin	unguided_diffusion_prior	0	12	0.91667	0.08333	0.00000	0.00490	0.08333	0.00000
deceptive_energy_basin	unguided_diffusion_prior	1	12	0.83333	0.16667	0.00000	0.00476	0.16667	0.00000
deceptive_energy_basin	unguided_diffusion_prior	2	12	0.83333	0.16667	0.00000	0.00481	0.16667	0.00000
deceptive_energy_basin	unguided_diffusion_prior	3	12	0.66667	0.33333	0.00000	0.00458	0.33333	0.00000
deceptive_energy_basin	unguided_diffusion_prior	4	12	0.83333	0.16667	0.00000	0.00487	0.16667	0.00000
deceptive_energy_basin	unguided_diffusion_prior	5	12	0.83333	0.16667	0.00000	0.00487	0.16667	0.00000
deceptive_energy_basin	unguided_diffusion_prior	6	12	0.91667	0.08333	0.00000	0.00470	0.08333	0.00000
deceptive_energy_basin	unguided_diffusion_prior	7	12	0.83333	0.16667	0.00000	0.00467	0.16667	0.00000
deceptive_energy_basin	energy_rerank_unguided	0	12	1.00000	0.00000	0.00000	0.00538	0.00000	0.00000
deceptive_energy_basin	energy_rerank_unguided	1	12	1.00000	0.00000	0.00000	0.00511	0.00000	0.00000
deceptive_energy_basin	energy_rerank_unguided	2	12	1.00000	0.00000	0.00000	0.00515	0.00000	0.00000
deceptive_energy_basin	energy_rerank_unguided	3	12	1.00000	0.00000	0.00000	0.00527	0.00000	0.00000
deceptive_energy_basin	energy_rerank_unguided	4	12	1.00000	0.00000	0.00000	0.00554	0.00000	0.00000
deceptive_energy_basin	energy_rerank_unguided	5	12	1.00000	0.00000	0.00000	0.00501	0.00000	0.00000
deceptive_energy_basin	energy_rerank_unguided	6	12	1.00000	0.00000	0.00000	0.00505	0.00000	0.00000
deceptive_energy_basin	energy_rerank_unguided	7	12	1.00000	0.00000	0.00000	0.00529	0.00000	0.00000
deceptive_energy_basin	energy_guided_diffusion	0	12	1.00000	0.00000	0.00000	0.00703	0.00000	0.00000
deceptive_energy_basin	energy_guided_diffusion	1	12	1.00000	0.00000	0.00000	0.00646	0.00000	0.00000
deceptive_energy_basin	energy_guided_diffusion	2	12	1.00000	0.00000	0.00000	0.00685	0.00000	0.00000
deceptive_energy_basin	energy_guided_diffusion	3	12	1.00000	0.00000	0.00000	0.00650	0.00000	0.00000
deceptive_energy_basin	energy_guided_diffusion	4	12	1.00000	0.00000	0.00000	0.00657	0.00000	0.00000
deceptive_energy_basin	energy_guided_diffusion	5	12	1.00000	0.00000	0.00000	0.00644	0.00000	0.00000
deceptive_energy_basin	energy_guided_diffusion	6	12	1.00000	0.00000	0.00000	0.00672	0.00000	0.00000
deceptive_energy_basin	energy_guided_diffusion	7	12	1.00000	0.00000	0.00000	0.00652	0.00000	0.00000
deceptive_energy_basin	strong_guided_diffusion	0	12	1.00000	0.00000	0.00000	0.00549	0.00000	0.00000
deceptive_energy_basin	strong_guided_diffusion	1	12	1.00000	0.00000	0.00000	0.00599	0.00000	0.00000

B SEED-LEVEL MAIN METRICS

Table 22: Seed-level main metrics continued (35-68)

split	method	seed	tasks	success	collision	dynamic_violation	support_distance	risk_proxy	mode_escape
deceptive_energy_basin	strong_guided_diffusion	2	12	1.00000	0.00000	0.00000	0.00525	0.00000	0.00000
deceptive_energy_basin	strong_guided_diffusion	3	12	1.00000	0.00000	0.00000	0.00825	0.00000	0.00000
deceptive_energy_basin	strong_guided_diffusion	4	12	1.00000	0.00000	0.00000	0.00748	0.00000	0.00000
deceptive_energy_basin	strong_guided_diffusion	5	12	1.00000	0.00000	0.00000	0.00851	0.00000	0.00000
deceptive_energy_basin	strong_guided_diffusion	6	12	1.00000	0.00000	0.00000	0.00531	0.00000	0.00000
deceptive_energy_basin	strong_guided_diffusion	7	12	1.00000	0.00000	0.00000	0.00553	0.00000	0.00000
deceptive_energy_basin	support_projected_guidance	0	12	1.00000	0.00000	0.00000	0.00547	0.00000	0.00000
deceptive_energy_basin	support_projected_guidance	1	12	1.00000	0.00000	0.00000	0.00532	0.00000	0.00000
deceptive_energy_basin	support_projected_guidance	2	12	1.00000	0.00000	0.00000	0.00528	0.00000	0.00000
deceptive_energy_basin	support_projected_guidance	3	12	1.00000	0.00000	0.00000	0.00565	0.00000	0.00000
deceptive_energy_basin	support_projected_guidance	4	12	1.00000	0.00000	0.00000	0.00538	0.00000	0.00000
deceptive_energy_basin	support_projected_guidance	5	12	1.00000	0.00000	0.00000	0.00541	0.00000	0.00000
deceptive_energy_basin	support_projected_guidance	6	12	1.00000	0.00000	0.00000	0.00532	0.00000	0.00000
deceptive_energy_basin	support_projected_guidance	7	12	1.00000	0.00000	0.00000	0.00843	0.00000	0.00000
deceptive_energy_basin	mode_diverse_diffusion	0	12	1.00000	0.00000	0.00000	0.00551	0.00000	0.00000
deceptive_energy_basin	mode_diverse_diffusion	1	12	1.00000	0.00000	0.00000	0.00528	0.00000	0.00000
deceptive_energy_basin	mode_diverse_diffusion	2	12	1.00000	0.00000	0.00000	0.00536	0.00000	0.00000
deceptive_energy_basin	mode_diverse_diffusion	3	12	1.00000	0.00000	0.00000	0.00511	0.00000	0.00000
deceptive_energy_basin	mode_diverse_diffusion	4	12	1.00000	0.00000	0.00000	0.00554	0.00000	0.00000
deceptive_energy_basin	mode_diverse_diffusion	5	12	1.00000	0.00000	0.00000	0.00509	0.00000	0.00000
deceptive_energy_basin	mode_diverse_diffusion	6	12	1.00000	0.00000	0.00000	0.00769	0.00000	0.00000
deceptive_energy_basin	mode_diverse_diffusion	7	12	1.00000	0.00000	0.00000	0.00544	0.00000	0.00000
deceptive_energy_basin	diffusion_cem_hybrid	0	12	1.00000	0.00000	0.00000	0.00747	0.00000	0.00000
deceptive_energy_basin	diffusion_cem_hybrid	1	12	1.00000	0.00000	0.00000	0.00791	0.00000	0.00000
deceptive_energy_basin	diffusion_cem_hybrid	2	12	1.00000	0.00000	0.00000	0.00984	0.00000	0.00000
deceptive_energy_basin	diffusion_cem_hybrid	3	12	1.00000	0.00000	0.00000	0.00768	0.00000	0.00000
deceptive_energy_basin	diffusion_cem_hybrid	4	12	1.00000	0.00000	0.00000	0.00956	0.00000	0.00000
deceptive_energy_basin	diffusion_cem_hybrid	5	12	1.00000	0.00000	0.00000	0.00835	0.00000	0.00000
deceptive_energy_basin	diffusion_cem_hybrid	6	12	1.00000	0.00000	0.00000	0.00818	0.00000	0.00000
deceptive_energy_basin	diffusion_cem_hybrid	7	12	1.00000	0.00000	0.00000	0.00927	0.00000	0.00000
deceptive_energy_basin	chomp_like_optimizer	0	12	1.00000	0.00000	0.00000	0.00991	0.00000	0.00000
deceptive_energy_basin	chomp_like_optimizer	1	12	1.00000	0.00000	0.00000	0.00964	0.00000	0.00000
deceptive_energy_basin	chomp_like_optimizer	2	12	1.00000	0.00000	0.00000	0.00988	0.00000	0.00000
deceptive_energy_basin	chomp_like_optimizer	3	12	1.00000	0.00000	0.00000	0.00996	0.00000	0.00000

Table 23: Seed-level main metrics continued (69-102)

split	method	seed	tasks	success	collision	dynamic_violation	support_distance	risk_proxy	mode_escape
deceptive.energy.basin	chomp_like_optimizer	4	12	1.00000	0.00000	0.00000	0.01035	0.00000	0.00000
deceptive.energy.basin	chomp_like_optimizer	5	12	1.00000	0.00000	0.00000	0.01012	0.00000	0.00000
deceptive.energy.basin	chomp_like_optimizer	6	12	1.00000	0.00000	0.00000	0.01005	0.00000	0.00000
deceptive.energy.basin	chomp_like_optimizer	7	12	1.00000	0.00000	0.00000	0.00978	0.00000	0.00000
deceptive.energy.basin	cem_trajectory_optimizer	0	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
deceptive.energy.basin	cem_trajectory_optimizer	1	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
deceptive.energy.basin	cem_trajectory_optimizer	2	12	1.00000	0.00000	0.00000	0.00062	0.00000	0.00000
deceptive.energy.basin	cem_trajectory_optimizer	3	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
deceptive.energy.basin	cem_trajectory_optimizer	4	12	1.00000	0.00000	0.00000	0.00060	0.00000	0.00000
deceptive.energy.basin	cem_trajectory_optimizer	5	12	1.00000	0.00000	0.00000	0.00157	0.00000	0.00000
deceptive.energy.basin	cem_trajectory_optimizer	6	12	1.00000	0.00000	0.00000	0.00093	0.00000	0.00000
deceptive.energy.basin	cem_trajectory_optimizer	7	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
deceptive.energy.basin	graph_search_planner	0	12	1.00000	0.00000	0.00000	0.00541	0.00000	0.00000
deceptive.energy.basin	graph_search_planner	1	12	1.00000	0.00000	0.00000	0.00525	0.00000	0.00000
deceptive.energy.basin	graph_search_planner	2	12	1.00000	0.00000	0.00000	0.00517	0.00000	0.00000
deceptive.energy.basin	graph_search_planner	3	12	1.00000	0.00000	0.00000	0.00533	0.00000	0.00000
deceptive.energy.basin	graph_search_planner	4	12	1.00000	0.00000	0.00000	0.00546	0.00000	0.00000
deceptive.energy.basin	graph_search_planner	5	12	1.00000	0.00000	0.00000	0.00522	0.00000	0.00000
deceptive.energy.basin	graph_search_planner	6	12	1.00000	0.00000	0.00000	0.00528	0.00000	0.00000
deceptive.energy.basin	graph_search_planner	7	12	1.00000	0.00000	0.00000	0.00546	0.00000	0.00000
deceptive.energy.basin	support_aware_energy_bridge.v5	0	12	1.00000	0.00000	0.00000	0.00666	0.00000	0.00000
deceptive.energy.basin	support_aware_energy_bridge.v5	1	12	1.00000	0.00000	0.00000	0.00603	0.00000	0.00000
deceptive.energy.basin	support_aware_energy_bridge.v5	2	12	1.00000	0.00000	0.00000	0.00603	0.00000	0.00000
deceptive.energy.basin	support_aware_energy_bridge.v5	3	12	1.00000	0.00000	0.00000	0.00668	0.00000	0.00000
deceptive.energy.basin	support_aware_energy_bridge.v5	4	12	1.00000	0.00000	0.00000	0.00722	0.00000	0.00000
deceptive.energy.basin	support_aware_energy_bridge.v5	5	12	1.00000	0.00000	0.00000	0.00858	0.00000	0.00000
deceptive.energy.basin	support_aware_energy_bridge.v5	6	12	1.00000	0.00000	0.00000	0.00709	0.00000	0.00000
deceptive.energy.basin	support_aware_energy_bridge.v5	7	12	1.00000	0.00000	0.00000	0.00726	0.00000	0.00000
deceptive.energy.basin	grid_oracle	0	12	1.00000	0.00000	0.00000	0.00535	0.00000	0.00000
deceptive.energy.basin	grid_oracle	1	12	1.00000	0.00000	0.00000	0.00539	0.00000	0.00000
deceptive.energy.basin	grid_oracle	2	12	1.00000	0.00000	0.00000	0.00515	0.00000	0.00000
deceptive.energy.basin	grid_oracle	3	12	1.00000	0.00000	0.00000	0.00522	0.00000	0.00000
deceptive.energy.basin	grid_oracle	4	12	1.00000	0.00000	0.00000	0.00559	0.00000	0.00000
deceptive.energy.basin	grid_oracle	5	12	1.00000	0.00000	0.00000	0.00510	0.00000	0.00000

Table 24: Seed-level main metrics continued (103-136)

split	method	seed	tasks	success	collision	dynamic_violation	support_distance	risk_proxy	mode_escape
deceptive_energy_basin	grid_oracle	6	12	1.00000	0.00000	0.00000	0.00529	0.00000	0.00000
deceptive_energy_basin	grid_oracle	7	12	1.00000	0.00000	0.00000	0.00544	0.00000	0.00000
off_support_corridor	behavior_clone_nearest	0	12	0.00000	1.00000	0.00000	0.00000	1.00000	0.00000
off_support_corridor	behavior_clone_nearest	1	12	0.00000	1.00000	0.00000	0.00000	1.00000	0.00000
off_support_corridor	behavior_clone_nearest	2	12	0.00000	1.00000	0.00000	0.00000	1.00000	0.00000
off_support_corridor	behavior_clone_nearest	3	12	0.00000	1.00000	0.00000	0.00000	1.00000	0.00000
off_support_corridor	behavior_clone_nearest	4	12	0.00000	1.00000	0.00000	0.00000	1.00000	0.00000
off_support_corridor	behavior_clone_nearest	5	12	0.00000	1.00000	0.00000	0.00000	1.00000	0.00000
off_support_corridor	behavior_clone_nearest	6	12	0.00000	1.00000	0.00000	0.00000	1.00000	0.00000
off_support_corridor	behavior_clone_nearest	7	12	0.00000	1.00000	0.00000	0.00000	1.00000	0.00000
off_support_corridor	unguided_diffusion_prior	0	12	0.00000	1.00000	0.00000	0.00471	1.00000	0.00000
off_support_corridor	unguided_diffusion_prior	1	12	0.00000	1.00000	0.00000	0.00480	1.00000	0.00000
off_support_corridor	unguided_diffusion_prior	2	12	0.00000	1.00000	0.00000	0.00462	1.00000	0.00000
off_support_corridor	unguided_diffusion_prior	3	12	0.00000	1.00000	0.00000	0.00464	1.00000	0.00000
off_support_corridor	unguided_diffusion_prior	4	12	0.00000	1.00000	0.00000	0.00461	1.00000	0.00000
off_support_corridor	unguided_diffusion_prior	5	12	0.00000	1.00000	0.00000	0.00459	1.00000	0.00000
off_support_corridor	unguided_diffusion_prior	6	12	0.00000	1.00000	0.00000	0.00478	1.00000	0.00000
off_support_corridor	unguided_diffusion_prior	7	12	0.00000	1.00000	0.00000	0.00460	1.00000	0.00000
off_support_corridor	energy_rerank_unguided	0	12	0.00000	1.00000	0.00000	0.00487	1.00000	0.00000
off_support_corridor	energy_rerank_unguided	1	12	0.00000	1.00000	0.00000	0.00493	1.00000	0.00000
off_support_corridor	energy_rerank_unguided	2	12	0.00000	1.00000	0.00000	0.00481	1.00000	0.00000
off_support_corridor	energy_rerank_unguided	3	12	0.00000	1.00000	0.00000	0.00486	1.00000	0.00000
off_support_corridor	energy_rerank_unguided	4	12	0.00000	1.00000	0.00000	0.00472	1.00000	0.00000
off_support_corridor	energy_rerank_unguided	5	12	0.00000	1.00000	0.00000	0.00481	1.00000	0.00000
off_support_corridor	energy_rerank_unguided	6	12	0.00000	1.00000	0.00000	0.00491	1.00000	0.00000
off_support_corridor	energy_rerank_unguided	7	12	0.00000	1.00000	0.00000	0.00475	1.00000	0.00000
off_support_corridor	energy_guided_diffusion	0	12	0.00000	1.00000	1.00000	0.05490	1.00000	0.00000
off_support_corridor	energy_guided_diffusion	1	12	0.00000	1.00000	1.00000	0.05420	1.00000	0.00000
off_support_corridor	energy_guided_diffusion	2	12	0.00000	1.00000	1.00000	0.05462	1.00027	0.00000
off_support_corridor	energy_guided_diffusion	3	12	0.00000	1.00000	1.00000	0.05594	1.00000	0.00000
off_support_corridor	energy_guided_diffusion	4	12	0.00000	1.00000	1.00000	0.05605	1.00000	0.00000
off_support_corridor	energy_guided_diffusion	5	12	0.00000	1.00000	1.00000	0.05595	1.00108	0.00000
off_support_corridor	energy_guided_diffusion	6	12	0.00000	1.00000	1.00000	0.05279	1.00000	0.00000
off_support_corridor	energy_guided_diffusion	7	12	0.00000	1.00000	1.00000	0.05558	1.00000	0.00000

Table 25: Seed-level main metrics continued (137-170)

split	method	seed	tasks	success	collision	dynamic_violation	support_distance	risk_proxy	mode_escape
off_support_corridor	strong_guided_diffusion	0	12	0.16667	0.00000	0.83333	0.07440	0.84344	0.00000
off_support_corridor	strong_guided_diffusion	1	12	0.08333	0.00000	0.91667	0.07268	0.92036	0.00000
off_support_corridor	strong_guided_diffusion	2	12	0.00000	0.00000	1.00000	0.07587	1.00000	0.00000
off_support_corridor	strong_guided_diffusion	3	12	0.08333	0.08333	0.91667	0.07936	0.91997	0.00000
off_support_corridor	strong_guided_diffusion	4	12	0.00000	0.16667	1.00000	0.08650	1.00000	0.00000
off_support_corridor	strong_guided_diffusion	5	12	0.16667	0.08333	0.83333	0.08168	0.83993	0.00000
off_support_corridor	strong_guided_diffusion	6	12	0.00000	0.00000	1.00000	0.07739	1.00000	0.00000
off_support_corridor	strong_guided_diffusion	7	12	0.00000	0.00000	1.00000	0.07788	1.00000	0.00000
off_support_corridor	support_projected_guidance	0	12	0.00000	0.00000	1.00000	0.07526	1.00000	0.00000
off_support_corridor	support_projected_guidance	1	12	0.08333	0.00000	0.91667	0.07271	0.91997	0.00000
off_support_corridor	support_projected_guidance	2	12	0.08333	0.08333	0.91667	0.07852	0.91997	0.00000
off_support_corridor	support_projected_guidance	3	12	0.00000	0.00000	1.00000	0.07952	1.00000	0.00000
off_support_corridor	support_projected_guidance	4	12	0.00000	0.16667	1.00000	0.08808	1.00000	0.00000
off_support_corridor	support_projected_guidance	5	12	0.00000	0.08333	1.00000	0.08026	1.00000	0.00000
off_support_corridor	support_projected_guidance	6	12	0.08333	0.00000	0.91667	0.07461	0.92016	0.00000
off_support_corridor	support_projected_guidance	7	12	0.08333	0.00000	0.91667	0.08003	0.91997	0.00000
off_support_corridor	mode_diverse_diffusion	0	12	1.00000	0.00000	0.00000	0.61296	0.00325	1.00000
off_support_corridor	mode_diverse_diffusion	1	12	1.00000	0.00000	0.00000	0.61238	0.00323	1.00000
off_support_corridor	mode_diverse_diffusion	2	12	1.00000	0.00000	0.00000	0.61317	0.00326	1.00000
off_support_corridor	mode_diverse_diffusion	3	12	1.00000	0.00000	0.00000	0.61323	0.00326	1.00000
off_support_corridor	mode_diverse_diffusion	4	12	1.00000	0.00000	0.00000	0.61430	0.00330	1.00000
off_support_corridor	mode_diverse_diffusion	5	12	1.00000	0.00000	0.00000	0.61312	0.00326	1.00000
off_support_corridor	mode_diverse_diffusion	6	12	1.00000	0.00000	0.00000	0.61324	0.00326	1.00000
off_support_corridor	mode_diverse_diffusion	7	12	1.00000	0.00000	0.00000	0.61358	0.00328	1.00000
off_support_corridor	diffusion_cem_hybrid	0	12	1.00000	0.00000	0.00000	0.60679	0.00304	1.00000
off_support_corridor	diffusion_cem_hybrid	1	12	1.00000	0.00000	0.00000	0.60525	0.00298	1.00000
off_support_corridor	diffusion_cem_hybrid	2	12	1.00000	0.00000	0.00000	0.60654	0.00303	1.00000
off_support_corridor	diffusion_cem_hybrid	3	12	1.00000	0.00000	0.00000	0.60658	0.00303	1.00000
off_support_corridor	diffusion_cem_hybrid	4	12	1.00000	0.00000	0.00000	0.60756	0.00306	1.00000
off_support_corridor	diffusion_cem_hybrid	5	12	1.00000	0.00000	0.00000	0.60669	0.00303	1.00000
off_support_corridor	diffusion_cem_hybrid	6	12	1.00000	0.00000	0.00000	0.60668	0.00303	1.00000
off_support_corridor	diffusion_cem_hybrid	7	12	1.00000	0.00000	0.00000	0.60674	0.00304	1.00000
off_support_corridor	chomp_like_optimizer	0	12	1.00000	0.00000	0.00000	0.60254	0.00289	1.00000
off_support_corridor	chomp_like_optimizer	1	12	1.00000	0.00000	0.00000	0.60157	0.00285	1.00000

Table 26: Seed-level main metrics continued (171-204)

split	method	seed	tasks	success	collision	dynamic_violation	support_distance	risk_proxy	mode_escape
off_support_corridor	chomp_like_optimizer	2	12	1.00000	0.00000	0.00000	0.60243	0.00289	1.00000
off_support_corridor	chomp_like_optimizer	3	12	1.00000	0.00000	0.00000	0.60269	0.00289	1.00000
off_support_corridor	chomp_like_optimizer	4	12	1.00000	0.00000	0.00000	0.60322	0.00291	1.00000
off_support_corridor	chomp_like_optimizer	5	12	1.00000	0.00000	0.00000	0.60295	0.00290	1.00000
off_support_corridor	chomp_like_optimizer	6	12	1.00000	0.00000	0.00000	0.60257	0.00289	1.00000
off_support_corridor	chomp_like_optimizer	7	12	1.00000	0.00000	0.00000	0.60247	0.00289	1.00000
off_support_corridor	cem_trajectory_optimizer	0	12	1.00000	0.00000	0.00000	0.61375	0.00328	1.00000
off_support_corridor	cem_trajectory_optimizer	1	12	1.00000	0.00000	0.00000	0.61177	0.00321	1.00000
off_support_corridor	cem_trajectory_optimizer	2	12	1.00000	0.00000	0.00000	0.61740	0.00341	1.00000
off_support_corridor	cem_trajectory_optimizer	3	12	1.00000	0.00000	0.00000	0.61444	0.00330	1.00000
off_support_corridor	cem_trajectory_optimizer	4	12	1.00000	0.00000	0.00000	0.61425	0.00330	1.00000
off_support_corridor	cem_trajectory_optimizer	5	12	1.00000	0.00000	0.00000	0.61168	0.00321	1.00000
off_support_corridor	cem_trajectory_optimizer	6	12	1.00000	0.00000	0.00000	0.61270	0.00324	1.00000
off_support_corridor	cem_trajectory_optimizer	7	12	1.00000	0.00000	0.00000	0.61335	0.00327	1.00000
off_support_corridor	graph_search_planner	0	12	1.00000	0.00000	0.00000	0.61322	0.00326	1.00000
off_support_corridor	graph_search_planner	1	12	1.00000	0.00000	0.00000	0.61186	0.00322	1.00000
off_support_corridor	graph_search_planner	2	12	1.00000	0.00000	0.00000	0.61310	0.00326	1.00000
off_support_corridor	graph_search_planner	3	12	1.00000	0.00000	0.00000	0.61261	0.00324	1.00000
off_support_corridor	graph_search_planner	4	12	1.00000	0.00000	0.00000	0.61376	0.00328	1.00000
off_support_corridor	graph_search_planner	5	12	1.00000	0.00000	0.00000	0.61321	0.00326	1.00000
off_support_corridor	graph_search_planner	6	12	1.00000	0.00000	0.00000	0.61310	0.00326	1.00000
off_support_corridor	graph_search_planner	7	12	1.00000	0.00000	0.00000	0.61300	0.00325	1.00000
off_support_corridor	support_aware_energy_bridge.v5	0	12	1.00000	0.00000	0.00000	0.60973	0.00314	1.00000
off_support_corridor	support_aware_energy_bridge.v5	1	12	1.00000	0.00000	0.00000	0.60881	0.00311	1.00000
off_support_corridor	support_aware_energy_bridge.v5	2	12	1.00000	0.00000	0.00000	0.60948	0.00313	1.00000
off_support_corridor	support_aware_energy_bridge.v5	3	12	1.00000	0.00000	0.00000	0.60955	0.00313	1.00000
off_support_corridor	support_aware_energy_bridge.v5	4	12	1.00000	0.00000	0.00000	0.61067	0.00317	1.00000
off_support_corridor	support_aware_energy_bridge.v5	5	12	1.00000	0.00000	0.00000	0.60994	0.00315	1.00000
off_support_corridor	support_aware_energy_bridge.v5	6	12	1.00000	0.00000	0.00000	0.60967	0.00314	1.00000
off_support_corridor	support_aware_energy_bridge.v5	7	12	1.00000	0.00000	0.00000	0.60963	0.00314	1.00000
off_support_corridor	grid_oracle	0	12	1.00000	0.00000	0.00000	0.61310	0.00326	1.00000
off_support_corridor	grid_oracle	1	12	1.00000	0.00000	0.00000	0.61214	0.00323	1.00000
off_support_corridor	grid_oracle	2	12	1.00000	0.00000	0.00000	0.61307	0.00326	1.00000
off_support_corridor	grid_oracle	3	12	1.00000	0.00000	0.00000	0.61280	0.00325	1.00000

Table 27: Seed-level main metrics continued (205-238)

split	method	seed	tasks	success	collision	dynamic_violation	support_distance	risk_proxy	mode_escape
off_support_corridor	grid_oracle	4	12	1.00000	0.00000	0.00000	0.61400	0.00329	1.00000
off_support_corridor	grid_oracle	5	12	1.00000	0.00000	0.00000	0.61318	0.00326	1.00000
off_support_corridor	grid_oracle	6	12	1.00000	0.00000	0.00000	0.61306	0.00326	1.00000
off_support_corridor	grid_oracle	7	12	1.00000	0.00000	0.00000	0.61326	0.00326	1.00000
rare_mode_recovery	behavior_clone_nearest	0	12	1.00000	0.00000	0.00000	0.00000	0.00000	1.00000
rare_mode_recovery	behavior_clone_nearest	1	12	1.00000	0.00000	0.00000	0.00000	0.00000	1.00000
rare_mode_recovery	behavior_clone_nearest	2	12	1.00000	0.00000	0.00000	0.00000	0.00000	1.00000
rare_mode_recovery	behavior_clone_nearest	3	12	1.00000	0.00000	0.00000	0.00000	0.00000	1.00000
rare_mode_recovery	behavior_clone_nearest	4	12	1.00000	0.00000	0.00000	0.00000	0.00000	1.00000
rare_mode_recovery	behavior_clone_nearest	5	12	1.00000	0.00000	0.00000	0.00000	0.00000	1.00000
rare_mode_recovery	behavior_clone_nearest	6	12	1.00000	0.00000	0.00000	0.00000	0.00000	1.00000
rare_mode_recovery	behavior_clone_nearest	7	12	1.00000	0.00000	0.00000	0.00000	0.00000	1.00000
rare_mode_recovery	unguided_diffusion_prior	0	12	0.00000	1.00000	0.00000	0.00445	1.00000	0.00000
rare_mode_recovery	unguided_diffusion_prior	1	12	0.16667	0.83333	0.00000	0.00464	0.83333	0.16667
rare_mode_recovery	unguided_diffusion_prior	2	12	0.00000	1.00000	0.00000	0.00475	1.00000	0.00000
rare_mode_recovery	unguided_diffusion_prior	3	12	0.00000	1.00000	0.00000	0.00442	1.00000	0.00000
rare_mode_recovery	unguided_diffusion_prior	4	12	0.08333	0.91667	0.00000	0.00460	0.91667	0.08333
rare_mode_recovery	unguided_diffusion_prior	5	12	0.00000	1.00000	0.00000	0.00474	1.00000	0.00000
rare_mode_recovery	unguided_diffusion_prior	6	12	0.08333	0.91667	0.00000	0.00459	0.91667	0.08333
rare_mode_recovery	unguided_diffusion_prior	7	12	0.16667	0.83333	0.00000	0.00442	0.83333	0.16667
rare_mode_recovery	energy_rerank_unguided	0	12	0.16667	0.83333	0.00000	0.00493	0.83333	0.16667
rare_mode_recovery	energy_rerank_unguided	1	12	0.16667	0.83333	0.00000	0.00484	0.83333	0.16667
rare_mode_recovery	energy_rerank_unguided	2	12	0.16667	0.83333	0.00000	0.00504	0.83333	0.16667
rare_mode_recovery	energy_rerank_unguided	3	12	0.41667	0.58333	0.00000	0.00441	0.58333	0.41667
rare_mode_recovery	energy_rerank_unguided	4	12	0.33333	0.66667	0.00000	0.00501	0.66667	0.33333
rare_mode_recovery	energy_rerank_unguided	5	12	0.00000	1.00000	0.00000	0.00490	1.00000	0.00000
rare_mode_recovery	energy_rerank_unguided	6	12	0.25000	0.75000	0.00000	0.00499	0.75000	0.25000
rare_mode_recovery	energy_rerank_unguided	7	12	0.16667	0.83333	0.00000	0.00494	0.83333	0.16667
rare_mode_recovery	energy_guided_diffusion	0	12	0.33333	0.58333	0.66667	0.03474	0.66667	0.41667
rare_mode_recovery	energy_guided_diffusion	1	12	0.08333	0.91667	0.91667	0.05034	0.91667	0.08333
rare_mode_recovery	energy_guided_diffusion	2	12	0.41667	0.58333	0.58333	0.03359	0.58333	0.41667
rare_mode_recovery	energy_guided_diffusion	3	12	0.16667	0.83333	0.83333	0.04445	0.83333	0.16667
rare_mode_recovery	energy_guided_diffusion	4	12	0.16667	0.83333	0.83333	0.04547	0.83333	0.16667
rare_mode_recovery	energy_guided_diffusion	5	12	0.16667	0.83333	0.83333	0.04236	0.83333	0.16667

Table 28: Seed-level main metrics continued (239-272)

split	method	seed	tasks	success	collision	dynamic_violation	support_distance	risk_proxy	mode_escape
rare_mode_recovery	energy_guided_diffusion	6	12	0.16667	0.83333	0.83333	0.04455	0.83333	0.16667
rare_mode_recovery	energy_guided_diffusion	7	12	0.25000	0.75000	0.75000	0.04187	0.75162	0.25000
rare_mode_recovery	strong_guided_diffusion	0	12	0.08333	0.00000	0.91667	0.06602	0.91667	0.08333
rare_mode_recovery	strong_guided_diffusion	1	12	0.50000	0.00000	0.50000	0.04502	0.50401	0.41667
rare_mode_recovery	strong_guided_diffusion	2	12	0.25000	0.00000	0.75000	0.06128	0.75430	0.16667
rare_mode_recovery	strong_guided_diffusion	3	12	0.33333	0.00000	0.66667	0.05229	0.66667	0.33333
rare_mode_recovery	strong_guided_diffusion	4	12	0.25000	0.08333	0.75000	0.05398	0.75000	0.25000
rare_mode_recovery	strong_guided_diffusion	5	12	0.41667	0.08333	0.58333	0.04100	0.58333	0.41667
rare_mode_recovery	strong_guided_diffusion	6	12	0.16667	0.00000	0.83333	0.06546	0.83663	0.08333
rare_mode_recovery	strong_guided_diffusion	7	12	0.08333	0.00000	0.91667	0.07058	0.91667	0.08333
rare_mode_recovery	support_projected_guidance	0	12	0.25000	0.00000	0.75000	0.05170	0.75000	0.25000
rare_mode_recovery	support_projected_guidance	1	12	0.33333	0.00000	0.66667	0.05098	0.66667	0.33333
rare_mode_recovery	support_projected_guidance	2	12	0.50000	0.00000	0.50000	0.03732	0.50000	0.50000
rare_mode_recovery	support_projected_guidance	3	12	0.16667	0.00000	0.83333	0.06243	0.83333	0.16667
rare_mode_recovery	support_projected_guidance	4	12	0.33333	0.00000	0.66667	0.04967	0.66667	0.33333
rare_mode_recovery	support_projected_guidance	5	12	0.33333	0.00000	0.66667	0.04532	0.66667	0.33333
rare_mode_recovery	support_projected_guidance	6	12	0.41667	0.00000	0.58333	0.04419	0.58333	0.41667
rare_mode_recovery	support_projected_guidance	7	12	0.25000	0.00000	0.75000	0.07121	0.75786	0.08333
rare_mode_recovery	mode_diverse_diffusion	0	12	1.00000	0.00000	0.00000	0.00860	0.00000	1.00000
rare_mode_recovery	mode_diverse_diffusion	1	12	1.00000	0.00000	0.00000	0.00789	0.00000	1.00000
rare_mode_recovery	mode_diverse_diffusion	2	12	1.00000	0.00000	0.00000	0.00869	0.00000	1.00000
rare_mode_recovery	mode_diverse_diffusion	3	12	1.00000	0.00000	0.00000	0.00933	0.00000	1.00000
rare_mode_recovery	mode_diverse_diffusion	4	12	1.00000	0.00000	0.00000	0.00898	0.00000	1.00000
rare_mode_recovery	mode_diverse_diffusion	5	12	1.00000	0.00000	0.00000	0.00931	0.00000	1.00000
rare_mode_recovery	mode_diverse_diffusion	6	12	1.00000	0.00000	0.00000	0.00749	0.00000	1.00000
rare_mode_recovery	mode_diverse_diffusion	7	12	1.00000	0.00000	0.00000	0.00868	0.00000	1.00000
rare_mode_recovery	diffusion_cem_hybrid	0	12	1.00000	0.00000	0.00000	0.00900	0.00000	1.00000
rare_mode_recovery	diffusion_cem_hybrid	1	12	1.00000	0.00000	0.00000	0.00904	0.00000	1.00000
rare_mode_recovery	diffusion_cem_hybrid	2	12	1.00000	0.00000	0.00000	0.00916	0.00000	1.00000
rare_mode_recovery	diffusion_cem_hybrid	3	12	1.00000	0.00000	0.00000	0.00876	0.00000	1.00000
rare_mode_recovery	diffusion_cem_hybrid	4	12	1.00000	0.00000	0.00000	0.00945	0.00000	1.00000
rare_mode_recovery	diffusion_cem_hybrid	5	12	1.00000	0.00000	0.00000	0.00876	0.00000	1.00000
rare_mode_recovery	diffusion_cem_hybrid	6	12	1.00000	0.00000	0.00000	0.00962	0.00000	1.00000
rare_mode_recovery	diffusion_cem_hybrid	7	12	1.00000	0.00000	0.00000	0.00928	0.00000	1.00000

Table 29: Seed-level main metrics continued (273-306)

split	method	seed	tasks	success	collision	dynamic_violation	support_distance	risk_proxy	mode_escape
rare_mode_recovery	chomp_like_optimizer	0	12	1.00000	0.00000	0.00000	0.01176	0.00000	1.00000
rare_mode_recovery	chomp_like_optimizer	1	12	1.00000	0.00000	0.00000	0.01273	0.00000	1.00000
rare_mode_recovery	chomp_like_optimizer	2	12	1.00000	0.00000	0.00000	0.01254	0.00000	1.00000
rare_mode_recovery	chomp_like_optimizer	3	12	1.00000	0.00000	0.00000	0.01231	0.00000	1.00000
rare_mode_recovery	chomp_like_optimizer	4	12	1.00000	0.00000	0.00000	0.01232	0.00000	1.00000
rare_mode_recovery	chomp_like_optimizer	5	12	1.00000	0.00000	0.00000	0.01209	0.00000	1.00000
rare_mode_recovery	chomp_like_optimizer	6	12	1.00000	0.00000	0.00000	0.01262	0.00000	1.00000
rare_mode_recovery	chomp_like_optimizer	7	12	1.00000	0.00000	0.00000	0.01250	0.00000	1.00000
rare_mode_recovery	cem_trajectory_optimizer	0	12	1.00000	0.00000	0.00000	0.00994	0.00000	1.00000
rare_mode_recovery	cem_trajectory_optimizer	1	12	1.00000	0.00000	0.00000	0.01012	0.00000	1.00000
rare_mode_recovery	cem_trajectory_optimizer	2	12	1.00000	0.00000	0.00000	0.01167	0.00000	1.00000
rare_mode_recovery	cem_trajectory_optimizer	3	12	1.00000	0.00000	0.00000	0.00883	0.00000	1.00000
rare_mode_recovery	cem_trajectory_optimizer	4	12	1.00000	0.00000	0.00000	0.01066	0.00000	1.00000
rare_mode_recovery	cem_trajectory_optimizer	5	12	1.00000	0.00000	0.00000	0.01069	0.00000	1.00000
rare_mode_recovery	cem_trajectory_optimizer	6	12	1.00000	0.00000	0.00000	0.01037	0.00000	1.00000
rare_mode_recovery	cem_trajectory_optimizer	7	12	1.00000	0.00000	0.00000	0.01052	0.00000	1.00000
rare_mode_recovery	graph_search_planner	0	12	1.00000	0.00000	0.00000	0.00698	0.00000	1.00000
rare_mode_recovery	graph_search_planner	1	12	1.00000	0.00000	0.00000	0.00601	0.00000	1.00000
rare_mode_recovery	graph_search_planner	2	12	1.00000	0.00000	0.00000	0.00733	0.00000	1.00000
rare_mode_recovery	graph_search_planner	3	12	1.00000	0.00000	0.00000	0.00676	0.00000	1.00000
rare_mode_recovery	graph_search_planner	4	12	1.00000	0.00000	0.00000	0.00706	0.00000	1.00000
rare_mode_recovery	graph_search_planner	5	12	1.00000	0.00000	0.00000	0.00715	0.00000	1.00000
rare_mode_recovery	graph_search_planner	6	12	1.00000	0.00000	0.00000	0.00666	0.00000	1.00000
rare_mode_recovery	graph_search_planner	7	12	1.00000	0.00000	0.00000	0.00672	0.00000	1.00000
rare_mode_recovery	support_aware_energy_bridge.v5	0	12	1.00000	0.00000	0.00000	0.00743	0.00000	1.00000
rare_mode_recovery	support_aware_energy_bridge.v5	1	12	1.00000	0.00000	0.00000	0.00752	0.00000	1.00000
rare_mode_recovery	support_aware_energy_bridge.v5	2	12	1.00000	0.00000	0.00000	0.00781	0.00000	1.00000
rare_mode_recovery	support_aware_energy_bridge.v5	3	12	1.00000	0.00000	0.00000	0.00807	0.00000	1.00000
rare_mode_recovery	support_aware_energy_bridge.v5	4	12	1.00000	0.00000	0.00000	0.00810	0.00000	1.00000
rare_mode_recovery	support_aware_energy_bridge.v5	5	12	1.00000	0.00000	0.00000	0.00782	0.00000	1.00000
rare_mode_recovery	support_aware_energy_bridge.v5	6	12	1.00000	0.00000	0.00000	0.00765	0.00000	1.00000
rare_mode_recovery	support_aware_energy_bridge.v5	7	12	1.00000	0.00000	0.00000	0.00715	0.00000	1.00000
rare_mode_recovery	grid_oracle	0	12	1.00000	0.00000	0.00000	0.00696	0.00000	1.00000
rare_mode_recovery	grid_oracle	1	12	1.00000	0.00000	0.00000	0.00627	0.00000	1.00000

Table 30: Seed-level main metrics continued (307-340)

split	method	seed	tasks	success	collision	dynamic_violation	support_distance	risk_proxy	mode_escape
rare_mode_recovery	grid_oracle	2	12	1.00000	0.00000	0.00000	0.00738	0.00000	1.00000
rare_mode_recovery	grid_oracle	3	12	1.00000	0.00000	0.00000	0.00673	0.00000	1.00000
rare_mode_recovery	grid_oracle	4	12	1.00000	0.00000	0.00000	0.00701	0.00000	1.00000
rare_mode_recovery	grid_oracle	5	12	1.00000	0.00000	0.00000	0.00700	0.00000	1.00000
rare_mode_recovery	grid_oracle	6	12	1.00000	0.00000	0.00000	0.00690	0.00000	1.00000
rare_mode_recovery	grid_oracle	7	12	1.00000	0.00000	0.00000	0.00637	0.00000	1.00000
supported_multimodal_shift	behavior_clone_nearest	0	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_multimodal_shift	behavior_clone_nearest	1	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_multimodal_shift	behavior_clone_nearest	2	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_multimodal_shift	behavior_clone_nearest	3	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_multimodal_shift	behavior_clone_nearest	4	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_multimodal_shift	behavior_clone_nearest	5	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_multimodal_shift	behavior_clone_nearest	6	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_multimodal_shift	behavior_clone_nearest	7	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_multimodal_shift	unguided_diffusion_prior	0	12	1.00000	0.00000	0.00000	0.00476	0.00000	0.00000
supported_multimodal_shift	unguided_diffusion_prior	1	12	1.00000	0.00000	0.00000	0.00454	0.00000	0.00000
supported_multimodal_shift	unguided_diffusion_prior	2	12	1.00000	0.00000	0.00000	0.00460	0.00000	0.00000
supported_multimodal_shift	unguided_diffusion_prior	3	12	1.00000	0.00000	0.00000	0.00456	0.00000	0.00000
supported_multimodal_shift	unguided_diffusion_prior	4	12	1.00000	0.00000	0.00000	0.00486	0.00000	0.00000
supported_multimodal_shift	unguided_diffusion_prior	5	12	1.00000	0.00000	0.00000	0.00482	0.00000	0.00000
supported_multimodal_shift	unguided_diffusion_prior	6	12	1.00000	0.00000	0.00000	0.00456	0.00000	0.00000
supported_multimodal_shift	unguided_diffusion_prior	7	12	1.00000	0.00000	0.00000	0.00446	0.00000	0.00000
supported_multimodal_shift	energy_rerank_unguided	0	12	1.00000	0.00000	0.00000	0.00519	0.00000	0.00000
supported_multimodal_shift	energy_rerank_unguided	1	12	1.00000	0.00000	0.00000	0.00488	0.00000	0.00000
supported_multimodal_shift	energy_rerank_unguided	2	12	1.00000	0.00000	0.00000	0.00501	0.00000	0.00000
supported_multimodal_shift	energy_rerank_unguided	3	12	1.00000	0.00000	0.00000	0.00499	0.00000	0.00000
supported_multimodal_shift	energy_rerank_unguided	4	12	1.00000	0.00000	0.00000	0.00515	0.00000	0.00000
supported_multimodal_shift	energy_rerank_unguided	5	12	1.00000	0.00000	0.00000	0.00506	0.00000	0.00000
supported_multimodal_shift	energy_rerank_unguided	6	12	1.00000	0.00000	0.00000	0.00507	0.00000	0.00000
supported_multimodal_shift	energy_rerank_unguided	7	12	1.00000	0.00000	0.00000	0.00492	0.00000	0.00000
supported_multimodal_shift	energy_guided_diffusion	0	12	1.00000	0.00000	0.00000	0.00623	0.00000	0.00000
supported_multimodal_shift	energy_guided_diffusion	1	12	1.00000	0.00000	0.00000	0.00599	0.00000	0.00000
supported_multimodal_shift	energy_guided_diffusion	2	12	1.00000	0.00000	0.00000	0.00604	0.00000	0.00000
supported_multimodal_shift	energy_guided_diffusion	3	12	1.00000	0.00000	0.00000	0.00604	0.00000	0.00000

Table 31: Seed-level main metrics continued (341-374)

split	method	seed	tasks	success	collision	dynamic_violation	support_distance	risk_proxy	mode_escape
supported_multimodal_shift	energy_guided_diffusion	4	12	1.00000	0.00000	0.00000	0.00619	0.00000	0.00000
supported_multimodal_shift	energy_guided_diffusion	5	12	1.00000	0.00000	0.00000	0.00629	0.00000	0.00000
supported_multimodal_shift	energy_guided_diffusion	6	12	1.00000	0.00000	0.00000	0.00646	0.00000	0.00000
supported_multimodal_shift	energy_guided_diffusion	7	12	1.00000	0.00000	0.00000	0.00608	0.00000	0.00000
supported_multimodal_shift	strong_guided_diffusion	0	12	1.00000	0.00000	0.00000	0.00521	0.00000	0.00000
supported_multimodal_shift	strong_guided_diffusion	1	12	1.00000	0.00000	0.00000	0.00483	0.00000	0.00000
supported_multimodal_shift	strong_guided_diffusion	2	12	1.00000	0.00000	0.00000	0.00499	0.00000	0.00000
supported_multimodal_shift	strong_guided_diffusion	3	12	1.00000	0.00000	0.00000	0.00498	0.00000	0.00000
supported_multimodal_shift	strong_guided_diffusion	4	12	1.00000	0.00000	0.00000	0.00519	0.00000	0.00000
supported_multimodal_shift	strong_guided_diffusion	5	12	1.00000	0.00000	0.00000	0.00517	0.00000	0.00000
supported_multimodal_shift	strong_guided_diffusion	6	12	1.00000	0.00000	0.00000	0.00502	0.00000	0.00000
supported_multimodal_shift	strong_guided_diffusion	7	12	1.00000	0.00000	0.00000	0.00495	0.00000	0.00000
supported_multimodal_shift	support_projected_guidance	0	12	1.00000	0.00000	0.00000	0.00519	0.00000	0.00000
supported_multimodal_shift	support_projected_guidance	1	12	1.00000	0.00000	0.00000	0.00481	0.00000	0.00000
supported_multimodal_shift	support_projected_guidance	2	12	1.00000	0.00000	0.00000	0.00494	0.00000	0.00000
supported_multimodal_shift	support_projected_guidance	3	12	1.00000	0.00000	0.00000	0.00496	0.00000	0.00000
supported_multimodal_shift	support_projected_guidance	4	12	1.00000	0.00000	0.00000	0.00510	0.00000	0.00000
supported_multimodal_shift	support_projected_guidance	5	12	1.00000	0.00000	0.00000	0.00506	0.00000	0.00000
supported_multimodal_shift	support_projected_guidance	6	12	1.00000	0.00000	0.00000	0.00502	0.00000	0.00000
supported_multimodal_shift	support_projected_guidance	7	12	1.00000	0.00000	0.00000	0.00487	0.00000	0.00000
supported_multimodal_shift	mode_diverse_diffusion	0	12	1.00000	0.00000	0.00000	0.00512	0.00000	0.00000
supported_multimodal_shift	mode_diverse_diffusion	1	12	1.00000	0.00000	0.00000	0.00492	0.00000	0.00000
supported_multimodal_shift	mode_diverse_diffusion	2	12	1.00000	0.00000	0.00000	0.00499	0.00000	0.00000
supported_multimodal_shift	mode_diverse_diffusion	3	12	1.00000	0.00000	0.00000	0.00500	0.00000	0.00000
supported_multimodal_shift	mode_diverse_diffusion	4	12	1.00000	0.00000	0.00000	0.00517	0.00000	0.00000
supported_multimodal_shift	mode_diverse_diffusion	5	12	1.00000	0.00000	0.00000	0.00528	0.00000	0.00000
supported_multimodal_shift	mode_diverse_diffusion	6	12	1.00000	0.00000	0.00000	0.00518	0.00000	0.00000
supported_multimodal_shift	mode_diverse_diffusion	7	12	1.00000	0.00000	0.00000	0.00487	0.00000	0.00000
supported_multimodal_shift	diffusion_cem_hybrid	0	12	1.00000	0.00000	0.00000	0.00699	0.00000	0.00000
supported_multimodal_shift	diffusion_cem_hybrid	1	12	1.00000	0.00000	0.00000	0.00734	0.00000	0.00000
supported_multimodal_shift	diffusion_cem_hybrid	2	12	1.00000	0.00000	0.00000	0.00681	0.00000	0.00000
supported_multimodal_shift	diffusion_cem_hybrid	3	12	1.00000	0.00000	0.00000	0.00685	0.00000	0.00000
supported_multimodal_shift	diffusion_cem_hybrid	4	12	1.00000	0.00000	0.00000	0.00677	0.00000	0.00000
supported_multimodal_shift	diffusion_cem_hybrid	5	12	1.00000	0.00000	0.00000	0.00728	0.00000	0.00000

Table 32: Seed-level main metrics continued (375-408)

split	method	seed	tasks	success	collision	dynamic-violation	support_distance	risk_proxy	mode_escape
supported_multimodal_shift	diffusion_cem_hybrid	6	12	1.00000	0.00000	0.00000	0.00749	0.00000	0.00000
supported_multimodal_shift	diffusion_cem_hybrid	7	12	1.00000	0.00000	0.00000	0.00717	0.00000	0.00000
supported_multimodal_shift	chomp_like_optimizer	0	12	1.00000	0.00000	0.00000	0.01024	0.00000	0.00000
supported_multimodal_shift	chomp_like_optimizer	1	12	1.00000	0.00000	0.00000	0.00964	0.00000	0.00000
supported_multimodal_shift	chomp_like_optimizer	2	12	1.00000	0.00000	0.00000	0.00960	0.00000	0.00000
supported_multimodal_shift	chomp_like_optimizer	3	12	1.00000	0.00000	0.00000	0.00922	0.00000	0.00000
supported_multimodal_shift	chomp_like_optimizer	4	12	1.00000	0.00000	0.00000	0.00921	0.00000	0.00000
supported_multimodal_shift	chomp_like_optimizer	5	12	1.00000	0.00000	0.00000	0.00964	0.00000	0.00000
supported_multimodal_shift	chomp_like_optimizer	6	12	1.00000	0.00000	0.00000	0.01013	0.00000	0.00000
supported_multimodal_shift	chomp_like_optimizer	7	12	1.00000	0.00000	0.00000	0.00973	0.00000	0.00000
supported_multimodal_shift	cem_trajectory_optimizer	0	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_multimodal_shift	cem_trajectory_optimizer	1	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_multimodal_shift	cem_trajectory_optimizer	2	12	1.00000	0.00000	0.00000	0.00083	0.00000	0.00000
supported_multimodal_shift	cem_trajectory_optimizer	3	12	1.00000	0.00000	0.00000	0.00085	0.00000	0.00000
supported_multimodal_shift	cem_trajectory_optimizer	4	12	1.00000	0.00000	0.00000	0.00074	0.00000	0.00000
supported_multimodal_shift	cem_trajectory_optimizer	5	12	1.00000	0.00000	0.00000	0.00072	0.00000	0.00000
supported_multimodal_shift	cem_trajectory_optimizer	6	12	1.00000	0.00000	0.00000	0.00066	0.00000	0.00000
supported_multimodal_shift	cem_trajectory_optimizer	7	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_multimodal_shift	graph_search_planner	0	12	1.00000	0.00000	0.00000	0.00515	0.00000	0.00000
supported_multimodal_shift	graph_search_planner	1	12	1.00000	0.00000	0.00000	0.00513	0.00000	0.00000
supported_multimodal_shift	graph_search_planner	2	12	1.00000	0.00000	0.00000	0.00509	0.00000	0.00000
supported_multimodal_shift	graph_search_planner	3	12	1.00000	0.00000	0.00000	0.00508	0.00000	0.00000
supported_multimodal_shift	graph_search_planner	4	12	1.00000	0.00000	0.00000	0.00528	0.00000	0.00000
supported_multimodal_shift	graph_search_planner	5	12	1.00000	0.00000	0.00000	0.00514	0.00000	0.00000
supported_multimodal_shift	graph_search_planner	6	12	1.00000	0.00000	0.00000	0.00526	0.00000	0.00000
supported_multimodal_shift	graph_search_planner	7	12	1.00000	0.00000	0.00000	0.00508	0.00000	0.00000
supported_multimodal_shift	support_aware_energy_bridge.v5	0	12	1.00000	0.00000	0.00000	0.00581	0.00000	0.00000
supported_multimodal_shift	support_aware_energy_bridge.v5	1	12	1.00000	0.00000	0.00000	0.00611	0.00000	0.00000
supported_multimodal_shift	support_aware_energy_bridge.v5	2	12	1.00000	0.00000	0.00000	0.00563	0.00000	0.00000
supported_multimodal_shift	support_aware_energy_bridge.v5	3	12	1.00000	0.00000	0.00000	0.00555	0.00000	0.00000
supported_multimodal_shift	support_aware_energy_bridge.v5	4	12	1.00000	0.00000	0.00000	0.00571	0.00000	0.00000
supported_multimodal_shift	support_aware_energy_bridge.v5	5	12	1.00000	0.00000	0.00000	0.00618	0.00000	0.00000
supported_multimodal_shift	support_aware_energy_bridge.v5	6	12	1.00000	0.00000	0.00000	0.00581	0.00000	0.00000
supported_multimodal_shift	support_aware_energy_bridge.v5	7	12	1.00000	0.00000	0.00000	0.00593	0.00000	0.00000

Table 33: Seed-level main metrics continued (409-442)

split	method	seed	tasks	success	collision	dynamic_violation	support_distance	risk_proxy	mode_escape
supported_multimodal_shift	grid_oracle	0	12	1.00000	0.00000	0.00000	0.00525	0.00000	0.00000
supported_multimodal_shift	grid_oracle	1	12	1.00000	0.00000	0.00000	0.00502	0.00000	0.00000
supported_multimodal_shift	grid_oracle	2	12	1.00000	0.00000	0.00000	0.00513	0.00000	0.00000
supported_multimodal_shift	grid_oracle	3	12	1.00000	0.00000	0.00000	0.00510	0.00000	0.00000
supported_multimodal_shift	grid_oracle	4	12	1.00000	0.00000	0.00000	0.00517	0.00000	0.00000
supported_multimodal_shift	grid_oracle	5	12	1.00000	0.00000	0.00000	0.00516	0.00000	0.00000
supported_multimodal_shift	grid_oracle	6	12	1.00000	0.00000	0.00000	0.00507	0.00000	0.00000
supported_multimodal_shift	grid_oracle	7	12	1.00000	0.00000	0.00000	0.00510	0.00000	0.00000
supported_single_mode	behavior_clone_nearest	0	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_single_mode	behavior_clone_nearest	1	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_single_mode	behavior_clone_nearest	2	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_single_mode	behavior_clone_nearest	3	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_single_mode	behavior_clone_nearest	4	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_single_mode	behavior_clone_nearest	5	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_single_mode	behavior_clone_nearest	6	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_single_mode	behavior_clone_nearest	7	12	1.00000	0.00000	0.00000	0.00000	0.00000	0.00000
supported_single_mode	unguided_diffusion_prior	0	12	1.00000	0.00000	0.00000	0.00452	0.00000	0.00000
supported_single_mode	unguided_diffusion_prior	1	12	1.00000	0.00000	0.00000	0.00459	0.00000	0.00000
supported_single_mode	unguided_diffusion_prior	2	12	1.00000	0.00000	0.00000	0.00453	0.00000	0.00000
supported_single_mode	unguided_diffusion_prior	3	12	1.00000	0.00000	0.00000	0.00472	0.00000	0.00000
supported_single_mode	unguided_diffusion_prior	4	12	1.00000	0.00000	0.00000	0.00461	0.00000	0.00000
supported_single_mode	unguided_diffusion_prior	5	12	1.00000	0.00000	0.00000	0.00472	0.00000	0.00000
supported_single_mode	unguided_diffusion_prior	6	12	1.00000	0.00000	0.00000	0.00460	0.00000	0.00000
supported_single_mode	unguided_diffusion_prior	7	12	1.00000	0.00000	0.00000	0.00448	0.00000	0.00000
supported_single_mode	energy_rerank_unguided	0	12	1.00000	0.00000	0.00000	0.00471	0.00000	0.00000
supported_single_mode	energy_rerank_unguided	1	12	1.00000	0.00000	0.00000	0.00470	0.00000	0.00000
supported_single_mode	energy_rerank_unguided	2	12	1.00000	0.00000	0.00000	0.00467	0.00000	0.00000
supported_single_mode	energy_rerank_unguided	3	12	1.00000	0.00000	0.00000	0.00487	0.00000	0.00000
supported_single_mode	energy_rerank_unguided	4	12	1.00000	0.00000	0.00000	0.00474	0.00000	0.00000
supported_single_mode	energy_rerank_unguided	5	12	1.00000	0.00000	0.00000	0.00486	0.00000	0.00000
supported_single_mode	energy_rerank_unguided	6	12	1.00000	0.00000	0.00000	0.00481	0.00000	0.00000
supported_single_mode	energy_rerank_unguided	7	12	1.00000	0.00000	0.00000	0.00462	0.00000	0.00000
supported_single_mode	energy_guided_diffusion	0	12	1.00000	0.00000	0.00000	0.00604	0.00000	0.00000
supported_single_mode	energy_guided_diffusion	1	12	1.00000	0.00000	0.00000	0.00599	0.00000	0.00000

Table 34: Seed-level main metrics continued (443-476)

split	method	seed	tasks	success	collision	dynamic_violation	support_distance	risk_proxy	mode_escape
supported_single_mode	energy_guided_diffusion	2	12	1.00000	0.00000	0.00000	0.00598	0.00000	0.00000
supported_single_mode	energy_guided_diffusion	3	12	1.00000	0.00000	0.00000	0.00606	0.00000	0.00000
supported_single_mode	energy_guided_diffusion	4	12	1.00000	0.00000	0.00000	0.00571	0.00000	0.00000
supported_single_mode	energy_guided_diffusion	5	12	1.00000	0.00000	0.00000	0.00592	0.00000	0.00000
supported_single_mode	energy_guided_diffusion	6	12	1.00000	0.00000	0.00000	0.00583	0.00000	0.00000
supported_single_mode	energy_guided_diffusion	7	12	1.00000	0.00000	0.00000	0.00593	0.00000	0.00000
supported_single_mode	strong_guided_diffusion	0	12	1.00000	0.00000	0.00000	0.00465	0.00000	0.00000
supported_single_mode	strong_guided_diffusion	1	12	1.00000	0.00000	0.00000	0.00466	0.00000	0.00000
supported_single_mode	strong_guided_diffusion	2	12	1.00000	0.00000	0.00000	0.00463	0.00000	0.00000
supported_single_mode	strong_guided_diffusion	3	12	1.00000	0.00000	0.00000	0.00494	0.00000	0.00000
supported_single_mode	strong_guided_diffusion	4	12	1.00000	0.00000	0.00000	0.00476	0.00000	0.00000
supported_single_mode	strong_guided_diffusion	5	12	1.00000	0.00000	0.00000	0.00487	0.00000	0.00000
supported_single_mode	strong_guided_diffusion	6	12	1.00000	0.00000	0.00000	0.00481	0.00000	0.00000
supported_single_mode	strong_guided_diffusion	7	12	1.00000	0.00000	0.00000	0.00460	0.00000	0.00000
supported_single_mode	support_projected_guidance	0	12	1.00000	0.00000	0.00000	0.00469	0.00000	0.00000
supported_single_mode	support_projected_guidance	1	12	1.00000	0.00000	0.00000	0.00471	0.00000	0.00000
supported_single_mode	support_projected_guidance	2	12	1.00000	0.00000	0.00000	0.00455	0.00000	0.00000
supported_single_mode	support_projected_guidance	3	12	1.00000	0.00000	0.00000	0.00485	0.00000	0.00000
supported_single_mode	support_projected_guidance	4	12	1.00000	0.00000	0.00000	0.00477	0.00000	0.00000
supported_single_mode	support_projected_guidance	5	12	1.00000	0.00000	0.00000	0.00481	0.00000	0.00000
supported_single_mode	support_projected_guidance	6	12	1.00000	0.00000	0.00000	0.00476	0.00000	0.00000
supported_single_mode	support_projected_guidance	7	12	1.00000	0.00000	0.00000	0.00460	0.00000	0.00000
supported_single_mode	mode_diverse_diffusion	0	12	1.00000	0.00000	0.00000	0.00463	0.00000	0.00000
supported_single_mode	mode_diverse_diffusion	1	12	1.00000	0.00000	0.00000	0.00467	0.00000	0.00000
supported_single_mode	mode_diverse_diffusion	2	12	1.00000	0.00000	0.00000	0.00466	0.00000	0.00000
supported_single_mode	mode_diverse_diffusion	3	12	1.00000	0.00000	0.00000	0.00489	0.00000	0.00000
supported_single_mode	mode_diverse_diffusion	4	12	1.00000	0.00000	0.00000	0.00474	0.00000	0.00000
supported_single_mode	mode_diverse_diffusion	5	12	1.00000	0.00000	0.00000	0.00489	0.00000	0.00000
supported_single_mode	mode_diverse_diffusion	6	12	1.00000	0.00000	0.00000	0.00478	0.00000	0.00000
supported_single_mode	mode_diverse_diffusion	7	12	1.00000	0.00000	0.00000	0.00461	0.00000	0.00000
supported_single_mode	diffusion_cem_hybrid	0	12	1.00000	0.00000	0.00000	0.00691	0.00000	0.00000
supported_single_mode	diffusion_cem_hybrid	1	12	1.00000	0.00000	0.00000	0.00692	0.00000	0.00000
supported_single_mode	diffusion_cem_hybrid	2	12	1.00000	0.00000	0.00000	0.00690	0.00000	0.00000
supported_single_mode	diffusion_cem_hybrid	3	12	1.00000	0.00000	0.00000	0.00716	0.00000	0.00000

Table 35: Seed-level main metrics continued (477-510)

split	method	seed	tasks	success	collision	dynamic_violation	support_distance	risk_proxy	mode_escape
supported_single_mode	diffusion_cem_hybrid	4	12	1.00000	0.00000	0.00000	0.00678	0.00000	0.00000
supported_single_mode	diffusion_cem_hybrid	5	12	1.00000	0.00000	0.00000	0.00657	0.00000	0.00000
supported_single_mode	diffusion_cem_hybrid	6	12	1.00000	0.00000	0.00000	0.00681	0.00000	0.00000
supported_single_mode	diffusion_cem_hybrid	7	12	1.00000	0.00000	0.00000	0.00676	0.00000	0.00000
supported_single_mode	chomp_like_optimizer	0	12	1.00000	0.00000	0.00000	0.00957	0.00000	0.00000
supported_single_mode	chomp_like_optimizer	1	12	1.00000	0.00000	0.00000	0.01002	0.00000	0.00000
supported_single_mode	chomp_like_optimizer	2	12	1.00000	0.00000	0.00000	0.00936	0.00000	0.00000
supported_single_mode	chomp_like_optimizer	3	12	1.00000	0.00000	0.00000	0.00951	0.00000	0.00000
supported_single_mode	chomp_like_optimizer	4	12	1.00000	0.00000	0.00000	0.00975	0.00000	0.00000
supported_single_mode	chomp_like_optimizer	5	12	1.00000	0.00000	0.00000	0.00926	0.00000	0.00000
supported_single_mode	chomp_like_optimizer	6	12	1.00000	0.00000	0.00000	0.00930	0.00000	0.00000
supported_single_mode	chomp_like_optimizer	7	12	1.00000	0.00000	0.00000	0.00889	0.00000	0.00000
supported_single_mode	cem_trajectory_optimizer	0	12	1.00000	0.00000	0.00000	0.15306	0.00081	0.00000
supported_single_mode	cem_trajectory_optimizer	1	12	1.00000	0.00000	0.00000	0.05115	0.00027	0.00000
supported_single_mode	cem_trajectory_optimizer	2	12	1.00000	0.00000	0.00000	0.15412	0.00084	0.00000
supported_single_mode	cem_trajectory_optimizer	3	12	1.00000	0.00000	0.00000	0.05146	0.00028	0.00000
supported_single_mode	cem_trajectory_optimizer	4	12	1.00000	0.00000	0.00000	0.05113	0.00027	0.00000
supported_single_mode	cem_trajectory_optimizer	5	12	1.00000	0.00000	0.00000	0.10265	0.00056	0.00000
supported_single_mode	cem_trajectory_optimizer	6	12	1.00000	0.00000	0.00000	0.15371	0.00083	0.00000
supported_single_mode	cem_trajectory_optimizer	7	12	1.00000	0.00000	0.00000	0.10176	0.00053	0.00000
supported_single_mode	graph_search_planner	0	12	1.00000	0.00000	0.00000	0.00495	0.00000	0.00000
supported_single_mode	graph_search_planner	1	12	1.00000	0.00000	0.00000	0.00488	0.00000	0.00000
supported_single_mode	graph_search_planner	2	12	1.00000	0.00000	0.00000	0.00467	0.00000	0.00000
supported_single_mode	graph_search_planner	3	12	1.00000	0.00000	0.00000	0.00493	0.00000	0.00000
supported_single_mode	graph_search_planner	4	12	1.00000	0.00000	0.00000	0.00484	0.00000	0.00000
supported_single_mode	graph_search_planner	5	12	1.00000	0.00000	0.00000	0.00502	0.00000	0.00000
supported_single_mode	graph_search_planner	6	12	1.00000	0.00000	0.00000	0.00491	0.00000	0.00000
supported_single_mode	graph_search_planner	7	12	1.00000	0.00000	0.00000	0.00461	0.00000	0.00000
supported_single_mode	support_aware_energy_bridge.v5	0	12	1.00000	0.00000	0.00000	0.00499	0.00000	0.00000
supported_single_mode	support_aware_energy_bridge.v5	1	12	1.00000	0.00000	0.00000	0.00559	0.00000	0.00000
supported_single_mode	support_aware_energy_bridge.v5	2	12	1.00000	0.00000	0.00000	0.00526	0.00000	0.00000
supported_single_mode	support_aware_energy_bridge.v5	3	12	1.00000	0.00000	0.00000	0.00577	0.00000	0.00000
supported_single_mode	support_aware_energy_bridge.v5	4	12	1.00000	0.00000	0.00000	0.00548	0.00000	0.00000
supported_single_mode	support_aware_energy_bridge.v5	5	12	1.00000	0.00000	0.00000	0.00539	0.00000	0.00000

Table 36: Seed-level main metrics continued (511-520)

split	method	seed	tasks	success	collision	dynamic_violation	support_distance	risk_proxy	mode_escape
supported_single_mode	support_aware_energy_bridge.v5	6	12	1.00000	0.00000	0.00000	0.00566	0.00000	0.00000
supported_single_mode	support_aware_energy_bridge.v5	7	12	1.00000	0.00000	0.00000	0.00541	0.00000	0.00000
supported_single_mode	grid_oracle	0	12	1.00000	0.00000	0.00000	0.30914	0.00163	0.00000
supported_single_mode	grid_oracle	1	12	1.00000	0.00000	0.00000	0.25823	0.00135	0.00000
supported_single_mode	grid_oracle	2	12	1.00000	0.00000	0.00000	0.30898	0.00163	0.00000
supported_single_mode	grid_oracle	3	12	1.00000	0.00000	0.00000	0.25906	0.00138	0.00000
supported_single_mode	grid_oracle	4	12	1.00000	0.00000	0.00000	0.25849	0.00137	0.00000
supported_single_mode	grid_oracle	5	12	1.00000	0.00000	0.00000	0.30948	0.00164	0.00000
supported_single_mode	grid_oracle	6	12	1.00000	0.00000	0.00000	0.41053	0.00218	0.00000
supported_single_mode	grid_oracle	7	12	1.00000	0.00000	0.00000	0.25818	0.00136	0.00000

Table 37: Seed-level aggregate hard-regime metrics continued (1-34)

split	method	seed	tasks	success	collision	risk_proxy	mode_escape
aggregate_hard_regime	behavior_clone_nearest	0	36	0.66667	0.33333	0.33333	0.33333
aggregate_hard_regime	behavior_clone_nearest	1	36	0.66667	0.33333	0.33333	0.33333
aggregate_hard_regime	behavior_clone_nearest	2	36	0.66667	0.33333	0.33333	0.33333
aggregate_hard_regime	behavior_clone_nearest	3	36	0.66667	0.33333	0.33333	0.33333
aggregate_hard_regime	behavior_clone_nearest	4	36	0.66667	0.33333	0.33333	0.33333
aggregate_hard_regime	behavior_clone_nearest	5	36	0.66667	0.33333	0.33333	0.33333
aggregate_hard_regime	behavior_clone_nearest	6	36	0.66667	0.33333	0.33333	0.33333
aggregate_hard_regime	behavior_clone_nearest	7	36	0.66667	0.33333	0.33333	0.33333
aggregate_hard_regime	unguided_diffusion_prior	0	36	0.30556	0.69444	0.69444	0.00000
aggregate_hard_regime	unguided_diffusion_prior	1	36	0.33333	0.66667	0.66667	0.05556
aggregate_hard_regime	unguided_diffusion_prior	2	36	0.27778	0.72222	0.72222	0.00000
aggregate_hard_regime	unguided_diffusion_prior	3	36	0.22222	0.77778	0.77778	0.00000
aggregate_hard_regime	unguided_diffusion_prior	4	36	0.30555	0.69445	0.69445	0.02778
aggregate_hard_regime	unguided_diffusion_prior	5	36	0.27778	0.72222	0.72222	0.00000
aggregate_hard_regime	unguided_diffusion_prior	6	36	0.33333	0.66667	0.66667	0.02778
aggregate_hard_regime	unguided_diffusion_prior	7	36	0.33333	0.66667	0.66667	0.05556
aggregate_hard_regime	energy_rerank_unguided	0	36	0.38889	0.61111	0.61111	0.05556
aggregate_hard_regime	energy_rerank_unguided	1	36	0.38889	0.61111	0.61111	0.05556
aggregate_hard_regime	energy_rerank_unguided	2	36	0.38889	0.61111	0.61111	0.05556
aggregate_hard_regime	energy_rerank_unguided	3	36	0.47222	0.52778	0.52778	0.13889
aggregate_hard_regime	energy_rerank_unguided	4	36	0.44444	0.55556	0.55556	0.11111
aggregate_hard_regime	energy_rerank_unguided	5	36	0.33333	0.66667	0.66667	0.00000
aggregate_hard_regime	energy_rerank_unguided	6	36	0.41667	0.58333	0.58333	0.08333
aggregate_hard_regime	energy_rerank_unguided	7	36	0.38889	0.61111	0.61111	0.05556
aggregate_hard_regime	energy_guided_diffusion	0	36	0.44444	0.52778	0.55556	0.13889
aggregate_hard_regime	energy_guided_diffusion	1	36	0.36111	0.63889	0.63889	0.02778
aggregate_hard_regime	energy_guided_diffusion	2	36	0.47222	0.52778	0.52787	0.13889
aggregate_hard_regime	energy_guided_diffusion	3	36	0.38889	0.61111	0.61111	0.05556
aggregate_hard_regime	energy_guided_diffusion	4	36	0.38889	0.61111	0.61111	0.05556
aggregate_hard_regime	energy_guided_diffusion	5	36	0.38889	0.61111	0.61147	0.05556
aggregate_hard_regime	energy_guided_diffusion	6	36	0.38889	0.61111	0.61111	0.05556
aggregate_hard_regime	energy_guided_diffusion	7	36	0.41667	0.58333	0.58387	0.08333
aggregate_hard_regime	strong_guided_diffusion	0	36	0.41667	0.00000	0.58670	0.02778
aggregate_hard_regime	strong_guided_diffusion	1	36	0.52778	0.00000	0.47479	0.13889

C SEED-LEVEL AGGREGATE METRICS

Table 38: Seed-level aggregate hard-regime metrics continued (35-68)

split	method	seed	tasks	success	collision	risk_proxy	mode_escape
aggregate_hard_regime	strong_guided_diffusion	2	36	0.41667	0.00000	0.58477	0.05556
aggregate_hard_regime	strong_guided_diffusion	3	36	0.47222	0.02778	0.52888	0.11111
aggregate_hard_regime	strong_guided_diffusion	4	36	0.41667	0.08333	0.58333	0.08333
aggregate_hard_regime	strong_guided_diffusion	5	36	0.52778	0.05555	0.47442	0.13889
aggregate_hard_regime	strong_guided_diffusion	6	36	0.38889	0.00000	0.61221	0.02778
aggregate_hard_regime	strong_guided_diffusion	7	36	0.36111	0.00000	0.63889	0.02778
aggregate_hard_regime	support_projected_guidance	0	36	0.41667	0.00000	0.58333	0.08333
aggregate_hard_regime	support_projected_guidance	1	36	0.47222	0.00000	0.52888	0.11111
aggregate_hard_regime	support_projected_guidance	2	36	0.52778	0.02778	0.47332	0.16667
aggregate_hard_regime	support_projected_guidance	3	36	0.38889	0.00000	0.61111	0.05556
aggregate_hard_regime	support_projected_guidance	4	36	0.44444	0.05556	0.55556	0.11111
aggregate_hard_regime	support_projected_guidance	5	36	0.44444	0.02778	0.55556	0.11111
aggregate_hard_regime	support_projected_guidance	6	36	0.50000	0.00000	0.50116	0.13889
aggregate_hard_regime	support_projected_guidance	7	36	0.44444	0.00000	0.55928	0.02778
aggregate_hard_regime	mode_diverse_diffusion	0	36	1.00000	0.00000	0.00108	0.66667
aggregate_hard_regime	mode_diverse_diffusion	1	36	1.00000	0.00000	0.00108	0.66667
aggregate_hard_regime	mode_diverse_diffusion	2	36	1.00000	0.00000	0.00109	0.66667
aggregate_hard_regime	mode_diverse_diffusion	3	36	1.00000	0.00000	0.00109	0.66667
aggregate_hard_regime	mode_diverse_diffusion	4	36	1.00000	0.00000	0.00110	0.66667
aggregate_hard_regime	mode_diverse_diffusion	5	36	1.00000	0.00000	0.00109	0.66667
aggregate_hard_regime	mode_diverse_diffusion	6	36	1.00000	0.00000	0.00109	0.66667
aggregate_hard_regime	mode_diverse_diffusion	7	36	1.00000	0.00000	0.00109	0.66667
aggregate_hard_regime	diffusion_cem_hybrid	0	36	1.00000	0.00000	0.00101	0.66667
aggregate_hard_regime	diffusion_cem_hybrid	1	36	1.00000	0.00000	0.00099	0.66667
aggregate_hard_regime	diffusion_cem_hybrid	2	36	1.00000	0.00000	0.00101	0.66667
aggregate_hard_regime	diffusion_cem_hybrid	3	36	1.00000	0.00000	0.00101	0.66667
aggregate_hard_regime	diffusion_cem_hybrid	4	36	1.00000	0.00000	0.00102	0.66667
aggregate_hard_regime	diffusion_cem_hybrid	5	36	1.00000	0.00000	0.00101	0.66667
aggregate_hard_regime	diffusion_cem_hybrid	6	36	1.00000	0.00000	0.00101	0.66667
aggregate_hard_regime	diffusion_cem_hybrid	7	36	1.00000	0.00000	0.00101	0.66667
aggregate_hard_regime	chomp_like_optimizer	0	36	1.00000	0.00000	0.00096	0.66667
aggregate_hard_regime	chomp_like_optimizer	1	36	1.00000	0.00000	0.00095	0.66667
aggregate_hard_regime	chomp_like_optimizer	2	36	1.00000	0.00000	0.00096	0.66667
aggregate_hard_regime	chomp_like_optimizer	3	36	1.00000	0.00000	0.00096	0.66667

Table 39: Seed-level aggregate hard-regime metrics continued (69-102)

split	method	seed	tasks	success	collision	risk_proxy	mode_escape
aggregate_hard_regime	chomp_like_optimizer	4	36	1.00000	0.00000	0.00097	0.66667
aggregate_hard_regime	chomp_like_optimizer	5	36	1.00000	0.00000	0.00097	0.66667
aggregate_hard_regime	chomp_like_optimizer	6	36	1.00000	0.00000	0.00096	0.66667
aggregate_hard_regime	chomp_like_optimizer	7	36	1.00000	0.00000	0.00096	0.66667
aggregate_hard_regime	cem_trajectory_optimizer	0	36	1.00000	0.00000	0.00109	0.66667
aggregate_hard_regime	cem_trajectory_optimizer	1	36	1.00000	0.00000	0.00107	0.66667
aggregate_hard_regime	cem_trajectory_optimizer	2	36	1.00000	0.00000	0.00114	0.66667
aggregate_hard_regime	cem_trajectory_optimizer	3	36	1.00000	0.00000	0.00110	0.66667
aggregate_hard_regime	cem_trajectory_optimizer	4	36	1.00000	0.00000	0.00110	0.66667
aggregate_hard_regime	cem_trajectory_optimizer	5	36	1.00000	0.00000	0.00107	0.66667
aggregate_hard_regime	cem_trajectory_optimizer	6	36	1.00000	0.00000	0.00108	0.66667
aggregate_hard_regime	cem_trajectory_optimizer	7	36	1.00000	0.00000	0.00109	0.66667
aggregate_hard_regime	graph_search_planner	0	36	1.00000	0.00000	0.00109	0.66667
aggregate_hard_regime	graph_search_planner	1	36	1.00000	0.00000	0.00107	0.66667
aggregate_hard_regime	graph_search_planner	2	36	1.00000	0.00000	0.00109	0.66667
aggregate_hard_regime	graph_search_planner	3	36	1.00000	0.00000	0.00108	0.66667
aggregate_hard_regime	graph_search_planner	4	36	1.00000	0.00000	0.00109	0.66667
aggregate_hard_regime	graph_search_planner	5	36	1.00000	0.00000	0.00109	0.66667
aggregate_hard_regime	graph_search_planner	6	36	1.00000	0.00000	0.00109	0.66667
aggregate_hard_regime	graph_search_planner	7	36	1.00000	0.00000	0.00108	0.66667
aggregate_hard_regime	support_aware_energy_bridge_v5	0	36	1.00000	0.00000	0.00105	0.66667
aggregate_hard_regime	support_aware_energy_bridge_v5	1	36	1.00000	0.00000	0.00104	0.66667
aggregate_hard_regime	support_aware_energy_bridge_v5	2	36	1.00000	0.00000	0.00104	0.66667
aggregate_hard_regime	support_aware_energy_bridge_v5	3	36	1.00000	0.00000	0.00104	0.66667
aggregate_hard_regime	support_aware_energy_bridge_v5	4	36	1.00000	0.00000	0.00106	0.66667
aggregate_hard_regime	support_aware_energy_bridge_v5	5	36	1.00000	0.00000	0.00105	0.66667
aggregate_hard_regime	support_aware_energy_bridge_v5	6	36	1.00000	0.00000	0.00105	0.66667
aggregate_hard_regime	support_aware_energy_bridge_v5	7	36	1.00000	0.00000	0.00105	0.66667
aggregate_hard_regime	grid_oracle	0	36	1.00000	0.00000	0.00109	0.66667
aggregate_hard_regime	grid_oracle	1	36	1.00000	0.00000	0.00108	0.66667
aggregate_hard_regime	grid_oracle	2	36	1.00000	0.00000	0.00109	0.66667
aggregate_hard_regime	grid_oracle	3	36	1.00000	0.00000	0.00108	0.66667
aggregate_hard_regime	grid_oracle	4	36	1.00000	0.00000	0.00110	0.66667
aggregate_hard_regime	grid_oracle	5	36	1.00000	0.00000	0.00109	0.66667

Table 40: Seed-level aggregate hard-regime metrics continued (103-104)

split	method	seed	tasks	success	collision	risk_proxy	mode_escape
aggregate_hard_regime	grid_oracle	6	36	1.00000	0.00000	0.00109	0.66667
aggregate_hard_regime	grid_oracle	7	36	1.00000	0.00000	0.00109	0.66667

Table 41: Seed-level ablation metrics continued (1-34)

split	method	seed	tasks	success	collision	risk_proxy	mode_escape
off_support_corridor	support_aware.v5_full	0	10	1.00000	0.00000	0.00314	1.00000
off_support_corridor	support_aware.v5_full	1	10	1.00000	0.00000	0.00309	1.00000
off_support_corridor	support_aware.v5_full	2	10	1.00000	0.00000	0.00312	1.00000
off_support_corridor	support_aware.v5_full	3	10	1.00000	0.00000	0.00309	1.00000
off_support_corridor	support_aware.v5_full	4	10	1.00000	0.00000	0.00315	1.00000
off_support_corridor	support_aware.v5_full	5	10	1.00000	0.00000	0.00315	1.00000
off_support_corridor	support_aware.v5_full	6	10	1.00000	0.00000	0.00315	1.00000
off_support_corridor	support_aware.v5_full	7	10	1.00000	0.00000	0.00313	1.00000
off_support_corridor	no_bridge_proposals	0	10	0.00000	0.00000	1.00000	0.00000
off_support_corridor	no_bridge_proposals	1	10	0.00000	0.00000	1.00000	0.00000
off_support_corridor	no_bridge_proposals	2	10	0.00000	0.10000	1.00000	0.00000
off_support_corridor	no_bridge_proposals	3	10	0.00000	0.10000	1.00000	0.00000
off_support_corridor	no_bridge_proposals	4	10	0.10000	0.30000	0.90396	0.00000
off_support_corridor	no_bridge_proposals	5	10	0.00000	0.00000	1.00000	0.00000
off_support_corridor	no_bridge_proposals	6	10	0.00000	0.10000	1.00000	0.00000
off_support_corridor	no_bridge_proposals	7	10	0.10000	0.00000	0.90396	0.00000
off_support_corridor	no_support_awareness	0	10	1.00000	0.00000	0.00328	1.00000
off_support_corridor	no_support_awareness	1	10	1.00000	0.00000	0.00319	1.00000
off_support_corridor	no_support_awareness	2	10	1.00000	0.00000	0.00323	1.00000
off_support_corridor	no_support_awareness	3	10	1.00000	0.00000	0.00325	1.00000
off_support_corridor	no_support_awareness	4	10	1.00000	0.00000	0.00327	1.00000
off_support_corridor	no_support_awareness	5	10	1.00000	0.00000	0.00326	1.00000
off_support_corridor	no_support_awareness	6	10	1.00000	0.00000	0.00324	1.00000
off_support_corridor	no_support_awareness	7	10	1.00000	0.00000	0.00325	1.00000
off_support_corridor	no_safety_projection	0	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	no_safety_projection	1	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	no_safety_projection	2	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	no_safety_projection	3	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	no_safety_projection	4	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	no_safety_projection	5	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	no_safety_projection	6	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	no_safety_projection	7	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	no_mode_diversity	0	10	0.00000	0.00000	1.00000	0.00000
off_support_corridor	no_mode_diversity	1	10	0.00000	0.00000	1.00000	0.00000

D SEED-LEVEL ABLATION METRICS

Table 42: Seed-level ablation metrics continued (35-68)

split	method	seed	tasks	success	collision	risk_proxy	mode_escape
off_support_corridor	no_mode_diversity	2	10	0.00000	0.00000	1.00000	0.00000
off_support_corridor	no_mode_diversity	3	10	0.30000	0.00000	0.71460	0.00000
off_support_corridor	no_mode_diversity	4	10	0.00000	0.20000	1.00000	0.00000
off_support_corridor	no_mode_diversity	5	10	0.00000	0.10000	1.00000	0.00000
off_support_corridor	no_mode_diversity	6	10	0.00000	0.00000	1.00000	0.00000
off_support_corridor	no_mode_diversity	7	10	0.10000	0.00000	0.90762	0.00000
off_support_corridor	no_energy_gradient	0	10	1.00000	0.00000	0.00326	1.00000
off_support_corridor	no_energy_gradient	1	10	1.00000	0.00000	0.00321	1.00000
off_support_corridor	no_energy_gradient	2	10	1.00000	0.00000	0.00326	1.00000
off_support_corridor	no_energy_gradient	3	10	1.00000	0.00000	0.00322	1.00000
off_support_corridor	no_energy_gradient	4	10	1.00000	0.00000	0.00327	1.00000
off_support_corridor	no_energy_gradient	5	10	1.00000	0.00000	0.00327	1.00000
off_support_corridor	no_energy_gradient	6	10	1.00000	0.00000	0.00325	1.00000
off_support_corridor	no_energy_gradient	7	10	1.00000	0.00000	0.00326	1.00000
off_support_corridor	no_prior_score	0	10	1.00000	0.00000	0.00299	1.00000
off_support_corridor	no_prior_score	1	10	1.00000	0.00000	0.00293	1.00000
off_support_corridor	no_prior_score	2	10	1.00000	0.00000	0.00299	1.00000
off_support_corridor	no_prior_score	3	10	1.00000	0.00000	0.00296	1.00000
off_support_corridor	no_prior_score	4	10	1.00000	0.00000	0.00298	1.00000
off_support_corridor	no_prior_score	5	10	1.00000	0.00000	0.00299	1.00000
off_support_corridor	no_prior_score	6	10	1.00000	0.00000	0.00297	1.00000
off_support_corridor	no_prior_score	7	10	1.00000	0.00000	0.00298	1.00000
off_support_corridor	rerank_only	0	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	rerank_only	1	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	rerank_only	2	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	rerank_only	3	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	rerank_only	4	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	rerank_only	5	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	rerank_only	6	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	rerank_only	7	10	0.00000	1.00000	1.00000	0.00000
off_support_corridor	sample_count_only	0	10	0.00000	0.00000	1.00000	0.00000
off_support_corridor	sample_count_only	1	10	0.00000	0.00000	1.00000	0.00000
off_support_corridor	sample_count_only	2	10	0.00000	0.10000	1.00000	0.00000
off_support_corridor	sample_count_only	3	10	0.00000	0.00000	1.00000	0.00000

Table 43: Seed-level ablation metrics continued (69-102)

split	method	seed	tasks	success	collision	risk_proxy	mode_escape
off_support_corridor	sample_count_only	4	10	0.00000	0.20000	1.00000	0.00000
off_support_corridor	sample_count_only	5	10	0.10000	0.10000	0.90929	0.00000
off_support_corridor	sample_count_only	6	10	0.00000	0.00000	1.00000	0.00000
off_support_corridor	sample_count_only	7	10	0.00000	0.00000	1.00000	0.00000
off_support_corridor	optimizer_handoff	0	10	1.00000	0.00000	0.00305	1.00000
off_support_corridor	optimizer_handoff	1	10	1.00000	0.00000	0.00297	1.00000
off_support_corridor	optimizer_handoff	2	10	1.00000	0.00000	0.00304	1.00000
off_support_corridor	optimizer_handoff	3	10	1.00000	0.00000	0.00301	1.00000
off_support_corridor	optimizer_handoff	4	10	1.00000	0.00000	0.00305	1.00000
off_support_corridor	optimizer_handoff	5	10	1.00000	0.00000	0.00307	1.00000
off_support_corridor	optimizer_handoff	6	10	1.00000	0.00000	0.00302	1.00000
off_support_corridor	optimizer_handoff	7	10	1.00000	0.00000	0.00304	1.00000
rare_mode_recovery	support_aware_v5_full	0	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	support_aware_v5_full	1	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	support_aware_v5_full	2	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	support_aware_v5_full	3	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	support_aware_v5_full	4	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	support_aware_v5_full	5	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	support_aware_v5_full	6	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	support_aware_v5_full	7	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_bridge_proposals	0	10	0.10000	0.00000	0.90000	0.10000
rare_mode_recovery	no_bridge_proposals	1	10	0.20000	0.00000	0.80000	0.20000
rare_mode_recovery	no_bridge_proposals	2	10	0.30000	0.00000	0.70000	0.30000
rare_mode_recovery	no_bridge_proposals	3	10	0.20000	0.00000	0.80000	0.20000
rare_mode_recovery	no_bridge_proposals	4	10	0.20000	0.00000	0.80000	0.20000
rare_mode_recovery	no_bridge_proposals	5	10	0.50000	0.00000	0.50000	0.50000
rare_mode_recovery	no_bridge_proposals	6	10	0.20000	0.00000	0.80000	0.20000
rare_mode_recovery	no_bridge_proposals	7	10	0.40000	0.10000	0.60396	0.30000
rare_mode_recovery	no_support_awareness	0	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_support_awareness	1	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_support_awareness	2	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_support_awareness	3	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_support_awareness	4	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_support_awareness	5	10	1.00000	0.00000	0.00000	1.00000

Table 44: Seed-level ablation metrics continued (103-136)

split	method	seed	tasks	success	collision	risk_proxy	mode_escape
rare_mode_recovery	no_support_awareness	6	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_support_awareness	7	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_safety_projection	0	10	0.00000	1.00000	1.00000	0.00000
rare_mode_recovery	no_safety_projection	1	10	0.00000	1.00000	1.00000	0.00000
rare_mode_recovery	no_safety_projection	2	10	0.30000	0.70000	0.70000	0.30000
rare_mode_recovery	no_safety_projection	3	10	0.00000	1.00000	1.00238	0.00000
rare_mode_recovery	no_safety_projection	4	10	0.30000	0.70000	0.70000	0.30000
rare_mode_recovery	no_safety_projection	5	10	0.20000	0.80000	0.80000	0.20000
rare_mode_recovery	no_safety_projection	6	10	0.50000	0.50000	0.50000	0.50000
rare_mode_recovery	no_safety_projection	7	10	0.50000	0.50000	0.50000	0.50000
rare_mode_recovery	no_mode_diversity	0	10	0.50000	0.10000	0.50876	0.30000
rare_mode_recovery	no_mode_diversity	1	10	0.20000	0.00000	0.80000	0.20000
rare_mode_recovery	no_mode_diversity	2	10	0.20000	0.00000	0.80000	0.20000
rare_mode_recovery	no_mode_diversity	3	10	0.10000	0.00000	0.90000	0.10000
rare_mode_recovery	no_mode_diversity	4	10	0.10000	0.00000	0.90000	0.10000
rare_mode_recovery	no_mode_diversity	5	10	0.10000	0.00000	0.90000	0.10000
rare_mode_recovery	no_mode_diversity	6	10	0.20000	0.00000	0.80000	0.20000
rare_mode_recovery	no_mode_diversity	7	10	0.30000	0.00000	0.70000	0.30000
rare_mode_recovery	no_energy_gradient	0	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_energy_gradient	1	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_energy_gradient	2	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_energy_gradient	3	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_energy_gradient	4	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_energy_gradient	5	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_energy_gradient	6	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_energy_gradient	7	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_prior_score	0	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_prior_score	1	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_prior_score	2	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_prior_score	3	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_prior_score	4	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_prior_score	5	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_prior_score	6	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	no_prior_score	7	10	1.00000	0.00000	0.00000	1.00000

Table 45: Seed-level ablation metrics continued (137-160)

split	method	seed	tasks	success	collision	risk_proxy	mode_escape
rare_mode_recovery	rerank_only	0	10	0.50000	0.50000	0.50000	0.50000
rare_mode_recovery	rerank_only	1	10	0.40000	0.60000	0.60000	0.40000
rare_mode_recovery	rerank_only	2	10	0.30000	0.70000	0.70000	0.30000
rare_mode_recovery	rerank_only	3	10	0.20000	0.80000	0.80000	0.20000
rare_mode_recovery	rerank_only	4	10	0.10000	0.90000	0.90000	0.10000
rare_mode_recovery	rerank_only	5	10	0.10000	0.90000	0.90000	0.10000
rare_mode_recovery	rerank_only	6	10	0.30000	0.70000	0.70000	0.30000
rare_mode_recovery	rerank_only	7	10	0.20000	0.80000	0.80000	0.20000
rare_mode_recovery	sample_count_only	0	10	0.40000	0.00000	0.60000	0.40000
rare_mode_recovery	sample_count_only	1	10	0.50000	0.00000	0.50000	0.50000
rare_mode_recovery	sample_count_only	2	10	0.60000	0.00000	0.40487	0.50000
rare_mode_recovery	sample_count_only	3	10	0.20000	0.00000	0.80000	0.20000
rare_mode_recovery	sample_count_only	4	10	0.30000	0.00000	0.70000	0.30000
rare_mode_recovery	sample_count_only	5	10	0.30000	0.10000	0.70432	0.20000
rare_mode_recovery	sample_count_only	6	10	0.40000	0.00000	0.60000	0.40000
rare_mode_recovery	sample_count_only	7	10	0.50000	0.10000	0.50000	0.50000
rare_mode_recovery	optimizer_handoff	0	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	optimizer_handoff	1	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	optimizer_handoff	2	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	optimizer_handoff	3	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	optimizer_handoff	4	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	optimizer_handoff	5	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	optimizer_handoff	6	10	1.00000	0.00000	0.00000	1.00000
rare_mode_recovery	optimizer_handoff	7	10	1.00000	0.00000	0.00000	1.00000

Table 46: Seed-level fixed-risk metrics continued (1-34)

risk_budget	method	seed	tasks	success	fixed_risk_success	collision	risk_proxy	mode_escape
0.00	energy_rerank_unguided	0	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	energy_rerank_unguided	1	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	energy_rerank_unguided	2	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	energy_rerank_unguided	3	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	energy_rerank_unguided	4	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	energy_rerank_unguided	5	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	energy_rerank_unguided	6	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	energy_rerank_unguided	7	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	energy_guided_diffusion	0	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	energy_guided_diffusion	1	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	energy_guided_diffusion	2	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	energy_guided_diffusion	3	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	energy_guided_diffusion	4	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	energy_guided_diffusion	5	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	energy_guided_diffusion	6	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	energy_guided_diffusion	7	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.00	strong_guided_diffusion	0	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.00	strong_guided_diffusion	1	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.00	strong_guided_diffusion	2	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.00	strong_guided_diffusion	3	8	0.00000	0.00000	0.12500	1.00000	0.00000
0.00	strong_guided_diffusion	4	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.00	strong_guided_diffusion	5	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.00	strong_guided_diffusion	6	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.00	strong_guided_diffusion	7	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.00	support_projected_guidance	0	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.00	support_projected_guidance	1	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.00	support_projected_guidance	2	8	0.00000	0.00000	0.12500	1.00000	0.00000
0.00	support_projected_guidance	3	8	0.12500	0.00000	0.12500	0.87995	0.00000
0.00	support_projected_guidance	4	8	0.12500	0.00000	0.00000	0.87995	0.00000
0.00	support_projected_guidance	5	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.00	support_projected_guidance	6	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.00	support_projected_guidance	7	8	0.12500	0.00000	0.00000	0.88359	0.00000
0.00	mode_diverse_diffusion	0	8	1.00000	0.00000	0.00000	0.00327	1.00000
0.00	mode_diverse_diffusion	1	8	1.00000	0.00000	0.00000	0.00326	1.00000

E SEED-LEVEL FIXED-RISK METRICS

Table 47: Seed-level fixed-risk metrics continued (35-68)

risk_budget	method	seed	tasks	success	fixed_risk_success	collision	risk_proxy	mode_escape
0.00	mode_diverse_diffusion	2	8	1.00000	0.00000	0.00000	0.00325	1.00000
0.00	mode_diverse_diffusion	3	8	1.00000	0.00000	0.00000	0.00319	1.00000
0.00	mode_diverse_diffusion	4	8	1.00000	0.00000	0.00000	0.00324	1.00000
0.00	mode_diverse_diffusion	5	8	1.00000	0.00000	0.00000	0.00329	1.00000
0.00	mode_diverse_diffusion	6	8	1.00000	0.00000	0.00000	0.00331	1.00000
0.00	mode_diverse_diffusion	7	8	1.00000	0.00000	0.00000	0.00329	1.00000
0.00	diffusion_cem_hybrid	0	8	1.00000	0.00000	0.00000	0.00305	1.00000
0.00	diffusion_cem_hybrid	1	8	1.00000	0.00000	0.00000	0.00304	1.00000
0.00	diffusion_cem_hybrid	2	8	1.00000	0.00000	0.00000	0.00307	1.00000
0.00	diffusion_cem_hybrid	3	8	1.00000	0.00000	0.00000	0.00300	1.00000
0.00	diffusion_cem_hybrid	4	8	1.00000	0.00000	0.00000	0.00302	1.00000
0.00	diffusion_cem_hybrid	5	8	1.00000	0.00000	0.00000	0.00305	1.00000
0.00	diffusion_cem_hybrid	6	8	1.00000	0.00000	0.00000	0.00303	1.00000
0.00	diffusion_cem_hybrid	7	8	1.00000	0.00000	0.00000	0.00306	1.00000
0.00	cem_trajectory_optimizer	0	8	1.00000	0.00000	0.00000	0.00330	1.00000
0.00	cem_trajectory_optimizer	1	8	1.00000	0.00000	0.00000	0.00333	1.00000
0.00	cem_trajectory_optimizer	2	8	1.00000	0.00000	0.00000	0.00330	1.00000
0.00	cem_trajectory_optimizer	3	8	1.00000	0.00000	0.00000	0.00321	1.00000
0.00	cem_trajectory_optimizer	4	8	1.00000	0.00000	0.00000	0.00332	1.00000
0.00	cem_trajectory_optimizer	5	8	1.00000	0.00000	0.00000	0.00321	1.00000
0.00	cem_trajectory_optimizer	6	8	1.00000	0.00000	0.00000	0.00329	1.00000
0.00	cem_trajectory_optimizer	7	8	1.00000	0.00000	0.00000	0.00333	1.00000
0.00	support_aware_energy_bridge_v5	0	8	1.00000	0.00000	0.00000	0.00318	1.00000
0.00	support_aware_energy_bridge_v5	1	8	1.00000	0.00000	0.00000	0.00313	1.00000
0.00	support_aware_energy_bridge_v5	2	8	1.00000	0.00000	0.00000	0.00318	1.00000
0.00	support_aware_energy_bridge_v5	3	8	1.00000	0.00000	0.00000	0.00311	1.00000
0.00	support_aware_energy_bridge_v5	4	8	1.00000	0.00000	0.00000	0.00311	1.00000
0.00	support_aware_energy_bridge_v5	5	8	1.00000	0.00000	0.00000	0.00315	1.00000
0.00	support_aware_energy_bridge_v5	6	8	1.00000	0.00000	0.00000	0.00313	1.00000
0.00	support_aware_energy_bridge_v5	7	8	1.00000	0.00000	0.00000	0.00318	1.00000
0.02	energy_rerank_unguided	0	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.02	energy_rerank_unguided	1	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.02	energy_rerank_unguided	2	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.02	energy_rerank_unguided	3	8	0.00000	0.00000	1.00000	1.00000	0.00000

Table 48: Seed-level fixed-risk metrics continued (69-102)

risk_budget	method	seed	tasks	success	fixed_risk_success	collision	risk_proxy	mode_escape
0.02	energy_rerank_unguided	4	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.02	energy_rerank_unguided	5	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.02	energy_rerank_unguided	6	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.02	energy_rerank_unguided	7	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.02	energy_guided_diffusion	0	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.02	energy_guided_diffusion	1	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.02	energy_guided_diffusion	2	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.02	energy_guided_diffusion	3	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.02	energy_guided_diffusion	4	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.02	energy_guided_diffusion	5	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.02	energy_guided_diffusion	6	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.02	energy_guided_diffusion	7	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.02	strong_guided_diffusion	0	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.02	strong_guided_diffusion	1	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.02	strong_guided_diffusion	2	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.02	strong_guided_diffusion	3	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.02	strong_guided_diffusion	4	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.02	strong_guided_diffusion	5	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.02	strong_guided_diffusion	6	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.02	strong_guided_diffusion	7	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.02	support_projected_guidance	0	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.02	support_projected_guidance	1	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.02	support_projected_guidance	2	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.02	support_projected_guidance	3	8	0.12500	0.00000	0.00000	0.88118	0.00000
0.02	support_projected_guidance	4	8	0.00000	0.00000	0.12500	1.00000	0.00000
0.02	support_projected_guidance	5	8	0.12500	0.00000	0.00000	0.88110	0.00000
0.02	support_projected_guidance	6	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.02	support_projected_guidance	7	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.02	mode_diverse_diffusion	0	8	1.00000	1.00000	0.00000	0.00327	1.00000
0.02	mode_diverse_diffusion	1	8	1.00000	1.00000	0.00000	0.00328	1.00000
0.02	mode_diverse_diffusion	2	8	1.00000	1.00000	0.00000	0.00326	1.00000
0.02	mode_diverse_diffusion	3	8	1.00000	1.00000	0.00000	0.00321	1.00000
0.02	mode_diverse_diffusion	4	8	1.00000	1.00000	0.00000	0.00323	1.00000
0.02	mode_diverse_diffusion	5	8	1.00000	1.00000	0.00000	0.00328	1.00000

Table 49: Seed-level fixed-risk metrics continued (103-136)

risk_budget	method	seed	tasks	success	fixed_risk_success	collision	risk_proxy	mode_escape
0.02	mode_diverse_diffusion	6	8	1.00000	1.00000	0.00000	0.00325	1.00000
0.02	mode_diverse_diffusion	7	8	1.00000	1.00000	0.00000	0.00328	1.00000
0.02	diffusion_cem_hybrid	0	8	1.00000	1.00000	0.00000	0.00306	1.00000
0.02	diffusion_cem_hybrid	1	8	1.00000	1.00000	0.00000	0.00305	1.00000
0.02	diffusion_cem_hybrid	2	8	1.00000	1.00000	0.00000	0.00307	1.00000
0.02	diffusion_cem_hybrid	3	8	1.00000	1.00000	0.00000	0.00302	1.00000
0.02	diffusion_cem_hybrid	4	8	1.00000	1.00000	0.00000	0.00301	1.00000
0.02	diffusion_cem_hybrid	5	8	1.00000	1.00000	0.00000	0.00304	1.00000
0.02	diffusion_cem_hybrid	6	8	1.00000	1.00000	0.00000	0.00302	1.00000
0.02	diffusion_cem_hybrid	7	8	1.00000	1.00000	0.00000	0.00309	1.00000
0.02	cem_trajectory_optimizer	0	8	1.00000	1.00000	0.00000	0.00332	1.00000
0.02	cem_trajectory_optimizer	1	8	1.00000	1.00000	0.00000	0.00325	1.00000
0.02	cem_trajectory_optimizer	2	8	1.00000	1.00000	0.00000	0.00332	1.00000
0.02	cem_trajectory_optimizer	3	8	1.00000	1.00000	0.00000	0.00322	1.00000
0.02	cem_trajectory_optimizer	4	8	1.00000	1.00000	0.00000	0.00327	1.00000
0.02	cem_trajectory_optimizer	5	8	1.00000	1.00000	0.00000	0.00333	1.00000
0.02	cem_trajectory_optimizer	6	8	1.00000	1.00000	0.00000	0.00328	1.00000
0.02	cem_trajectory_optimizer	7	8	1.00000	1.00000	0.00000	0.00335	1.00000
0.02	support_aware_energy_bridge_v5	0	8	1.00000	1.00000	0.00000	0.00317	1.00000
0.02	support_aware_energy_bridge_v5	1	8	1.00000	1.00000	0.00000	0.00315	1.00000
0.02	support_aware_energy_bridge_v5	2	8	1.00000	1.00000	0.00000	0.00315	1.00000
0.02	support_aware_energy_bridge_v5	3	8	1.00000	1.00000	0.00000	0.00310	1.00000
0.02	support_aware_energy_bridge_v5	4	8	1.00000	1.00000	0.00000	0.00311	1.00000
0.02	support_aware_energy_bridge_v5	5	8	1.00000	1.00000	0.00000	0.00315	1.00000
0.02	support_aware_energy_bridge_v5	6	8	1.00000	1.00000	0.00000	0.00312	1.00000
0.02	support_aware_energy_bridge_v5	7	8	1.00000	1.00000	0.00000	0.00318	1.00000
0.05	energy_rerank_unguided	0	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.05	energy_rerank_unguided	1	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.05	energy_rerank_unguided	2	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.05	energy_rerank_unguided	3	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.05	energy_rerank_unguided	4	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.05	energy_rerank_unguided	5	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.05	energy_rerank_unguided	6	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.05	energy_rerank_unguided	7	8	0.00000	0.00000	1.00000	1.00000	0.00000

Table 50: Seed-level fixed-risk metrics continued (137-170)

risk_budget	method	seed	tasks	success	fixed_risk_success	collision	risk_proxy	mode_escape
0.05	energy_guided_diffusion	0	8	0.00000	0.00000	1.00000	1.00020	0.00000
0.05	energy_guided_diffusion	1	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.05	energy_guided_diffusion	2	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.05	energy_guided_diffusion	3	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.05	energy_guided_diffusion	4	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.05	energy_guided_diffusion	5	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.05	energy_guided_diffusion	6	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.05	energy_guided_diffusion	7	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.05	strong_guided_diffusion	0	8	0.12500	0.00000	0.00000	0.88269	0.00000
0.05	strong_guided_diffusion	1	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.05	strong_guided_diffusion	2	8	0.12500	0.12500	0.00000	0.87995	0.00000
0.05	strong_guided_diffusion	3	8	0.12500	0.12500	0.00000	0.87999	0.00000
0.05	strong_guided_diffusion	4	8	0.12500	0.12500	0.12500	0.87995	0.00000
0.05	strong_guided_diffusion	5	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.05	strong_guided_diffusion	6	8	0.25000	0.25000	0.00000	0.76032	0.00000
0.05	strong_guided_diffusion	7	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.05	support_projected_guidance	0	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.05	support_projected_guidance	1	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.05	support_projected_guidance	2	8	0.00000	0.00000	0.12500	1.00000	0.00000
0.05	support_projected_guidance	3	8	0.12500	0.12500	0.00000	0.87995	0.00000
0.05	support_projected_guidance	4	8	0.12500	0.12500	0.00000	0.87995	0.00000
0.05	support_projected_guidance	5	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.05	support_projected_guidance	6	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.05	support_projected_guidance	7	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.05	mode_diverse_diffusion	0	8	1.00000	1.00000	0.00000	0.00329	1.00000
0.05	mode_diverse_diffusion	1	8	1.00000	1.00000	0.00000	0.00325	1.00000
0.05	mode_diverse_diffusion	2	8	1.00000	1.00000	0.00000	0.00330	1.00000
0.05	mode_diverse_diffusion	3	8	1.00000	1.00000	0.00000	0.00321	1.00000
0.05	mode_diverse_diffusion	4	8	1.00000	1.00000	0.00000	0.00328	1.00000
0.05	mode_diverse_diffusion	5	8	1.00000	1.00000	0.00000	0.00330	1.00000
0.05	mode_diverse_diffusion	6	8	1.00000	1.00000	0.00000	0.00328	1.00000
0.05	mode_diverse_diffusion	7	8	1.00000	1.00000	0.00000	0.00328	1.00000
0.05	diffusion_cem_hybrid	0	8	1.00000	1.00000	0.00000	0.00307	1.00000
0.05	diffusion_cem_hybrid	1	8	1.00000	1.00000	0.00000	0.00306	1.00000

Table 51: Seed-level fixed-risk metrics continued (171-204)

risk_budget	method	seed	tasks	success	fixed_risk_success	collision	risk_proxy	mode_escape
0.05	diffusion_cem_hybrid	2	8	1.00000	1.00000	0.00000	0.00305	1.00000
0.05	diffusion_cem_hybrid	3	8	1.00000	1.00000	0.00000	0.00300	1.00000
0.05	diffusion_cem_hybrid	4	8	1.00000	1.00000	0.00000	0.00302	1.00000
0.05	diffusion_cem_hybrid	5	8	1.00000	1.00000	0.00000	0.00306	1.00000
0.05	diffusion_cem_hybrid	6	8	1.00000	1.00000	0.00000	0.00304	1.00000
0.05	diffusion_cem_hybrid	7	8	1.00000	1.00000	0.00000	0.00307	1.00000
0.05	cem_trajectory_optimizer	0	8	1.00000	1.00000	0.00000	0.00328	1.00000
0.05	cem_trajectory_optimizer	1	8	1.00000	1.00000	0.00000	0.00328	1.00000
0.05	cem_trajectory_optimizer	2	8	1.00000	1.00000	0.00000	0.00331	1.00000
0.05	cem_trajectory_optimizer	3	8	1.00000	1.00000	0.00000	0.00323	1.00000
0.05	cem_trajectory_optimizer	4	8	1.00000	1.00000	0.00000	0.00327	1.00000
0.05	cem_trajectory_optimizer	5	8	1.00000	1.00000	0.00000	0.00328	1.00000
0.05	cem_trajectory_optimizer	6	8	1.00000	1.00000	0.00000	0.00324	1.00000
0.05	cem_trajectory_optimizer	7	8	1.00000	1.00000	0.00000	0.00326	1.00000
0.05	support_aware_energy_bridge_v5	0	8	1.00000	1.00000	0.00000	0.00315	1.00000
0.05	support_aware_energy_bridge_v5	1	8	1.00000	1.00000	0.00000	0.00315	1.00000
0.05	support_aware_energy_bridge_v5	2	8	1.00000	1.00000	0.00000	0.00316	1.00000
0.05	support_aware_energy_bridge_v5	3	8	1.00000	1.00000	0.00000	0.00312	1.00000
0.05	support_aware_energy_bridge_v5	4	8	1.00000	1.00000	0.00000	0.00313	1.00000
0.05	support_aware_energy_bridge_v5	5	8	1.00000	1.00000	0.00000	0.00317	1.00000
0.05	support_aware_energy_bridge_v5	6	8	1.00000	1.00000	0.00000	0.00315	1.00000
0.05	support_aware_energy_bridge_v5	7	8	1.00000	1.00000	0.00000	0.00317	1.00000
0.10	energy_rerank_unguided	0	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.10	energy_rerank_unguided	1	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.10	energy_rerank_unguided	2	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.10	energy_rerank_unguided	3	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.10	energy_rerank_unguided	4	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.10	energy_rerank_unguided	5	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.10	energy_rerank_unguided	6	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.10	energy_rerank_unguided	7	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.10	energy_guided_diffusion	0	8	0.00000	0.00000	1.00000	1.01206	0.00000
0.10	energy_guided_diffusion	1	8	0.00000	0.00000	1.00000	1.00465	0.00000
0.10	energy_guided_diffusion	2	8	0.00000	0.00000	1.00000	1.00089	0.00000
0.10	energy_guided_diffusion	3	8	0.00000	0.00000	1.00000	1.00000	0.00000

Table 52: Seed-level fixed-risk metrics continued (205-238)

risk_budget	method	seed	tasks	success	fixed_risk_success	collision	risk_proxy	mode_escape
0.10	energy_guided_diffusion	4	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.10	energy_guided_diffusion	5	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.10	energy_guided_diffusion	6	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.10	energy_guided_diffusion	7	8	0.00000	0.00000	1.00000	1.00000	0.00000
0.10	strong_guided_diffusion	0	8	0.12500	0.12500	0.00000	0.87995	0.00000
0.10	strong_guided_diffusion	1	8	0.00000	0.00000	0.12500	1.00000	0.00000
0.10	strong_guided_diffusion	2	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.10	strong_guided_diffusion	3	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.10	strong_guided_diffusion	4	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.10	strong_guided_diffusion	5	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.10	strong_guided_diffusion	6	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.10	strong_guided_diffusion	7	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.10	support_projected_guidance	0	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.10	support_projected_guidance	1	8	0.12500	0.12500	0.00000	0.88410	0.00000
0.10	support_projected_guidance	2	8	0.00000	0.00000	0.12500	1.00000	0.00000
0.10	support_projected_guidance	3	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.10	support_projected_guidance	4	8	0.00000	0.00000	0.12500	1.00000	0.00000
0.10	support_projected_guidance	5	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.10	support_projected_guidance	6	8	0.12500	0.12500	0.00000	0.88255	0.00000
0.10	support_projected_guidance	7	8	0.00000	0.00000	0.00000	1.00000	0.00000
0.10	mode_diverse_diffusion	0	8	1.00000	1.00000	0.00000	0.00322	1.00000
0.10	mode_diverse_diffusion	1	8	1.00000	1.00000	0.00000	0.00322	1.00000
0.10	mode_diverse_diffusion	2	8	1.00000	1.00000	0.00000	0.00329	1.00000
0.10	mode_diverse_diffusion	3	8	1.00000	1.00000	0.00000	0.00320	1.00000
0.10	mode_diverse_diffusion	4	8	1.00000	1.00000	0.00000	0.00325	1.00000
0.10	mode_diverse_diffusion	5	8	1.00000	1.00000	0.00000	0.00326	1.00000
0.10	mode_diverse_diffusion	6	8	1.00000	1.00000	0.00000	0.00328	1.00000
0.10	mode_diverse_diffusion	7	8	1.00000	1.00000	0.00000	0.00327	1.00000
0.10	diffusion_cem_hybrid	0	8	1.00000	1.00000	0.00000	0.00306	1.00000
0.10	diffusion_cem_hybrid	1	8	1.00000	1.00000	0.00000	0.00305	1.00000
0.10	diffusion_cem_hybrid	2	8	1.00000	1.00000	0.00000	0.00306	1.00000
0.10	diffusion_cem_hybrid	3	8	1.00000	1.00000	0.00000	0.00302	1.00000
0.10	diffusion_cem_hybrid	4	8	1.00000	1.00000	0.00000	0.00303	1.00000
0.10	diffusion_cem_hybrid	5	8	1.00000	1.00000	0.00000	0.00304	1.00000

Table 53: Seed-level fixed-risk metrics continued (239-256)

risk_budget	method	seed	tasks	success	fixed_risk_success	collision	risk_proxy	mode_escape
0.10	diffusion_cem_hybrid	6	8	1.00000	1.00000	0.00000	0.00301	1.00000
0.10	diffusion_cem_hybrid	7	8	1.00000	1.00000	0.00000	0.00309	1.00000
0.10	cem_trajectory_optimizer	0	8	1.00000	1.00000	0.00000	0.00327	1.00000
0.10	cem_trajectory_optimizer	1	8	1.00000	1.00000	0.00000	0.00330	1.00000
0.10	cem_trajectory_optimizer	2	8	1.00000	1.00000	0.00000	0.00332	1.00000
0.10	cem_trajectory_optimizer	3	8	1.00000	1.00000	0.00000	0.00329	1.00000
0.10	cem_trajectory_optimizer	4	8	1.00000	1.00000	0.00000	0.00318	1.00000
0.10	cem_trajectory_optimizer	5	8	1.00000	1.00000	0.00000	0.00335	1.00000
0.10	cem_trajectory_optimizer	6	8	1.00000	1.00000	0.00000	0.00326	1.00000
0.10	cem_trajectory_optimizer	7	8	1.00000	1.00000	0.00000	0.00326	1.00000
0.10	support_aware_energy_bridge_v5	0	8	1.00000	1.00000	0.00000	0.00318	1.00000
0.10	support_aware_energy_bridge_v5	1	8	1.00000	1.00000	0.00000	0.00317	1.00000
0.10	support_aware_energy_bridge_v5	2	8	1.00000	1.00000	0.00000	0.00315	1.00000
0.10	support_aware_energy_bridge_v5	3	8	1.00000	1.00000	0.00000	0.00313	1.00000
0.10	support_aware_energy_bridge_v5	4	8	1.00000	1.00000	0.00000	0.00313	1.00000
0.10	support_aware_energy_bridge_v5	5	8	1.00000	1.00000	0.00000	0.00315	1.00000
0.10	support_aware_energy_bridge_v5	6	8	1.00000	1.00000	0.00000	0.00312	1.00000
0.10	support_aware_energy_bridge_v5	7	8	1.00000	1.00000	0.00000	0.00320	1.00000

REFERENCES

- Aaron D. Ames, Xiangru Xu, Jessy W. Grizzle, and Paulo Tabuada. Control barrier function based quadratic programs for safety critical systems. *IEEE Transactions on Automatic Control*, 2017.
- Cheng Chi, Zhenjia Xu, Siyuan Feng, Eric Cousineau, Yilun Du, Benjamin Burchfiel, Russ Tedrake, and Shuran Song. Diffusion policy: Visuomotor policy learning via action diffusion. *Robotics: Science and Systems*, 2023.
- Jonathan Ho, Ajay Jain, and Pieter Abbeel. Denoising diffusion probabilistic models. *Advances in Neural Information Processing Systems*, 2020.
- Michael Janner, Yilun Du, Joshua B. Tenenbaum, and Sergey Levine. Planning with diffusion for flexible behavior synthesis. *International Conference on Machine Learning*, 2022.
- Steven M. LaValle. *Planning Algorithms*. Cambridge University Press, 2006. URL <https://lavalle.pl/planning/>.
- Nathan Ratliff, Matt Zucker, J. Andrew Bagnell, and Siddhartha Srinivasa. Chomp: Gradient optimization techniques for efficient motion planning. In *IEEE International Conference on Robotics and Automation*, 2009.
- Reuven Rubinstein. The cross-entropy method for combinatorial and continuous optimization. *Methodology and Computing in Applied Probability*, 1999.