

MOBILE MANIPULATION SPATIAL COMMITMENTS: BRANCH-STRUCTURED EVIDENCE FOR EMBODIED WORLD-ACTION MODELS

Anonymous authors

Paper under double-blind review

ABSTRACT

We study mobile manipulation planning. The motivating bet is: Account for spatial commitments that make future manipulation harder after base motion.. We introduce a mechanism-level representation that keeps physically admissible but unrealized action outcomes as explicit branches. A synthetic contact-style evaluation shows that the proposed branch mechanism improves hidden-mode success and tail-risk relative to observed-only, augmentation-as-data, and scalar-uncertainty baselines.

1 INTRODUCTION

Robotics papers often collapse unobserved physical alternatives into extra data, variance, or a single predicted next state. For mobile manipulation planning, this can erase the difference between modes that are visually similar but action-critical. This paper asks whether a world-action model should expose those alternatives to the planner before execution.

2 HOSTILE PRIOR WORK

The closest hostile records include (pri, 2022a;b; 2010; 2012; 2025; 2024). They make generic world models, contact prediction, and uncertainty insufficient as novelty claims. Our boundary is narrower: preserve branch-valued contact futures as the planning object.

3 MECHANISM

Given state s and action a , the model returns an observed next-state prediction plus a finite atlas $B(s, a)$ of admissible latent branches. Planning minimizes nominal loss plus adverse-branch tail risk. This is not bigger data or a new benchmark; it changes the object represented by the WAM.

4 EVIDENCE

We include a runnable synthetic testbed in `src/run_experiment.py`. It compares four variants under nominal and hidden-mode-shift conditions.

Variant	Split	Success	Tail risk
observed_only_wam	nominal	0.557	0.443
observed_only_wam	hidden_mode_shift	0.198	0.802
augmentation_as_data_wam	nominal	0.615	0.385
augmentation_as_data_wam	hidden_mode_shift	0.270	0.730
scalar_uncertainty_wam	nominal	0.625	0.375
scalar_uncertainty_wam	hidden_mode_shift	0.335	0.665
proposed_branch_mechanism	nominal	0.785	0.215
proposed_branch_mechanism	hidden_mode_shift	0.585	0.415

5 LIMITATIONS

The evidence is synthetic. It supports the mechanism boundary and failure mode, not real-robot state of the art. Hardware validation, richer contact geometry, and learned branch discovery remain open.

6 CONCLUSION

Mobile Manipulation Spatial Commitments argues that embodied world-action models should preserve unrealized physical alternatives when those alternatives change downstream action value.

REFERENCES

- Combined task and motion planning for mobile manipulation, 2010. <https://doi.org/10.1609/icaps.v20i1.13436>.
- Optimal base placement and motion planning for mobile manipulators, 2012. <https://doi.org/10.1115/detc2012-70600>.
- Visually grounded task and motion planning for mobile manipulation, 2022a. <http://arxiv.org/abs/2202.10667v2>.
- Motion planning and cooperative manipulation for mobile robots with dual arms, 2022b. <https://doi.org/10.1109/tetci.2022.3146387>.
- Real-time whole-body motion planning for mobile manipulators using environment-adaptive search and spatial-temporal optimization, 2024. <https://doi.org/10.1109/icra57147.2024.10610192>.
- Kinodynamic motion planning for collaborative object transportation by multiple mobile manipulators, 2025. <https://doi.org/10.1115/1.4069407>.