




Intro. to Data Visualization

Simple Graphs in Python
using **matplotlib** and **pyplot**

What is data visualization?

- **Data visualization** is the **graphical representation** of information and data.
 - Can be achieved using visual elements like **figures, charts, graphs, maps,** and more.
- Data visualization **tools** provide a way to present these figures and graphs.
- Often, it is essential to **analyze massive amounts** of information and make **data-driven decisions**.
 - converting complex data into an easy to understand representation.



Matplotlib








- **Matplotlib** is one of the most powerful tools for data visualization in Python.
- **Matplotlib** is an incredibly powerful (and beautiful!) 2-D plotting library.
 - It is easy to use and provides a huge number of examples for tackling unique problems
- In order to get **matplotlib** into your script,
 - first you need to import it, for example:
`import matplotlib.pyplot as plt`
- However, if it is not installed, you may need to install it:
 - Easiest way to install **matplotlib** is using **pip**.
 - Type the following command in the command prompt (cmd) or your Linux shell;
 - `pip install matplotlib`
 - *Note that you may need to run the above cmd as an administrator*

matplotlib

- Strives to emulate MATLAB
 - `matplotlib.pyplot` is a collection of command style functions that make `matplotlib` work like **MATLAB**.
- Each `pyplot` function makes some change to the figure:
 - e.g.,
 - creates a figure,
 - creates a plotting area in the figure,
 - plots some lines in the plotting area,
 - decorates the plot with labels, etc.
- **Note** that various states are preserved across function calls
- Whenever you plot with `matplotlib`, the two main code lines should be considered:
 - Type of graph
 - this is where you **define** a **bar** chart, **line** chart, **etc.**
 - Show the graph
 - this is to **display** the graph

E.g. Matplotlib

- **Matplotlib** allows you to make easy things
- You can generate **plots, histograms, power spectra, bar charts, errorcharts, scatterplots**, etc., with just a few lines of code.




Line Graphs

```
import matplotlib.pyplot as plt

#create data for plotting
x_values = [0, 1, 2, 3, 4, 5 ]
y_values = [0, 1, 4, 9, 16, 25]

#the default graph style for plot is a line
plt.plot(x_values, y_values)


#display the graph
plt.show()
```



More on Line Graph

- **Note:** if you provide a single list or array to the `plot()` command,
 - then `matplotlib` assumes it is a sequence of **y values**, and
 - automatically generates the **x values** for you.
- Since python ranges start with **0**, the default **x** vector has the same length as **y** but starts with **0**.
 - Hence the **x** data are `[0, 1, 2, 3]`.

```
import matplotlib.pyplot as plt
plt.plot([1, 2, 3, 4])
plt.ylabel('some numbers')
plt.show()
```



pyplot

- `text()` : adds text in an **arbitrary location**
- `xlabel()` : adds text to the **x-axis**
- `ylabel()` : adds text to the **y-axis**
- `title()` : adds title to the **plot**
- `clear()` : removes all plots from the axes.
- `savefig()` : saves your figure to a file
- `legend()` : shows a legend on the plot


All methods are available on `pyplot` and on the axes instance generally.


```
import matplotlib.pyplot as plt

y1 = []
y2 = []
x = range(-100, 100, 10)
for i in x: y1.append(i**2)
for i in x: y2.append(-i**2)

plt.plot(x, y1)
plt.plot(x, y2)
plt.xlabel("x")
plt.ylabel("y")
plt.ylim(-2000, 2000)
plt.axhline(0) # horizontal line
plt.axvline(0) # vertical line

plt.savefig("quad.png")
plt.show()
```



Incrementally
modify the figure.

Save your figure to a file

Show it on the screen


Plot

```
import matplotlib.pyplot as plt
```

```
x = [1, 2, 3, 4]  
y = [1, 4, 9, 16]
```

```
plt.plot(x, y)
```

↑ no return value?



- We are operating on a “hidden” variable representing the figure.
- This is a terrible, terrible trick.
- Its only purpose is to pander to MATLAB users.
- I’ll show you how this works in the next lecture

Simple line

```
# importing the required module
import matplotlib.pyplot as plt


# x axis values
x = [1,2,3]
# corresponding y axis values
y = [2,4,1]

# plotting the points
plt.plot(x, y)

# naming the x axis
plt.xlabel('x - axis')
# naming the y axis
plt.ylabel('y - axis')

# giving a title to my graph
plt.title('My first graph!')

# function to show the plot
plt.show()
```



- Define the **x-axis** and corresponding **y-axis** values as lists.
- Plot them on canvas using **.plot()** function.
- Give a name to x-axis and y-axis using **.xlabel()** and **.ylabel()** functions.
- Give a title to your plot using **.title()** function.
- Finally, to view your plot, we use **.show()** function.

```

import matplotlib.pyplot as plt

# line 1 points
x1 = [1,2,3]
y1 = [2,4,1]
# plotting the line 1 points
plt.plot(x1, y1, label="line 1")

# line 2 points
x2 = [1,2,3]
y2 = [4,1,3]
# plotting the line 2 points
plt.plot(x2, y2, label = "line 2")


# naming the x axis
plt.xlabel('x - axis')
# naming the y axis
plt.ylabel('y - axis')
# giving a title to my graph
plt.title('Two lines on same graph!')

# show a legend on the plot
plt.legend()

# function to show the plot
plt.show()

```

Simple 2 lines



- Here, we plot two lines on same graph. We differentiate between them by giving them a name(label) which is passed as an argument of `.plot()` function.
- The small rectangular box giving information about type of line and its color is called legend. We can add a legend to our plot using `.legend()` function.

Customization of Plots

```
import matplotlib.pyplot as plt

# x axis values
x = [1,2,3,4,5,6]
# corresponding y axis values
y = [2,4,1,5,2,6]


# plotting the points
plt.plot(x, y, color='green', linestyle='dashed', linewidth = 3,
         marker='o', markerfacecolor='blue', markersize=12)

# setting x and y axis range
plt.ylim(1,8)
plt.xlim(1,8)

# naming the x axis
plt.xlabel('x - axis')
# naming the y axis
plt.ylabel('y - axis')

# giving a title to my graph
plt.title('Some cool customizations!')

# function to show the plot
plt.show()
```




Bar graphs

```
import matplotlib.pyplot as plt

#Create data for plotting
values = [5, 6, 3, 7, 2]
names = ["A", "B", "C", "D", "E"]

plt.bar(names, values, color="green")
plt.show()
```



- When using a bar graph, the change in code will be from `plt.plot()` to `plt.bar()` changes it into a bar chart.


Bar graphs

We can also flip the bar graph horizontally with the following

```
import matplotlib.pyplot as plt

#Create data for plotting
values = [5,6,3,7,2]
names  = ["A", "B", "C", "D", "E"]

# Adding an "h" after bar will flip the graph
plt.barh(names, values, color="yellowgreen")
plt.show()
```



Bar Chart

```
import matplotlib.pyplot as plt


# heights of bars
height = [10, 24, 36, 40, 5]

# labels for bars
names = ['one', 'two', 'three', 'four', 'five']

# plotting a bar chart
c1 = ['red', 'green']
c2 = ['b', 'g'] # we can use this for color
plt.bar(left, height, width=0.8, color=c1)

# naming the x-axis
plt.xlabel('x - axis')
# naming the y-axis
plt.ylabel('y - axis')
# plot title
plt.title('My bar chart!')

# function to show the plot
plt.show()
```



- Here, we use `plt.bar()` function to plot a bar chart.
- you can also give some name to x-axis coordinates by defining `tick_labels`

Histogram

```
import matplotlib.pyplot as plt


# frequencies
ages=[2,5,70,40,30,45,50,45,43,40,44,60,7,13,57,18,90,77,32,21,20,40]

# setting the ranges and no. of intervals
range = (0, 100)
bins = 10

# plotting a histogram
plt.hist(ages, bins, range, color='green',histtype='bar',rwidth=0.8)

# x-axis label
plt.xlabel('age')
# frequency label
plt.ylabel('No. of people')
# plot title
plt.title('My histogram')

# function to show the plot
plt.show()
```




Histograms

```
import matplotlib.pyplot as plt

#generate fake data
x = [2,1,6,4,2,4,8,9,4,2,4,10,6,4,5,7,7,3,2,7,5,3,5,9,2,1]

#plot for a histogram
plt.hist(x, bins = 10, color='blue', alpha=0.5)
plt.show()
```

- Looking at the code snippet, I added two new arguments:
 - **Bins** — is an argument specific to a histogram and allows the user to customize how many bins they want.
 - **Alpha** — is an argument that displays the level of transparency of the data points.



Scatter Plots


```
import matplotlib.pyplot as plt

#create data for plotting

x_values = [0,1,2,3,4,5]
y_values = [0,1,4,9,16,25]

plt.scatter(x_values, y_values, s=30, color="blue")
plt.show()
```

- Can you see the pattern? Now the code changed from `plt.bar()` to `plt.scatter()`.



Scatter plot


```
import matplotlib.pyplot as plt

# x-axis values
x = [1,2,3,4,5,6,7,8,9,10]
# y-axis values
y = [2,4,5,7,6,8,9,11,12,12]

# plotting points as a scatter plot
plt.scatter(x, y, label= "stars", color="green", marker="*", s=30)

# x-axis label
plt.xlabel('x - axis')
# frequency label
plt.ylabel('y - axis')
# plot title
plt.title('My scatter plot!')
# showing legend
plt.legend()

# function to show the plot
plt.show()
```



Pie-chart

```
import matplotlib.pyplot as plt

# defining labels
activities = ['eat', 'sleep', 'work', 'play']


# portion covered by each label
slices = [3, 7, 8, 6]

# color for each label
colors = ['r', 'y', 'g', 'b']

# plotting the pie chart
plt.pie(slices, labels = activities, colors=colors,
        startangle=90, shadow = True, explode = (0, 0, 0.1, 0),
        radius = 1.2, autopct = '%1.1f%%')

# plotting legend
plt.legend()

# showing the plot
plt.show()
```



Plotting curves of given equation


```
# importing the required modules
import matplotlib.pyplot as plt
import numpy as np

# setting the x - coordinates
x = np.arange(0, 2*(np.pi), 0.1)
# setting the corresponding y - coordinates
y = np.sin(x)


# plotting the points
plt.plot(x, y)

# function to show the plot
plt.show()
```

Examples taken from:
[Graph Plotting in Python | Set 1](#)



Stacked bar chart



```


import matplotlib.pyplot as plt
import numpy as np

# data from https://allisonhorst.github.io/palmerpenguins/
species = (
    "Adelie\n $\mu=3700.66g",
    "Chinstrap\n $\mu=3733.09g",
    "Gentoo\n $\mu=5076.02g$",
)
weight_counts = {
    "Below": np.array([70, 31, 58]),
    "Above": np.array([82, 37, 66]),
}
width = 0.5
fig, ax = plt.subplots()
bottom = np.zeros(3)
for boolean, weight_count in weight_counts.items():
    p = ax.bar(species, weight_count, width, label=boolean, bottom=bottom)
    bottom += weight_count

ax.set_title("Number of penguins with above average body mass")
ax.legend(loc="upper right")
plt.show()

```


Grouped bar charts



```
species = ("Adelie", "Chinstrap", "Gentoo")
penguin_means = {
    'Bill Depth': (18.35, 18.43, 14.98),
    'Bill Length': (38.79, 48.83, 47.50),
    'Flipper Length': (189.95, 195.82, 217.19),
}
x = np.arange(len(species)) # the label locations
width = 0.25 # the width of the bars
multiplier = 0
fig, ax = plt.subplots(layout='constrained')

for attribute, measurement in penguin_means.items():
    offset = width * multiplier
    rects = ax.bar(x + offset, measurement, width, label=attribute)
    ax.bar_label(rects, padding=3)
    multiplier += 1

# Add some text for labels, title and custom x-axis tick labels, etc.
ax.set_ylabel('Length (mm)')
ax.set_title('Penguin attributes by species')
ax.set_xticks(x + width, species)
ax.legend(loc='upper left', ncols=3)
ax.set_ylim(0, 250)

plt.show()
```

Summary

- We just scratched the surface of the power of [matplotlib](#).
- You can read more and find how you can create more colorful, detailed, and vibrant graphs.
- There are a lot more graphs available in the [matplotlib](#) library as well as other popular libraries available in python, including:
 - seaborn
 - <https://seaborn.pydata.org/>
 - pandas plot (`pandas.DataFrame.plot`)
 - <https://pandas.pydata.org/pandas-docs/stable/reference/api/pandas.DataFrame.plot.html>
 - plotly (Plotly Python Open Source Graphing Library)
 - <https://plotly.com/python/>

References

- Matplotlib: Visualization with Python
 - <https://matplotlib.org/index.html>
- matplotlib.pyplot
 - https://matplotlib.org/3.2.1/api/pyplot_summary.html
- Tutorials
 - <https://matplotlib.org/tutorials/index.html>
- Gallery & Examples
 - <https://matplotlib.org/gallery/index.html>
- Videos
 - <https://www.youtube.com/watch?v=3Fp1zn5ao2M&feature=plcp>
- Book: Mastering matplotlib
 - <https://www.packtpub.com/big-data-and-business-intelligence/mastering-matplotlib>