

Digital Forensics Project Part 3

By: Oluwatoni Oderinlo

Table of Contents

Introduction – Page 3

Remediation Measures – Page 3

Recommendation – Page 3-4

Conclusion -- Page 4

Introduction

Based on the written report created in Part 1 that explains all the actions and activities that took place during the malicious activity caused by 194.61.24.102. Here are the Remediation Measures and Recommendations against the malicious activity that took place.

Remediation Measures:

1. Immediate Network Isolation: The initial action required is to segregate the compromised systems from the network promptly. This entails disconnecting the affected machines from both internal and external networks to halt any ongoing unauthorized access and prevent further data exfiltration.
2. Temporary Disabling of Remote Desktop Protocol (RDP): As a preventive measure, it is crucial to temporarily suspend RDP access to impede further exploitation through this channel. This can be achieved by adjusting security system/firewall rules or group policies on the impacted systems.
3. Malware Eradication: Utilize trusted antivirus or anti-malware software to detect and eliminate the coreupdater.exe malware from both the server (DC01) and desktop (Desktop-SDN1RPT). Conduct comprehensive scans across all systems to ensure thorough removal of any remaining malicious files or scripts.
4. Password and Credential Reset: Reset all passwords and credentials linked with compromised accounts, particularly those with administrative privileges. It is imperative to enforce the use of robust, unique passwords to thwart future unauthorized access attempts.
5. Implementation of Principle of Least Privilege (PoLP): Review and adjust user permissions and access controls in accordance with the principle of least privilege. Restrict user privileges to only essential permissions necessary for their respective roles to minimize the potential impact of future security breaches.
6. Strengthened Monitoring and Logging: Enhance monitoring and logging capabilities across the network to promptly detect and respond to suspicious activities in real-time. This encompasses vigilant monitoring of abnormal login attempts, file access patterns, and anomalies in network traffic.

Recommendations:

1. Security Awareness Training: Conduct regular security awareness sessions for employees to educate them on prevalent cyber threats like phishing attacks and social engineering tactics. Encourage adherence to good cybersecurity practices, including vigilant password management and cautious handling of sensitive information.
2. Development of Incident Response Plan (IRP): Create and implement a comprehensive incident response plan delineating predefined procedures and protocols to be followed in the event of a security breach. This plan should encompass steps for containment, investigation, mitigation, and recovery to minimize the impact of future incidents.

3. Ongoing Security Assessments: Conduct routine security assessments, encompassing penetration testing and vulnerability scanning, to identify and rectify potential weaknesses in the network infrastructure and systems. This initiative-taking approach aids in staying ahead of evolving threats and vulnerabilities.
4. Utilization of Encryption Techniques: Employ encryption methods such as encryption at rest and in transit to safeguard sensitive data stored on servers and transmitted across the network. This adds an additional layer of security to prevent unauthorized access to confidential information.
5. Implementation of Two-Factor Authentication (2FA): Deploy two-factor authentication for remote access and critical systems to enhance authentication security beyond conventional passwords. This helps mitigate the risk of unauthorized access, even in the event of compromised credentials.
6. Establishment of Regular Backup and Disaster Recovery Procedures: Implement regular backup protocols and ensure secure offsite storage of backups. Additionally, develop and evaluate a comprehensive disaster recovery plan to expedite the restoration of systems and data in the event of a security incident or system failure.
7. Engagement with Cybersecurity Experts: Consider collaborating with external cybersecurity experts or consulting firms to conduct thorough security assessments, offer guidance on best practices, and aid in incident response planning and execution.

Conclusion

In the wake of the malicious activity orchestrated by 194.61.24.102 as detailed in the digital forensics' investigation, it is imperative to underscore the significance of robust remediation measures and initiative-taking recommendations to fortify our network defenses against future threats.

The remediation measures outlined in this report emphasize the swift isolation of compromised systems, the temporary disabling of vulnerable access points such as Remote Desktop Protocol (RDP), and the thorough eradication of malware to prevent its persistence. Additionally, resetting passwords and enforcing the Principle of Least Privilege (PoLP) are vital steps towards enhancing access controls and minimizing the potential impact of unauthorized access.

Furthermore, the recommendations outlined emphasize a comprehensive approach to cybersecurity. This involves educating employees through security awareness training, crafting a detailed Incident Response Plan (IRP), and regularly conducting security assessments to proactively identify and rectify vulnerabilities. Additionally, integrating encryption techniques, implementing two-factor authentication (2FA), and establishing robust backup and disaster recovery procedures are essential components of a resilient cybersecurity strategy.